
## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.





# PRICE LIST

FALL, 1947 - SPRING, 1948

Trees

Shrubs Evergreens
Herbaceous Perennials

Roses

# Henry Kohankie & Son

30 Miles East of Cleveland on Rt. 20

Tel. 4380



### PRICE LIST

W E OFFER herein a complete list of hardy ornamental nursery stock. Our nursery of one thousand acres affords material to meet practically every need in landscape development. Stock is well grown and supplied with a fibrous root system which is of vital importance in the success of a planting.

All material will be freshly dug. We maintain no storage cellars since the superiority of freshly dug stock is recognized generally.

With few exceptions the plant names used conform to "Standard Plant Names" as adopted by the Joint Committee on Horticultural Nomenclature.

### HENRY KOHANKIE & SON

Route 20, One Mile East of Painesville
PAINESVILLE, OHIO

## Please Read Carefully

#### CONDITIONS OF SALE

**Prices** do not include packing. A charge for the cost of the boxes and material used in baling will be made.

**Stock** specially selected by customers at the nursery will be charged according to its value.

We give no warranty, expressed or implied, as to quality, decription, productiveness, or any other matter of any nursery stock that we sell.

Due to the perishable nature of nursery stock we cannot guarantee growth unless we charge a premium. Losses may occur from causes beyond our control. purchaser may subject the plants to undue exposure before planting, fail to plant properly, or neglect aftercare such as cultivation, irrigation, etc. On the other hand, if properly planted and cared for, the failures will be limited to an occasional plant which may be lost for no apparent reason and which loss is to be expected. The success or failure of a planting beyond the nominal loss above referred to, is in the hands of the planter. method of handling and packing stock is modern and goods will be in good condition and well packed when they leave our hands. Our responsibility ends upon delivery to the carriers. If goods suffer through delay in transit, claim should at once be made on the transportation company.

All claims for errors must be made within six days after receipt of goods, or positively will not be considered.

Unknown correspondents who wish to open an account will please give us references and allow us sufficient time to investigate same. Otherwise, cash must accompany order. If goods are desired C. O. D., the order must be accompanied by one third of the amount to guarantee acceptance.

Shipping facilities—We can make direct shipment over the N. Y. C. R. R.; B. & O. R. R.; N. Y. C. & St. L. R. R.; American Railway Express and Motor Freight. A siding to our packing house direct from the main line of the New York Central railroad enables us to handle stock with a minimum of exposure.

Auto Truck Delivery— We are in a position to make deliveries by auto truck to points within seventy-five miles of Painesville. Charges are made according to the size of truck required and the distance.

#### CONTENTS

Deciduous and Evergreen Trees, Shrubs and Vines
Herbaceous Material (including Rock and Alpine Plants)163-200
Fruit Garden Material
Large Specimen Material
Plants for Special Purposes
Schedule of B&B Charges
PLANT CLASSIFICATIONS
Coniferous Evergreens
Broad-leaved Evergreens
Deciduous Shade Trees
Deciduous Small Trees 205-206
Deciduous Shrubs
Vines 210_211

THE production of many of the plants in this list represents no little effort. More than a few of the items are not profitable which accounts for their general scarcity, but on the other hand they are indispensable to good landscape work.

Since we specialize in the execution of complete planting lists we aim to keep our assortment unbroken. To that end we hope you will co-operate by ordering material in reasonable assortment. We cannot always accept orders which are confined to plants that are scarce and our stock of which is limited.

## DECIDUOUS AND EVERGREEN TREES, SHRUBS AND VINES

We recommend that all items marked with an asterisk be lifted with a ball of earth and sewed in burlap. Experience has shown that the loss of these plants, which is otherwise high, is reduced to a minimum if handled in this way. This will involve extra charges, a schedule of which will be found on the last page. In all instances where "B&B" is indicated these charges are included in the printed price.

The figures printed in italics following the common name, indicate the approximate height of the plant at maturity.

Abelia chinensis. Chinese Abelia. 5'	1-4 Each	5-24 Each	25 & up Each
15 to 18 in., 4 in. pots	1.75	1.50	1.25
grandiflora. Glossy Abelia. 3'			
12 to 15 in., 4 in. pots	1.00	.85	.75
15 to 18 in., 4 in. pots	1.25	1.10	1.00
18 to 24 inB&B	2.00	1.85	1.75
2 to 3 ftB&B	2.50	2.25	2.00
schumanni. Schumann Abelia. 5'			
12 to 18 in., 4 in. pots	1.75	1.50	
Abies alba. Silver Fir. 50'			
2 ftB&B	6.00	5.00	
3 ftB&B	7.50	6.00	
alba pyramidalis. Sentinel Fir. 5	60'		
18 in	5.00		
2 ftB&B	6.00		
3 ftB&B	8.00		
balsamea. Balsam Fir. 50'			
4 ftB&B	8.50		
5 ft	12.50		
6 ftB&B	15.00		
7 ftB&B	18.00		
For larger sizes to 15 ft., add \$5	5.00 pe	er foot	
cephalonica. $Greek\ Fir.\ \ 60'$			
2 ftB&B	7.50		

		1-4 Each	5-24 Each	25 & up
Abies		Euch	Eden	Lucii
concol	or. White Fir. 70'			
2	ftB&l	3 6.00	5.00	
3	ftB&l	3 7.50	6.50	
4	ftB&l	3 10.00	8.50	
5	ftB&l	B 15.00	12.50	
6	ftB&I	3 18.00	15.00	
7	ftB&l	B 22.50	18.00	
8	ftB&l	B 30.00	25.00	
9	ftB&	B 35.00	30.00	
10	ftB&1	B 40.00	35.00	
concol	or violacea. Purplecone W	Thite Fi	r. 70'	
2	ftB&l	B 7.50		
3	ftB&	B 9.00		
4	ft	B 12.50		
5	ft	B 15.00		
6	ftB&	B 17.50		
firma.	Momi Fir. 50'			
3	ftB&	B 6.00		
4	ftB&3	B 7.50		
fraser	i. Fraser Fir. 50'			
4	ftB&	B 6.50		
- 5	ftB&l			
6	ftB&	B 10.00		
homol	epis. Nikko Fir. 60'			•
3	ftB&	B 7.50	6.50	
4	ftB&	B 10.00	8.50	
5	ftB&	B 15.00	12.50	
6	ft	B 18.00	15.00	
7	ftB&1	3 22.50	18.00	
lasioc	arpa arizonica. $Cork$ - $bark$	Fir. 5	0'	
2				
nordn	nanniana. Nordmann Fir.	75'	2	
	ftB&l			
pinsar	o. Spanish Fir. 70'			
	ftB&l	3 7.50	6.00	
procer	a glauca. Blueleaf Noble	Fir. 50	0'	
18	inB&l	3 7.50		
. 2	ftB&l	3 10.00		

Abies	1-4 Each	5-24 Each	25 & up Each
veitchi. Veitch Fir. 80'			
2 ftB&B			
3 ftB&B			
4 ftB&B	12.50	•	
Acanthopanax henryi. Henry Acanth	onana	x. 10'	
3 to 4 ft	1.75	1.50	
4 to 5 ft		2.00	
ricinifolium (see Kalopanax pictus			
sieboldianus (pentaphyllum). $Five$		$l\ Arali$	a. 10'
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.00	.90
Acer buergerianum. Trident Maple.	40 <b>'</b>		
2 to 3 ft		2.50	
3 to 4 ft	3.50	2.50	
campestre. Hedge Maple. 25'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.50	3.50	
8 to 10 ft	10.00	7.50	
10 to 12 ft	12.50	10.00	,
cappadocicum. Coliseum Maple. A	40'		
2 to 3 ft	3.50		
dasycarpum, (see saccharinum)			
ginnala. Amur Maple. 12'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.50	1.25
6 to 8 ft	2.75	2.25	2.00
8 to 10 ft	3.50	2.75	2.50
		0	2.00
glabrum. Rocky Mountain Maple. 2 to 3 ft	25'		
3 to 4 ft	2.50		
0 W T It	3.50		

	1-4 - Each	5-24 Each
Acer	Eden	LGCII
japonicum aureum. Goldenmoon 1	Maple.	<i>15</i> ′
2 to 3 ftB&B	6.00	
3 to 4 ftB&B	7.50	
4 to 5 ft	10.00	
5 to 6 ftB&B	15.00	
mandschuricum. Manchurian Map	le. 30'	,
10 to 12 ft	7.50	6.00
negundo. Box Elder. 60'		
6 to 8 ft	2.00	1.50
8 to 10 ft	2.50	2.00
1¼ to 1½ in	3.00	2.50
1½ to 1¾ in	3.50	3.00
134 to 2 in	4.50	4.00
nigrum Plack Manla 20'		
nigrum. $Black Maple$ . $80'$ 8 to $10 \text{ ft.} \dots \dots$	5.00	
nikoense. Nikko Maple. 40'	3.00	
6 to 8 ft	7.50	
8 to 10 ft		
	10.00	
palmatum. Japanese Maple. 15'		
2 to 3 ftB&B	3.00	2.00
3 to 4 ftB&B	4.00	3.00
4 to 5 ftB&B	5.00	4.00
5 to 6 ftB&B	6.00	5.00
	10.00	7.50
8 to 10 ftB&B	12.50	10.00
palmatum atropurpureum.		
Bloodleaf Japanese Maple. 1		
2 to 3 ftB&B		7.50
3 to 4 ftB&B		
4 to 5 ftB&B		12.50
5 to 6 ft., heavyB&B		
6 to 8 ft., heavyB&B		
8 to 10 ft., heavyB&B	30.00	
palmatum dissectum atropurpure	ım.	
Purple Threadleaf Japanese	-	. 6'
18 to 24 inB&B		
2 to 3 ft,B&B	_	
3 to 4 ftB&B	15.00	
palmatum elegans.		
18 to 24 inB&B	8.50	

Acer	1-4 Each	5-24 Each	25 & up Each
palmatum filicifolium. Fernleaf 5 to 6 ft	3 17.50	10'	
pennsylvanicum. Striped Maple.	25'		
4 to 5 ft			
5 to 6 ft			
6 to 8 ft			
platanoides. Norway Maple. 75'			
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.00	2.75	2.50
1¼ to 1½ in	4.50	4.00	3.50
1½ to 1¾ in	6.00	5.00	4.50
13/4 to 2 in	7.50	6.00	5.50
2 to $2\frac{1}{2}$ in	10.00	8.50	7.50
$2\frac{1}{2}$ to $3$ in	15.00	12.50	
3 to $3\frac{1}{2}$ in	25.00	18.00	
3½ to 4 in	30.00	25.00	
platanoides columnare. Column I	Maple.	75'	
8 to 10 ft	7.50		
11/4 to 11/2 in	10.00		
platanoides globosum. Globe No	rway M	laple.	
4 year, 6 ft. standards		1	
platanoides schwedleri. Schwedle	r Maple	e. 60'	
1½ to 1½ in	6.00		
1½ to 1¾ in	7.50		
13/4 to 2 in	10.00		
2 to 2½ in	15.00		
2½ to 3 in	18.00		
3 to 3½ in	25.00		
3½ to 4 in	30.00		
pseudoplatanus. Planetree Maple.	60 <b>'</b>		
8 to 10 ft	4.50		
1¼ to 1½ in	5.00		
1½ to 1¾ in	6.00		
1¾ to 2 in	7.50		
2 to 2½ in	10.00		
2½ to 3 in	12.50		
3 to 3½ in	18,00		

Acer	1-4	5-24	25 & up
rubrum. Red Maple. 75'	Each	Each	Each
6 to 8 ft	3.50	2,75	
8 to 10 ft		3.50	
1½ to 1½ in		4.50	
1½ to 1¾ in	6.50	5.50	
134 to 2 in		7.50	
2 to 2½ in		10.00	
2½ to 3 in		15.00	
3 to 3½ in		20.00	
3½ to 4 in		_0.00	
4 to 5 in			
rubrum columnare. Column Red	l Maple	2. 75'	
6 to 8 ft	-		
8 to 10 ft			
saccharinum. Silver Maple. 75'			
8 to 10 ft	2.00	1.75	
1¼ to 1½ in		2.50	
1½ to 1¾ in		3.00	
13/4 to 2 in		4.00	
2 to 2½ in		6.00	
2½ to 3 in		10.00	
3 to 3½ in	15.00		
saccharinum pyramidale.			
Pyramidal Silver Maple. 75'			
6 to 8 ft	2.50		
8 to 10 ft			
11/4 to 11/2 in			
1½ to 1¾ in	4.50		
13/4 to 2 in	6.00		
2 to 2½ in	9.00		
saccharinum wieri. Wier Maple.	75'		
8 to 10 ft	3.00		
1¼ to 1½ in			
1½ to 1¾ in			
saccharum. Sugar Maple. 75'			
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	4.00	3.50	3.25
1¼ to 1½ in	5.00	4.50	4.00
1½ to 1¾ in	6.50	5.50	5.00
134 to 2 in	10.00	8.50	7.50
2 to 2½ in	12,50	11.50	10.00
2½ to 3 in	17.50	13.50	12.50

Acer	1-4 Each	5 <b>-24</b> Each	25 & up Each
saccharum continued.			
3 to 3½ in	25.00	90.00	
3½ to 4 in		20.00 30.00	
4 to 4½ in		40.00	
4½ to 5 in		40.00	
sieboldianum. Siebold Maple. 25			
8 to 10 ft			
10 to 12 ft			
	12.50		
spicatum. Mountain Maple. 20'			
3 to 4 ft	1.50		
4 to 5 ft	2.00		
5 to 6 ft	3.00		
tataricum. Tatarian Maple. 20'			
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.50	2,25	2.00
8 to 10 ft	3.50	2.75	2.50
10 to 12 ft	5.00	4.50	
Actinidia armita Dames Activiti	2.01		
Actinidia arguta. Bower Actinidia.			
2 year	.75	.55	.45
Aesculus carnea. Red Horsechestnut.	40'		•
6 to 8 ft	12.50		
8 to 10 ft	15.00		
11/4 to 11/2 in	20.00		
glabra. Ohio Buckeye. 25'			
	3.50	3.00	
8 to 10 ft	4.50	4.00	
1¼ to 1½ in	6.00		
1½ to 2 in	7.50		
2 to 2½ in	10.00		
2½ to 3 in	12.50		
3 to 3½ in	15.00		
3½ to 4 in	20.00		

Aesculus.	1-4 Each	5-24 <b>E</b> ach	25 & up Each
${f hippocastanum.}\ Horsechestnut.$	70'		
6 to 8 ft	<b>3.</b> 00	2.75	
8 to 10 ft	<b>4.50</b>	4.00	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in		5.00	
1½ to 1¾ in		5.50	
1¾ to 2 in	7 <b>.5</b> 0	6.50	
2 to 2½ in	10.00	8.50	
2½ to 3 in	15.00	12.50	
3 to $3\frac{1}{2}$ in	. 18.00	15.00	
$3\frac{1}{2}$ to 4 in	22.50		
4 to 5 in	30.00		
hippocastanum baumanni.			
Baumann Horsechestn	ut. 50'		
5 to 6 ft	7.50		
6 to 8 ft,	. 10.00		
8 to 10 ft	. 12.50		
2½ to 3 in	30.00		
3 to 3½ in	40.00		
3½ to 4 in	. 50.00		
octandra. Yellow Buckeye. 60'			
6 to 8 ft	. 3.00	2.75	2.50
8 to 10 ft	4.50	4.00	3.75
11/4 to 11/2 in	5.50	5.00	4.50
1½ to 1¾ in	6.00	5.50	5.00
134 to 2 in	7.50	6.50	6.00
2 to 2½ in	. 10.00	8.50	7.50
2½ to 3 in	12.50	10.00	9.00
3 to 3½ in	. 15.00	12.50	11.00
3½ to 4 in	. 25.00		
4 to 5 in	35.00		
parviflora. Bottlebrush Buckeye	12'		
15 to 18 inB&	B 3.00		
18 to 24 inB&	B 4.00		
2 to 3 ftB&	B 5.50		
turbinata. Japanese Horsechest	tnut. 30	,	
4 to 5 in			
5 to 6 in			

	1-4 Each	5-24 Each	25 & up Each
Ailanthus altissima (glandulosa).		20011	Lacii
$Tree\ of\ Heaven.\ 50'$			
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.00	2.75	2.50
10 to 12 ft	3.50	3.25	
1½ to 1¾ in	4.50	4.00	
1¾ to 2 in,	6.00	5.00	
2 to $2\frac{1}{2}$ in	7.50	6.50	
vilmoriniana. Vilmorin Ailanthus.	50 <b>'</b>		
1½ to 1¾ in	6.00		
134 to 2 in	7.50		
2 to 2½ in			
2 10 272 111,	10.00		
Alcohin trifelints Thursday Alcohin	151		
Akebia trifoliata. Threeleaf Akebia.		G E	.60
2 year	.75 $1.00$	.65 .85	.75
5 year from pots	1.00	.00	.10
quinata. Fiveleaf Akebia15'			
2 year	.75	.55	.45
3 year	1.00	.75	.60
Albizzia julibrissin rosea. Silktree. 30	O*		
3 to 4 ftB&B			
5 to 4 It	1.00		
Alnus cordata. Italian Alder. 40'			
6 to 8 ft	2.50	2.25	
8 to 10 ft	4.00	3.50	
1½ to 1¾ in	6.50	5.50	
134 to 2 in	8.50	7.50	
	12.50	1.00	
2/2 00 0 111	12.00		
glutinosa. European Alder. 60'			
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	4.00	3.50	3.00
11/4 to 11/2 in,	5.50	4.50	4.00
1½ to 1¾ in	6.50	5.50	5.00
13/4 to 2 in	7.50	6.50	6.00
2 to 2½ in	10.00	7.50	
2½ to 3 in	12.50		

		5-24 Each	25 & up Each
Alnus			
glutinosa laciniata. Cutleaf Alder.			
8 to 10 ft	15.00		
hirsuta. Manchurian Alder. 60'			
11/4 to 11/2 in	5.00		
incana. Speckled Alder. 50'			
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.00	3.50	
11/4 to 11/2 in	5.50	4.50	
1½ to 1¾ in	7.50	6.00	
134 to 2 in	10.00	7.50	
2 to 2½ in	12.50		
2½ to 3 in	5.00		
japonica. Japanese Alder. 50'			
	6.00		
8 10 10 11	6.00		
rugosa. Hazel Alder. 10'			
5 to 6 ft	3.50		
6 to 8 ft	4.50		
8 to 10 ft	6.00		
viridis. European Green Alder. 6	,		
3 to 4 ft	2.00		
Amelanchier alnifolia. Saskatoon Serv	iceberr	y. 7	,
3 to 4 ft	1.50		
4 to 5 ft	1.75		
5 to 6 ft	2.50		
asiatica. Asian Serviceberry. 40'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.75	2.25	
6 to 8 ft	3.50	3.00	

Amelanchier.	1-4 Each	5-24 Each	25 & up Each
canadensis. Shadblow Serviceberry. 30'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	4.50	3.50	
8 to 10 ft	7.50	6.00	
10 to 12 ft	12.50		
6 to 8 ft. standards	6.00	5.00	
8 to 10 ft, standards	7.50	6.00	
grandiflora rubescens.  Ruddy Allegheny Services	berry.	<i>35</i> ′	
6 to 8 ft. standards	6.00	5.00	
8 to 10 ft. standards	7.50	6.50	
10 to 12 ft. standards	10.00		
laevis. Allegheny Serviceberry.	<b>3</b> 5′		
5 to 6 ft	2.50	2.00	1.50
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	4.50	4.00	3.75
6 to 8 ft. standards	6.00	5.00	
8 to 10 ft. standards		6.00	
10 to 12 ft. standards	10.00		
oblongifolia. Thicket Serviceberry	. 25'		
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	3.50	2.75	2.50
8 to 10 ft	4.50	4.00	3.75
6 to 8 ft. clumpsB&B 8 to 10 ft. clumpsB&B			
10 to 12 ft. clumpsB&B			
TO to 12 It. clampsD&D	20.00		

	1-4 Each	5-24 Each	25 & up Each
Amelanchier			
ovalis (vulgaris). Garden Serviceb	_	25'	00
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	3.50	2.75	2.50
8 to 10 ft	4.50	4.00	3.75
6 to 8 ft. standards	5.00	4.00	
8 to 10 ft. standards	6.00	5.00	
	18.00		
10 to 12 ft. clumps B&B		-1	
sanguinea. Roundleaf Serviceber	_		1.05
3 to 4 ft	1.50	1.35	1.25
4 to 5 ft	2.50	2.00	1.75
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	3.50	3.25	3.00
8 to 10 ft	5.00	4.50	
stolonifera. Running Serviceberry			50
18 to 24 in	.65	.55	.50
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	
Amorpha brachycarpa. 3'			
18 to 24 in	.75	.60	.50
2 to 3 ft	1.00	.75	
${\tt canescens.}  Leadplant \ Amorpha.$	4'		
15 to 18 in	.60	.50	.45
18 to 24 in	.75	.60	.50
2 to 3 ft	1.00	.75	.60
fruticosa. Indigobush Amorpha.	20'		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.00	1.50	1.25
Ampelopsis acontifolia. Monkshood V	ine.	15'	
2 year	.75	.60	.50
3 year	1.00	.75	.60
4 year	1.25	1.00	.75
brevipedunculata. Amur Ampelop		•	
2 year	1.00	.75	.60
3 year	1.25	1.00	.75
- V		2,00	•••

	1-4 Each	5 <b>-24</b> Each	25 & up Each
Ampelopsis			
brevipedunculata elegans. Basket	_	elopsis	. 15'
2 year	1.00		
brevipedunculata maximowiczi.	~ 0		
Porcelain Ampelopsis. 2		00	5.0
	.75		-
3 year			.60
4 year	1.25	1.00	.75
quinquefolia. (see Parthenocissus)			
Amygdalus (see Prunus)	,		
Aralia pentaphyllum (see Acanthopana			
spinosa. Devil's Walkingstick. 25		75	CO
3 to 4 ft		.75	
4 to 5 ft		-	.75
5 to 6 ft			
6 to 8 ft			1.50
	10.00	7.50	
	12.50	10.00	
Arctostaphylos uva-ursi. Bearberry.			
$3\frac{1}{2}$ in. pots	1.00	.85	
Aristolochia durior. Dutchman's Pipe.	30'		
2 year	1.25	1.00	
tomentosa. 30'			
2 year	1.00	.75	.60
Aronia arbutifolia. Red Chokeberry.	.8'		
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.00	.90
melanocarpa. $Black\ Chokeberry.$	<i>6</i> ′		
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
melanocarpa elata. $Glossy\ Chokeb$	erry.	10'	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.00	.90
prunifolia. Purplefruit Chokeberr	y. 10	<b>)'</b>	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.00	90

1-4 Each Artemesia abrotanum. Oldman Wormwood.	5-24 Each <i>5</i> '	25 & up Each
3 to 4 ft	.65	.60
	.80	.75
5 to 6 ft 1.50		
2 00 0 20000000000000000000000000000000	_,	
Asimina triloba. Papaw. 30'		
2 to 3 ft 1.50	1.25	
Azalea calendulacea. Flame Azalea. 6'		
2 to 3 ftB&B 6.00	5.75	5.50
canescens. Piedmont Azalea. 6'		
2 to 3 ftB&B 6.00	5.75	5.50
ledifolia (see rosmarinifolia).		
lutea. 10'		
18 to 24 inB&B 5.00	4.50	4.00
24 to 30 inB&B 6.00	5.50	5.00
3 to 4 ftB&B 7.50	6.50	6.00
mollis. Chinese Azalea. 6'		
15 to 18 in	3.50	
18 to 24 in	4.50	
mucronulata. Korean Azalea. 6'	2.00	
2 to 3 ft	6.00	
3 to 4 ft	7.50	
4 to 5 ft	1.50	
nudiflora. Pinxterbloom. 4'		
2 to 3 ftB&B 6.00	5.75	
3 to 4 ftB&B 7.50	7.00	
obiusa amoena. $Amoena$ $Azalea$ . $4'$		
10 to 12 inB&B 2.00		
12 to 15 inB&B 2.50		
o. japonica hinodegiri.		
Hinodegiri Kurume Azalea. 3'		
10 to 12 inB&B 2.25		
o. kaempferi. Torch Azalea. 5'		
15 to 18 inB&B 3.50		
18 to 24 inB&B 5.00		
24 to 30 inB&B 7.50		
30 to 36 inB&B 10.00		
rosmarinifolia. Snow Azalea. 6'		
15 to 18 in	3.75	
18 to 24 in	4.50	
24 to 30 in	6.00	

Azalea	1-4	5-24	25 & up
r. sekidera. Sekidera Snow Azale	Each	Each	Each
15 to 18 inB&B	4.50	3.75	
18 to 24 in	5.50	4.50	
24 to 30 inB&B			
viscosa. Swamp Azalea. 6'			
18 to 24 inB&B	5.00	4.50	
24 to 30 inB&B	6.00	5.75	
yedoensis. Yodogawa Azalea. 4'			
18 to 24 in	6.00		
24 to 30 inB&B	7.50		
y. poukhanensis. Korean Yodoga		ralea	"
18 to 24 in	6 00	5.00	14
24 to 30 in		6.00	
		_	
Baccharis halimifolia. Eastern Baccha		<i>10</i> ′	
2 to 3 ft	.65	.55	.45
	.75	.65	.55
	1.00	.85	.75
5 to 6 ft		1.00	.90
6 to 8 ft	1.75	1.50	1.25
Benzoin aestivale. (see Lindera)			
Perhapt 1 to make	5 <b>'</b>		
·		2.25	
Berberis beaniana. Beans Barberry.  15 to 18 in	2.50	2.25	
Berberis beaniana. Beans Barberry.	2.50	2.25 2.25	
Berberis beaniana. Beans Barberry.  15 to 18 in	2.50 2.50		
Berberis beaniana. Beans Barberry.  15 to 18 in	2.50		
Berberis beaniana. Beans Barberry.  15 to 18 in	2.50 2.50 5'		
Berberis beaniana. Beans Barberry.  15 to 18 in	2.50 2.50 5' 3.00		2.50
Berberis beaniana. Beans Barberry.  15 to 18 in	2.50 2.50 5' 3.00 5'	2.25	2.50 3.50
Berberis beaniana. Beans Barberry.  15 to 18 in. B&B candidula. Paleleaf Barberry. 5 15 to 18 in. B&B circumserrata. Cutleaf Barberry. 18 to 24 in. B&B julianae. Wintergreen Barberry. 18 to 24 in. B&B	2.50 2.50 5' 3.00 5' 3.00	2.25	
Berberis beaniana. Beans Barberry.  15 to 18 in. B&B candidula. Paleleaf Barberry. 5' 15 to 18 in. B&B circumserrata. Cutleaf Barberry. 18 to 24 in. B&B julianae. Wintergreen Barberry. 18 to 24 in. B&B 24 to 30 in. B&B	2.50 5' 3.00 5' 3.00 4.00	2.25 2.75 3.75	3.50
Berberis beaniana. Beans Barberry.  15 to 18 in. B&B candidula. Paleleaf Barberry. 5 15 to 18 in. B&B circumserrata. Cutleaf Barberry. 18 to 24 in. B&B julianae. Wintergreen Barberry. 18 to 24 in. B&B 24 to 30 in. B&B 30 to 36 in. B&B koreana. Korean Barberry. 6'	2.50 5' 3.00 5' 3.00 4.00	2.25 2.75 3.75	3.50
Berberis beaniana. Beans Barberry.  15 to 18 in. B&B candidula. Paleleaf Barberry. 5' 15 to 18 in. B&B circumserrata. Cutleaf Barberry. 18 to 24 in. B&B julianae. Wintergreen Barberry. 18 to 24 in. B&B 24 to 30 in. B&B 30 to 36 in. B&B	2.50 5' 3.00 5' 3.00 4.00 5.50	2.25 2.75 3.75 5.00	3.50 4.50
Berberis beaniana. Beans Barberry.  15 to 18 in. B&B candidula. Paleleaf Barberry. 5' 15 to 18 in. B&B circumserrata. Cutleaf Barberry. 18 to 24 in. B&B julianae. Wintergreen Barberry. 18 to 24 in. B&B 24 to 30 in. B&B 30 to 36 in. B&B koreana. Korean Barberry. 6' 2 to 3 ft.	2.50 5' 3.00 5' 3.00 4.00 5.50	2.25 2.75 3.75 5.00	3.50 4.50
Berberis beaniana. Beans Barberry.  15 to 18 in. B&B candidula. Paleleaf Barberry. 5 15 to 18 in. B&B circumserrata. Cutleaf Barberry. 18 to 24 in. B&B julianae. Wintergreen Barberry. 18 to 24 in. B&B 24 to 30 in. B&B 30 to 36 in. B&B koreana. Korean Barberry. 6' 2 to 3 ft. 3 to 4 ft.	2.50 5' 3.00 5' 3.00 4.00 5.50 1.00 1.25 1.50	2.25 2.75 3.75 5.00 .75 .85	3.50 4.50 .60 .75
Berberis beaniana. Beans Barberry.  15 to 18 in. B&B candidula. Paleleaf Barberry. 5 15 to 18 in. B&B circumserrata. Cutleaf Barberry. 18 to 24 in. B&B julianae. Wintergreen Barberry. 18 to 24 in. B&B 24 to 30 in. B&B 30 to 36 in. B&B koreana. Korean Barberry. 6' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	2.50 5' 3.00 5' 3.00 4.00 5.50 1.00 1.25 1.50	2.25 2.75 3.75 5.00 .75 .85	3.50 4.50 .60 .75
Berberis beaniana. Beans Barberry.  15 to 18 in. B&B candidula. Paleleaf Barberry. 5 15 to 18 in. B&B circumserrata. Cutleaf Barberry. 18 to 24 in. B&B julianae. Wintergreen Barberry. 18 to 24 in. B&B 24 to 30 in. B&B 30 to 36 in. B&B koreana. Korean Barberry. 6' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. sargentiana. Sargent Barberry. 6	2.50 5' 3.00 5' 3.00 4.00 5.50 1.00 1.25 1.50	2.25 2.75 3.75 5.00 .75 .85 1.25	3.50 4.50 .60 .75 1.00
Berberis beaniana. Beans Barberry.  15 to 18 in. B&B candidula. Paleleaf Barberry. 5 15 to 18 in. B&B circumserrata. Cutleaf Barberry. 18 to 24 in. B&B julianae. Wintergreen Barberry. 18 to 24 in. B&B 24 to 30 in. B&B 30 to 36 in. B&B koreana. Korean Barberry. 6' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  sargentiana. Sargent Barberry. 5 15 to 18 in. B&B 18 to 24 in. B&B	2.50 2.50 5' 3.00 5' 3.00 4.00 5.50 1.00 1.25 1.50 5' 2.75	2.25 2.75 3.75 5.00 .75 .85 1.25	3.50 4.50 .60 .75 1.00

	1-4 Each	5-24 Each	25 & up Each
Berberis,			
thunbergi. Japanese Barberry. 4'			
15 to 18 in	.50	.35	.30
18 to 24 in	.60	.45	.35
24 to 30 in	.70	.55	.50
30 to 36 in	1.00	.75	.65
2 to 2½ ft. spec	2.50	2.00	
2½ to 3 ft. spec	3.00	2.50	
3 to 3½ ft. spec	3.50	3.00	
thunbergi atropurpurea.			
Redleaf Japanese Barb	erry.	<i>5</i> ′	
18 to 24 in	.65	.55	.45
24 to 30 in	1.00	.75	.65
30 to 36 in	1.25	.90	.80
36 to 42 in	1.50	1.25	1.00
	2'		
12 to 15 in	.50	.45	.40
15 to 18 in	.60	.50	.45
18 to 24 in	.75	.60	.55
24 to 30 in	1.00	.75	.65
thunbergi pluriflora. Flame Japan			
18 to 24 in	.60	.50	.40
24 to 30 in	.75	.60	.50
30 to 36 in	1.00	.75	.65
thunbergi erecta. Truehedge Colum		-	•••
12 to 15 in	.60	.50	.45
15 to 18 in	.75	.60	.55
18 to 24 in	1.00	.75	.65
24 to 30 in	1.25	.90	.75
triacanthophora. Threespine Barbe	•	5'	
18 to 24 in	_	2.75	
24 to 30 inB&B	4.00	3.75	
verruculosa. Warty Barberry. 3'	1.00	0.10	
8 to 10 inB&B	2.50	2.00	
12 to 15 inB&B	3.00	2.50	
18 to 24 inB&B		3.00	
Berchemia racemosa. Japanese Supple	-	3'	
18 to 24 in		.75	
2 to 3 ft	1.25	1.00	
Betula alba. (see pendula)			
fontinalis. Water Birch. 40'			
5 to 6 ft	7.50		
6 to 8 ft	10.00		

Betula			1-4 Each	5-24 Each	25 & up
*lenta.	Sweet	Birch. 40'	Lucii	Eden	Each
8	to 10	ft	4.00	3.50	
11/4	to 1	½ in	5.00	4.50	
11/2	to 1	4 in	7.50	6.00	
13⁄4	to 2	in	10.00	7.50	
2	to 2	½ in,	12.50	10.00	
2½	to 3	in	15.00	12.50	
3	to 31	⁄2 in	25.00	18.00	
*lutea.	Yello	w Birch. 50'	٠		
6	to 8	ft	3.50	3.00	
8	to 10	ft	4.00	3.50	
11/4	to 11	½ in	5.00	4.50	
$1\frac{1}{2}$		4 in	7.50	6.00	
13/4				7.50	
2		½ in		10.00	
2½	to 3	in	15.00	12.50	
*maxim	owiczia	na. Monarch Birc	h. 60'		
6	to 8	ft	5.00	4.00	
8	to 10	ft	6.00	5.00	
11/2	to 13		7.50	6.00	
134	to 2	in		7.50	
*nigra.	River	Birch. 50'			
8	to 10	ft	5.00		
2	to 2	½ in	12.50		
8	to 10	ft. clumps B&B	25.00		
*nanvrif	ers I	aper Birch. 40'	•		
		in	6.00		
		in	7.50		
		in			
		in			
		in			
		in,			
		difolia. 40'	10.00		
		in			
		in			
		• European White		50 <b>'</b>	
		in	-	3.25	
		in		4.00	
13/4	to 2	in,	6.50	5.00	

<b>1-4</b> Each	5-24 25 & up
Betula.	Edch - Edch
*pendula (alba). continued	
2 to 2½ in	7.50
2½ to 3 in	12.50
3 to 3½ in	
*p. fastigiata.	
Pyramidal European White Bir	ch. 50'
6 to 8 ft 7.50	
8 to 10 ft	
10 to 12 ft 12.50	
*p. laciniata. Cutleaf European White B	irch. 50'
6 to 8 ft 5.00	
8 to 10 ft 6.00	
1¼ to 1½ in 7.50	
*populifolia. Gray Birch. 40'	
1¼ to 1½ in 5.00	4.00
1½ to 1¾ in 6.00	
134 to 2 in 7.50	
2 to 2½ in 10.00	
2½ to 3 in	12.50
10 to 12 ft. clumps B&B 35.00	
Bignonia. (see Campsis)	
Bischofia javanica. Java Bishopwood. 12'	
3 to 4 ft 5.00	
Broussonetia papyrifera. Paper Mulberry.	40'
4 to 5 ft	4.00
5 to 6 ft	1.00
Bruckenthalia spiculifolia. Spikehealth. 1'	1 75
6 in., 3 inch pots 2.00	1.75
Buddleia alternifolia. Fountain Butterfly Bu	ısh. 10'
2 to 3 ft	.60
3 to 4 ft	.00
	.75
Charming. Pink Butterfly Bush. 5'	
2 to 3 ft	.75 .50 .40
2 to 3 ft	.75 .50 .40
2 to 3 ft	.75 .50 .40 .50 .40
2 to 3 ft	.75 .50 .40
2 to 3 ft	.75 .50 .40 .50 .40 .60 .50
2 to 3 ft	.75 .50 .40 .50 .40 .60 .50 .50 .40
2 to 3 ft	.75 .50 .40 .50 .40 .60 .50

SEE PAGE 162 FOR COMPLETE LIST OF HERBACEOUS STOCK

	1-4 Each	5-24 Each	25 & up
Buddleia	Lacri	Euch	Each
davidi superba. 5'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft		.75	.60
davidi veitchi. Veitch Butterfly B		5'	
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft		.75	.60
Dubonnet. 5'			
2 to 3 ft	.75	.60	
farquhari. 5'		.00	
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	
4 to 5 ft		.75	.60
intermedia. Wisteria Butterfly Ba			.00
2 to 3 ft			40
3 to 4 ft	.60 .75	.50 .60	.40 .50
		.00	.30
lindleyana. Lindley Butterfly Bus 2 to 3 ft		50	40
3 to 4 ft	.60	.50	.40
_	.75	.60	.50
Orchid Beauty. 5'	1.00		
2 to 3 ft		.75	
paniculata. Panicle Butterfly Bus.	h. 15	,	
3 to 4 ft	.75	.60	
Royal Purple. 5'			
2 to 3 ft		.75	
White Cloud. White Butterfly Bus	h. 5'		
2 to 3 ft	1.50		
	_		
Buxus microphylla. Littleleaf Box. 3'			
12 to 15 inB&B		2.00	
15 to 18 in		2.50	
18 to 24 inB&B			
24 to 30 inB&B.		3.50	
microphylla koreana. Korean Litt	•		2'
6 to 8 inB&B		1.75	
12 to 15 in		2.00	
15 to 18 inB&B			
18 to 24 inB&B	3.50	3.00	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

	1-4 Each	5-24 Each	25 & up Each
Buxus.			
sempervirens handsworthi. $Hands a$			8'
8 to 10 inB&B		1.50	
10 to 12 inB&B	2.00	1.75	
sempervirens suffruticosa. Truedu	varf B	ox. 4	,
12 to 15 inB&B	3.00	2.50	
15 to 18 inB&B	3.50	3.00	
18 to 24 inB&B	4.00	3.50	
Callicarpa americana. American Beau	tuberi	ry. 6'	
	.75	.65	
bodinieri giraldiana. Girald Beauty	berry	. 6'	
2 to 3 ft		.75	
b. giraldiana subincanescens. $ heta'$			
2 to 3 ft	1.25		
dichotoma (purpurea). Purple Bea	utybe	rry. 6	,
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
japonica. Japanese Beautyberry.	4'		
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
Calluna vulgaris. Scotch Heather. 2'			
6 to 8 in., 4 inch pots	1.25	1.00	.90
12 to 15 in., F. GB&B		1.50	
vulgaris alba. White Scotch Heav		2'	
6 to 8 in., 4 inch pots			.90
12 to 15 in., F. GB&B			
vulgaris alporti. Alport Scotch H			
4 inch pots		1.00	
vulgaris aurea. Goldleaf Scotch I	Heathe	er. 2'	
6 to 8 in., 4 inch pots			.90
12 to 15 in., F. G B&B			
vulgaris carnea. Flesh Scotch Hed	ather.	2'	
6 to 8 in., 4 inch pots			
vulgaris compacta. 2'			
6 to 8 in., 4 inch pots	1.25	1.00	
vulgaris rubra. 2'			
6 to 8 in., 4 inch pots	1.25	1.00	.90
vulgaris searlei. $\mathscr{Z}'$			
12 to 15 in., 4 inch pots	1.25		.90
12 to 15 in., F. G B&B	2.00	1.50	)

	1-4	5-24	25 & up
Calycanthus floridus. Sweet Shrub.	Each 5'	Each	Each
18 to 24 in		.55	.50
2 to 3 ft		.70	.65
3 to 4 ft		1.00	.90
4 to 5 ft		1.10	
5 to 6 ft		1.35	
occidentalis. California Sweetshi	cub 19		
2 to 3 ft	1.75	1.50	
3 to 4 ft		1.75	
	2.00	1.10	
Campsis grandiflora. Chinese Trumpe	tercono	r. 20'	
2 year		.60	.50
3 year	1.00	.75	.60
4 year	1.25	1.00	.90
radicans. Common Trumpetcreepe			.00
2 year	er. 30 .50		25
3 year	.60	.40	.35
radicans speciosa.	.00	.50	.45
_			
Showy Common Trumpet	_		
2 year	1.00	.75	
3 year	1.25	1.00	
tagliabuana Mme. Galen.			
Mme. Galen Trumpetcree			
2 year	1.50	1.25	
Caragana arborescens. Siberian Peasi	, , , , , , ,	201	
2 to 3 ft		20'	45
3 to 4 ft	.60 .75	.50	.45
4 to 5 ft		.60	.55
5 to 6 ft	1.50	.85	.75
6 to 8 ft	1.75	1.25	1.00
		1.50	1.25
a. lorbergi. Lorberg Siberian Peas		10'	
2 to 3 ft	1.50	1.25	
3 to 4 ft		1.50	
	2.50	2.00	
boisi. Bois Peashrub. 10'			
2 to 3 ft	1.25		
3 to 4 ft	1.50		
4 to 5 ft			
${\tt decorticans} \>\>\> Afghanistan\>\> Peashru$	b. 10'		
	1.50	1.25	
3 to 4 ft	1.75	1.50	

	1-4 Each	5-24 Each	25 & up Each
Caragana			
frutex. Russian Peashrub. 10'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
sophoraefolia. Sophoraleaf Peashr	ub. 1	o'	
2 to 3 ft	1.50		
3 to 4 ft	1.75		
Carpinus betulus. European Hornbean	a 60'		
3 to 4 ftB&B		8.00	7.50
4 to 5 ftB&B	-	11.00	10.00
5 to 6 ftB&B		13.50	
6 to 8 ftB&B			
8 to 10 ftB&B	25.00	20.00	
10 to 12 ftB&B	35.00	30.00	
Sheared plants, 4 to 10 ft. quoted	on re	quest.	
betulus fastigiata.			
Pyramid European Horn	beam.	40'	
3 to 4 ftB&B	15.00		
4 to 5 ftB&B	18.00		
5 to 6 ftB&B	20.00		
caroliniana. American Hornbeam.	40'		
3 to 4 ftB&B	10.00	8.00	7.50
4 to 5 ftB&B	12.50	11.00	10.00
5 to 6 ftB&B	15.00	13.50	12.50
6 to 8 ftB&B		16.00	15.00
8 to 10 ftB&B	25.00	20.00	18.00
japonica. Japanese Hornbeam. 40	<b>)</b> '		
3 to 4 ft. bushyB&B	10.00		
tschonoski. Yeddo Hornbeam. 25			
3 to 4 ftB&B	10.00	8.00	7.50
4 to 5 ftB&B	12.50	11.00	10.00
5 to 6 ftB&B	15.00	13.50	12.50
6 to 8 ftB&B		18.00	
8 to 10 ftB&B	25.00	20.00	

Carya ovata. Shagbark Hickory. 75'	1-4 Each	5-24 Each	25 & up Each
3 to 4 ft	2.50		
Caryopteris incana. Bluebeard. 4'			
15 to 18 in	.60	.50	.40
18 to 24 in	.75	.60	.50
Catalpa ovata. Chinese Catalpa. 30'			
2 to 2½ in			
speciosa. Northern Catalpa. 100			
8 to 10 ft			
1½ to 1¾ in			
Ceanothus americanus. Jerseytea Cean	othus.	3'	
	.90	.70	.60
2 to 3 ft	1.00	.85	.75
Cedrela sinensis. Chinese Cedrela. 50	,		
5 to 6 ft	5.00		
6 to 8 ft	7.50		
	10.00		
10 to 12 ft	15.00		
Cedrus deodara. Deodar Cedar. 50'			
2 ftB&B	6.00		
3 ftB&B	7.50		
libani. Cedar of Lebanon. 50'			
2 ftB&B	6.00		
3 ftB&B	7.50		
Celastrus gemmata. Chinese Bitterswee	t. 20'		
2 year	1.25	1.00	
orbiculatus. Oriental Bittersweet.	20'		
2 year	.60	.50	.45
3 year	.75	.60	.50
4 year	1.00	.75	.60
scandens. American Bittersweet.	25'		
2 year	.60	.50	.45
3 year	.75	.60	.50
4 year	1.00	.75	.60

		•	
	1-4 Each	5-24 Each	25 & up Each
Celtis occidentalis. Hackberry. 50'	Lacii	Lucii	2001
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	4.50	4.00	
1¼ to 1½ in	5.50	5.00	
1½ to 1¾ in	7.50	6.00	
1¾ to 2 in	10.00	7.50	
2½ to 3 in	15.00	12.50	
Cephalanthus occidentalis. Button Bu	sh. 6'	•	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
Cercidiphyllum japonicum, Katsura	Tree.	<i>30</i> ′	
4 to 5 ftB&B	9.00	8.00	7.50
5 to 6 ftB&B		11.00	10.00
6 to 8 ftB&B		13.50	12.50
8 to 10 ftB&B		18.00	15.00
10 to 12 ftB&B		25.00	20100
8 to 10 ft. spec		20.00	
10 to 12 ft. spec			
12 to 14 ft. specB&B			
14 to 16 ft. spec			
japonicum sinense. Chinese Katsu		se. 50'	,
5 to 6 ftB&B			
6 to 8 ftB&B			
Cercis canadensis. Eastern Redbud.	_	1.05	1.00
3 to 4 ft		1.25	1.00
4 to 5 ft	2.50	2.00	1.75
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft		4.00	3.50
8 to 10 ft		6.00	5.00
6 to 8 ft. specB&B			
8 to 10 ft. spec			
10 to 12 ft. specB&B			
canadensis alba. White Eastern I	Redbuc	l. 40'	
3 to 4 ftB&B	7.50	6.00	
4 to 5 ftB&B		7.50	
5 to 6 ftB&B	12.50		
6 to 8 ftB&B	15.00		
8 to 10 ftB&B	20.00		

Cercis	1-4 Each	5-24 Each	25 & up Each
*chinensis. Chinese Redbud. 30'			
2 to 3 ft	2.50	2.00	
3 to 4 ft	3.00	2.50	
1 10 10	5.00	2.50	
Cercocarpus montanus.			
$True\ Mountain mahogany.$	6'		
2 to 3 ftB&B	7.50		
Chaenomeles japonica (maulei).			
Japanese Flowering Quin	ce .5'	,	
18 to 24 in	.55		.40
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
japonica alpina.	•••		
Alpine Japanese Flowerin	ıg Qu	ince.	4'
18 to 24 in	1.75	1.50	1.25
2 to 3 ft	2.00	1.75	1.50
lagenaria (japonica). Common Flo-	wering	g Quine	ce. 5'
18 to 24 in	.60	.45	.40
2 to 3 ft	.75	.55	.50
3 to 4 ft	1.00	.65	.60
1. alba. White Flowering Quince.	<i>5</i> ′		
15 to 18 in	1.50		
18 to 24 in	1.75		
1. Baltzi. Rosy Pink Flowering Qu	ince.	<i>6'</i>	
2 to 3 ft	2.50	2.25	
1. cathayensis. 8'			
3 to 4 ft			
4 to 5 ft			
1. Columbia. Deep Rose Flowerin	•	nce. 5	,
18 to 24 in	1.75	1.50	
2 to 3 ft	2.00	1.75	
3 to 4 ft	2.50	2.25	
1. Falconet Charlot. White Flowe			6'
2 to 3 ft	2.00	1.75	
3 to 4 ft	2.50	2.25	
4 to 5 ft	3.50		
1. Kermesina Semiplena. 4'		<b>.</b>	
2 to 3 ft	2.00	1.75	
1. Nivalis. White Flowering Quinc			
2 to 3 ft	2.50	2.25	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

Chaenomeles	1-4 Each	5-24 Each	25 & up Each
1. Pygmaea. Dwarf Common Flow	orin a	Onima	3'
18 to 24 in	.75	.60	.50
	1.00	.75	.60
2 to 3 ft	1.00	.1,0	.00
1. Rosea Grandiflora. 6'	1 50	1.05	
15 to 18 in	1.50	1.25	
18 to 24 in	1.75	1.50	
2 to 3 ft	2.00	1.75	
1. Roseaplena. 5'			4 80
2 to 3 ft	2.00	1.75	1.50
3 to 4 ft	2.50	2.00	1.75
1. Rubra. 6'			
18 to 24 in	2.00	1.75	1.50
2 to 3 ft	2.50	2.25	2.00
3 to 4 ft	3.00	2.50	2.25
1. Semperflorens. Soft Rose Flower	ering	Quince	e. 6'
2 to 3 ft	2.50	2.25	2.00
3 to 4 ft	3.00	2.50	2.25
1. superba. Coral Pink Flowering	Quinc	e. 5'	
18 to 24 in	2.00		
1. Umbilicata. 8'			
2 to 3 ft	.75	.65	.55
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.50	1.25	1.00
4 to 5 ft. heavyB&B		1,20	1.00
1. Vermilion. Red Flowering Quin		s'	
18 to 24 in		1.50	
1. Versicolor. White, striped red Fl			61
2 to 3 ft		2.25	ice. o
sinensis. Chinese Flowering Quin			
			9.00
2 to 3 ft			2.00
3 to 4 ft	3.00	2.50	
Chamaecyparis lawsoniana. Lawson F	alsecy	press.	100'
4 ftB&B	7.50		
5 ftB&B	10.00		
6 ftB&B	12.50		
For larger sizes to 12 ft., add \$5.	00 pe	r foot.	
lawsoniana alumni.	_	•	
Scarab Lawson Falsecypro	ess	40'	
2 ftB&B			
3 ftB&B			
lawsoniana Triomphe de Boskoop.			
2 ftB&B	•		
= 10	0.00		

Chamaecyparis.	1-4 Each	5 <b>-24</b> Each	25 & up Each	
nootkatensis. Nootka Falsecypres	s. 75'			
2 ftB&B			4.00	
3 ftB&B	-	5.50	5.00	
4 ftB&B				
5 ftB&B				
nootkatensis pendula.				
Weeping Nootka Fal	secupi	ess. 2	20'	
3 ftB&B		7.50		
4 ftB&B		•		
5 ftB&B		10,00		
6 ftB&B				
obtusa compacta. Compact Hinoki	False	cypress	s. 10'	
2 ftB&B		5.50		
3 ftB&B		6.00		
4 ftB&B				
5 ftB&B				
6 ftB&B		-		
7 ftB&B				
1 10,	20.00	10.00		
obtusa gracilis. Slender Hinoki Fa	ilsecyp	ress.	<i>15</i> ′	
6 ftB&B	15.00	12.50		
obtusa nana. Dwarf Hinoki Fals	ecypre	ss. 10	) <b>'</b>	
15 inB&B	6.50	5.50	4.50	
18 inB&B		6.50	5.50	
24 in	10.00	8.50	7.50	
30 inB&B	12.50			
obtusa nana compacta. 3'				
15 inB&B	7.50	6.00		
18 in				
24 in		10.00		
pisifera. Sawara Falsecypress. 30'				
2 ftB&B	4.50	4.00		
3 ft	6.00	5.50		
	-			
4 ftB&B		7.50		
5 ftB&B		10.00		
6 ft. specB&B		12.50		
7 ft. specB&B	20.00	15.00		

Chamaecyparis	1-4 Each	5-24 Each	25 & up Each
p. aurea. Golden Sawara Falsecy	mroce	<i>30</i> ′	
2 ftB&B	_	4.00	
3 ft	6.00	1.00	
8 ft. spec			
9 ft. spec			
10 ft. spec			
To The specific Post	01,00		
p. filifera. Thread Sawara Falsec	eypress	. 15'	
2 ftB&B	7.50	6.00	5.50
3 ftB&B	8.50	7.50	6.50
4 ftB&B	12.50	10.00	8.50
4 ft. specB&B	15.00	12.50	
5 ft. specB&B	20.00	15.00	
p. filifera aurea.         Yellowthread Sawara Fa         18 in. spd.       B&B         24 in. spd.       B&B         30 in. spd.       B&B         p. filifera aurea-variegata.       Variegated Thread Sawar         18 to 24 in. spd.       B&B	5.00 7.50 10.00		10' 8s. 10'
p. plumosa. Plume Sawara False	cypres	s. 30'	
2 ft. sheared B&B	5.00	4.50	4.00
3 ft. sheared B&B	7.50	6.00	5.50
4 ft. sheared B&B	10.00	7,50	
5 ft. sheared B&B	12.50	10.00	
6 ft. sheared B&B	15.00	12.50	
7 ft. sheared B&B	20.00	15.00	
8 ft. sheared B&B	25.00	20.00	
9 ft. sheared B&B	30.00	25.00	
10 ft. sheared B&B	37.50	30.00	

1-4	5-24	25 & up
Each	Each	Each

## Chamaecyparis

p. plumosa aurea.  Goldplume Sawara Fals	ecumre	.ee .80°	
•			
2 ft. shearedB&B	-	4.50	4.00
3 ft. shearedB&B	7.50	6.00	5.50
4 ft. shearedB&B	10.00	7.50	
5 ft. sheared B&B	12.50	10.00	
6 ft. shearedB&B	15.00	12.50	
7 ft. shearedB&B	20.00	18.00	
8 ft. sheared B&B	25.00		
9 ft. sheared B&B	32.50		
10 ft. sheared B&B	37.50		
p. plumosa argentea. Globe Form	n. 5'		
18 inB&B	6.00	4.50	4.00
24 inB&B	7.50	5.50	5.00
p. plumosa sulphurea.		\ ~*	-
$Sulphurplume\ False cypr$	es <b>s.</b> 2	?5°	
3 ftB&B	7.50		
4 ftB&B	10.00		
p. squarrosa. Moss Sawara Fals	весурге	288. 30'	
2 ft. sheared B&B	5.00	4.50	4.00
3 ft. shearedB&B	7.50	6.00	5.50
4 ft. shearedB&B	10.00	7.50	
p. squarrosa glauca. 10'			
2 ftB&B	7.50	6.00	

Chamaedaphne calyculata. Leatherleag	1-4 Each f. 3'	5-24 Each	25 & up Each
24 to 30 in		5.50	
36 to 42 in		6.50	
50 to 42 m	7.50	0.50	
Chionanthus retusus. Chinese Fringet	ree. 2	20'	
2 to 3 ftB&B	7.50		
virginicus. White Fringetree. 30'			
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.50	1.35	1.25
4 to 5 ft	2.25	2.00	1.75
5 to 6 ft	2.75	2.50	2.25
6 to 8 ft,	3.75	3.25	3.00
8 to 10 ft	6.00	5.00	4.50
5 to 6 ft. spec B&B	12.50		
6 to 8 ft. specB&B			
8 to 10 ft. spec			
	,		
Cladrastis lutea. American Yellowwoo	d, $50$	•	
5 to 6 ftB&B			
2 to 2½ in B&B			
2½ to 3 inB&B			
272 00 0 1111	10.00		
Clematis apiifolia. October Clematis.	25'		
2 year	.75	.60	
chrysocoma sericea. Silky Goldwo	ol Cle	matis.	20'
2 year	1.00		
coccinea. (See texensis)			
crispa. Curly Clematis.			
2 year	1.00		
hybrids. Large Flowering Clemat			
2 years		1.00	
Jackmanni, Mad. Ed Ande, Hen	,	1.00	
•	ryı,		
Duchess of Edinburg.			
ligusticifolia. Western Virgins-box	wer.	15 <b>'</b>	
2 year	1.00	.75	
montana rubens. Pink Anemone (	Clemat	is. 15	,
3 inch pots		1.00	

Clematis	1-4 Each	5-24 Each	25 & up Each
montana undulata.  3½ inch pots	1.25		
montana wilsoni. Wilson Anemon		natis.	15'
paniculata. Sweet Autumn Cleman 2 year		5' .50	.45
3 year	.75	.60	.55
serratifolia. Hermitgold Clematis.  2 year		.90	
texensis syn. coccinea. Scarlet Cl	lematis	s. 10'	
2 year	1.00	.75	
viorna. Leatherflower.			
2 year	1.00	.75	
virginiana. $Virgins$ -bower. 25'			
2 year	.50	.40	.35
3 year	.60	.50	.45
vitalba. Travelers-joy. 25' 2 year	1.25		
viticella. Italian Clematis. 10'			
2 year	1.25	1.00	
Clerodendron trichotomum. Harlequin	Glory	bower	. 6'
3 to 4 ft	2.00		
4 to 5 ft	2.50		
Clethra alnifolia. Summersweet Clethr	ra. 10	) <b>'</b>	
18 to 24 in		.55	.50
24 to 30 in	.75	.65	.60
	1.00	.85	.75
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.50		1.25
a. paniculata. 5'			
_	1.00	.85	.75
2 to 3 ft	1.25		1.00
barbinervis. Tree Clethra. 5'			
2 to 3 ft	1.50		

Colutea arborescens. Bladder Senna.	1-4 Each 10'	5-24 Each	25 & up Each
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	
	10'		
2 to 3 ft	1.50	1.25	
3 to 4 ft	2.00	1.50	
media. Hybrid Bladder Senna.			
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
	_,		
Comptonia peregrina asplenifolia. $Swe$	etfern		
18 to 24 in	1.00	.75	
2 to 3 ft	1.25	1.00	
Cornus alba. Tatarian Dogwood. 10'			4.5
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
alba argenteo-marginata. Creamed	$ge\ Do_{i}$	gwood.	10'
2 to 3 ft	1.25	1.00	.90
3 to 4 ft	1.50	1.15	1.00
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50		
alba sibirica. Siberian Dogwood.	10'		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
alba spaethi. Yellowedge Dogwood	<i>l.</i> 8'		
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
alternifolia. Pagoda Dogwood. 20	)*		
2 to 3 ft	.75	.60	.50
3 to 4 ft	.85	.75	.65
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.50	1.25	1.00

Cornus	1-4 Each	5-24 Each	25 & up Each
amomum. Silky Dogwood. 10'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	1.75	1.65	1.50
baileyi. Bailey Dogwood. 10'			
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1,35	2,00
florida. Flowering Dogwood. 25'			
3 to 4 ftB&B	3.75	3.25	
	6.00	5.50	
5 to 6 ftB&B	7.50	7.00	
6 to 8 ftB&B	12,50	10.00	9.00
•	15.00	13.50	12.50
5 to 14 ft., heavy spec.			
B&B at \$3.00 per foot.			
florida plena. $Dbl.\ White\ Flg.\ Del{eq:continuous}$	ogwoo	d. 25'	
6 to 8 ft. specB&B	15.00		
8 to 10 ft. specB&B	20.00		
florida rubra. Red Flowering Dog	wood.	20'	
3 to 4 ftB&B	6.50		
4 to 5 ftB&B			
5 to 6 ftB&B			
6 to 8 ftB&B			
8 to 10 ftB&B		18.00	16.00
5 ft., heavy specB&B			
6 ft., heavy specB&B	25.00		
For larger sizes to 12 ft., add \$5.0	0 per	foot.	
florida welchi. Varileaf Dogwood			
3 to 4 ftB&B			
4 to 5 ftB&B			
5 to 6 ftB&B	12.50		
6 to 8 ftB&B			

	1-4 Each	5-24 Each	25 & up Each
Cornus			
kousa. Kousa Dogwood. 20'			
3 to 4 ftB&B	6.00	5.00	
4 to 5 ftB&B	7.50	6.50	
4 to 5 ft. heavyB&B	12.50	10.00	
5 to 6 ft. heavyB&B	15.00	12.50	
6 to 8 ft. heavyB&B	20.00	18.00	
8 to 10 ft. heavyB&B	25.00	22.50	
kousa chinensis. Chinese Kousa L	ogwoo	d. 20'	•
3 ftB&B	10.00	7.50	
4 ftB&B	12.50	10.00	
5 ftB&B	15.00		
6 ftB&B	20.00		
mas. Corneliancherry Dogwood.	20'		
3 to 4 ft	1.50	1.35	1.25
4 to 5 ft	2.00	1.85	1.75
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.75	3.25	3.00
8 to 10 ft	6.00	5.00	4.00
10 to 12 ft	10.00	7.50	
officinalis. Japanesecornel Dogwood	od. 1	5 <b>'</b>	
3 to 4 ft	2.50		
4 to 5 ft	3.50		
5 to 6 ft	5.00		
paniculata. (see racemosa)			
paucinervis. $Little leaf\ Dogwood.$	6'		
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
pubescens. 15'			
3 to 4 ft	1.00		
4 to 5 ft	1.25		
racemosa. (paniculata). $Gray\ Doga$		15'	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1,10	1.00
6 to 8 ft	1.50	1.35	1.25
rugosa. Roundleaf Dogwood. 10'			
3 to 4 ft	1.50		
4 to 5 ft	2.00		
5 to 6 ft	2.50		

Cornus	1-4 Each	5-24 Each	25 & up Each
$\textbf{sanguinea.} \ \ Bloodtwig \ \ Dogwood.$			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
sanguinea viridissima. $Greentwig$	Dogw	ood.	10'
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
stolonifera. Redosier Dogwood. 1	0'		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
		_	
s. flaviramea. Yellowtwig Redosi	-		8'
2 to 3 ft	.75	.60	.55
3 to 4 ft,	1.00	.85	.75
4 to 5 ft	1.25	1.10	1.00
5 to 6 ft	1.50	1.35	1.25
Corylopsis sinensis. Chinese Winterha	zel. 8'		
3 to 4 ftB&B	10.00		
4 to 5 ftB&B	12.50		
spicata. Spike Winterhazel. 6'			
2 to 3 ftB&B	7.50		
Corylus americana. American Filbert	. 10'		
2 to 3 ft	.75	.70	.65
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.10	1.00
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	2.00	1.65	1.50
avellana. European Filbert. 15'			
2 to 3 ft	.75	.70	
3 to 4 ft	1.00	.85	
4 to 5 ft	1.25	1.10	
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	2.00	1.65	1.50

## Corylus

avella	na	atropurpurea.			
		Purple European Filbs	ert. 1	5 <b>'</b>	
5	to	6 ft			
· <b>6</b>	to	8 ft	10.00		
8	to	10 ft	12.50		
avella	na	aurea. Golden European		rt. 15'	
•	to	8 ft	7.50		
_		10 ft	-		
		ylla setchuenensis. Szech		ilbert.	12'
_		4 ft	-		
		5 ft	4.00		
		Beaked Filbert. 6'	1.00		or
		3 ft		.75	.65
		4 ft	1.25	1.00	.75
4	to	5 ft	1.50	1.25	1.00
Cotinus co	gg	ygria. Common Smoketre	e. 15'		
	to	4 ft	1.75	1.50	1.25
4	to	5 ft	2.00	1.75	1.50
5	tọ	6 ft	2.50	2.25	2.00
6	to	8 ft	3.00	2.75	2.50
8	to	10 ft	5.00	4.00	3.50
*Cotoneasi	tor	acutifolia. Peking Coton	onetor	12'	
		3 ft	.60	.50	.45
_		4 ft	.75	.60	.55
		5 ft	1.00	.85	,75
		6 ft	1.25	1.10	1.00
		ia villosula. 12'			_,
2	to	3 ft	.65	.55	.50
		4 ft	.75	.65	.60
		5 ft	1.00	.85	.75
5	to	6 ft	1.25	1.10	1.00
6	to	8 ft	1.50	1.35	1.25
adpre	ssa.	Creeping Cotoneaster.	2'		
6	to	8 in, from pots	2.00	1.75	
ambig	jua	<b>6'</b>			
		3 ftB&B	3.00	2.75	
		4 ftB&B	3.75	3.50	
_		a. Cranberry Cotoneaster.			
		12 in, from pots	2.00	1.75	1.50
		15 in. from pots	2.50	2.00	
15	to	18 inB&B	3.00	2.50	

Cotoneaster	1-4 Each	5-24 Each	25 & up Each
dielsiana. Diels Cotoneaster. 6'			
2 to 3 ftB&B	3.00	2.75	2.50
3 to 4 ftB&B	3.75	3.50	3.25
4 to 5 ftB&B	5.00	4.50	4.00
divaricata. Spreading Cotoneaster	. 6'		
2 to 3 ftB&B	3.00	2.75	2.50
3 to 4 ftB&B	3.75	3.50	3.25
4 to 5 ftB&B	5.00	4.50	4.00
foveolata. Glossy Cotoneaster. 10	)*		
2 to 3 ftB&B	3.00	2.75	2.50
3 to 4 ftB&B	3.75	3.50	3.25
4 to 5 ft	- •	4.50	4.00
francheti. Franchet Cotoneaster.			
12 to 18 in., 4 in. pots	2.00		
· -	-		
himalaicus. Littleleaf Cotoneaster.		4 85	
8 to 10 in., 4 in. pots	2.00	1.75	
12 to 15 inB&B	2.25	2.00	
horizontalis. Rock Cotoneaster. 3'			
12 to 15 in. spd. from pots	2.50	2.25	2.00
15 to 18 in, spd. from pots	3.00	2.50	2.25
18 to 24 in. spd	3.50	3.00	2.50
horizontalis perpusilla. Ground Co	toneas	ster. S	3'
10 to 12 in., from pots		1.75	1.50
12 to 15 in., from pots		2.25	2.00
horizontalis wilsoni. Wilson Coton	easter	. 5'	
2 to 3 ftB&B		2.75	2.50
	4.00	3.50	3.25
hupehensis. Hupeh Cotoneaster. 5		0.00	0.20
2 to 3 ftB&B			
integerrima. European Cotoneast		,	
2 to 3 ftB&B	3.00		
3 to 4 ft			
*lucida. Hedge Cotoneaster. 10'	0.00		
2 to 3 ft	.75	.60	.50
	.85		.60
4 to 5 ft	-	.85	.75
melanocarpa. $6'$	2.00	.00	.,,
2 to 3 ftB&B	3.50	3.00	
	4.50	3.50	
4 to 5 ft	5.00	4.50	
4 to 9 It	0.00	7.00	

Cotoneaster	1-4 Each	5-24 Each	25 & up Each
microphylla. Rockspray Cotoneaste	r 3'	,	
10 to 12 in., 4 in. pots		1.75	1.50
moupinensis. Mupin Cotoneaster.  15 to 18 in., 4 in. pots		1.75	
multiflora. 6'			
2 to 3 ftB&B	3.00	2.75	2.50
3 to 4 ftB&B			
4 to 5 ft			
4 to 5 it	0.00	1.00	1.00
nitens. Pinkblush Cotoneaster. 4			
2 to 3 ftB&B	3.50		
obscura. Bloodberry Cotoneaster.	10'		
3 to 4 ftB&B		3.50	3.25
4 to 5 ftB&B		4.50	4.00
racemiflora soongarica Sungari			
2 to 3 ftB&B			
3 to 4 ftB&B	4.50	3.75	3.50
4 to 5 ftB&B	5.50	5.00	4.50
rotundifolia. Redbox Cotoneaster.	2'		
10 to 12 in. from pots	2.00	1.75	1.50
12 to 15 in .from pots		2.00	1.75
15 to 18 in		2.50	2.25
		2.00	
rosea. Redcurrant Cotoneaster.			
2 to 3 ftB&B	3.00	2.75	2.50
3 to 4 ftB&B	3.75	3.50	3.25
4 to 5 ftB&B	5.00	4.50	4.00
5 to 6 ftB&B	7.50	6.00	
salicifolia floccosa.			
	10100	6'	
Hardy Willowleaf Cotoned 15 to 18 in. from pots		O	
simonsi. Simons Cotoneaster. 8'			
12 to 18 in., 4 in.pots	2.50	2.00	
tenuipes. Slender Cotoneaster.		2,00	
8 to 12 in. from pots		1.75	
12 to 15 in		2.00	
		۵.00	
zabeli. Cherryberry Cotoneaster.			
15 to 18 in., from pots	2.50		
LARGE SPECIMEN SHRUBS QUOTED	ON R	EQUEST	

Crataegus aprica. Beadle Hawthorn.	1-4 Each <i>20</i> '	5-24 Each	25 & up Each
3 to 4 ft	3.50	3.00	2.75
4 to 5 ft	4.00	3.50	3.25
5 to 6 ft	4.50	4.25	
*arkansana. Arkansas Hawthorn.	<i>30</i> ′		
3 to 4 ft	3.00	2.75	2.50
4 to 5 ft	3.50	3.25	3.00
5 to 6 ft	4.25	4.00	3.75
6 to 8 ft	6.00	5.75	5.50
8 to 10 ft	7.50	7.00	
*arnoldiana. Arnold Hawthorn.	20'		
3 to 4 ft	3.00	2.75	2.50
4 to 5 ft	3.50	3.25	3.00
5 to 6 ft	4.25	4.00	3.75
6 to 8 ft	6.00	5.75	5.50
8 to 10 ft	7.50	7.00	6.50
*calpodendron. Pear Hawthorn.	15'		
3 to 4 ft	3.00	2.75	2.50
4 to 5 ft	3.50	3.25	3.00
5 to 6 ft	4.25	4.00	3.75
6 to 8 ft	6.00	5.75	5.50
coccinea (see intricata)			
*coccinioides. Kansas Hawthorn.	20'		
4 to 5 ft	3.50	3.25	3.00
5 to 6 ft	4.25	4.00	3.75
6 to 8 ft	6.00	5.75	
*cordata (see phaenopyrum).			
*crusgalli. Cockspur Thorn. 30'			
3 to 4 ft	3.00	2.75	2.50
4 to 5 ft	3.50	3.25	3.00
5 to 6 ft	4.25	4.00	3.75
6 to 8 ft	6.00	5.75	5.50
8 to 10 ft	7.50	7.00	6.50
10 ft. specB&B	35.00	25.00	
*cuneata. Nippon Hawthorn. 20	)*		
3 to 4 ft	4.00		
4 to 5 ft	5.00		
*hupehensis. 20'		•	
4 to 5 ft	4.00		
5 to 6 ft	5.00		
6 to 8 ft	6.00		
8 to 10 ft	7.50		

·	1-4 Each	5~24 Each	25 & up Each
*Craiaegus.			
*intricata (coccinea). Thicket Ho	iwthor	n. 20'	
3 to 4 ft	3.00	2.75	2.50
4 to 5 ft	3.50	3.25	3.00
5 to 6 ft	4.25	4.00	3.75
6 to 8 ft	6.00	5.75	5.50
8 to 10 ft	7.50	7.00	6.50
*lavallei Lavalle Hawthorn. 20'			
3 to 4 ft	3.00	2.75	2.50
4 to 5 ft	3.50	3.25	3.00
5 to 6 ft	4.25	4.00	3.75
6 to 8 ft	6.00	5.75	5.50
8 to 10 ft	7.50	7.00	6.50
6 to 8 ft. standards, quoted	on rec	quest.	
*macracantha. Spike Hawthorn.	20'		
3 to 4 ft	3.50		
4 to 5 ft	4.50		
5 to 6 ft	5.50		
*mollis. Downy Hawthorn. 20'			
3 to 4 ft	3.00	2.75	2.50
4 to 5 ft	3.50	3.25	3.00
5 to 6 ft	4.25	4.00	3.75
6 to 8 ft	6.00	5.75	5.50
8 to 10 ft	7.50	7.00	6.50
*monogyna. Singleseed Hawthorn	. 20'		
5 to 6 ft	4.50	4.00	
6 to 8 ft	6.00	5.75	
8 to 10 ft	7.50	7.00	
*monogyna stricta.			
Pyramidal Singleseed Haw	thorn.	20'	
3 to 4 ft	4.00		
4 to 5 ft	5.00		
*nitida. Glossy Hawthorn. 15'			
3 to 4 ft	3.00	2.75	2.50
4 to 5 ft	3.50	3.25	3.00
5 to 6 ft	4.25	4.00	3.75
6 to 8 ft	6.00	5.75	5.50
8 to 10 ft	7.50	7.00	

SEE PAGE 162 FOR COMPLETE LIST OF HERBACEOUS STOCK

	1-4 Each	5-24 Each	25 & up Each
Crataegus	20011	Lacii	20011
*oxyacantha. English Hawthorn.	20'		
4 to 5 ft	3.50	3.25	3.00
5 to 6 ft	4.25	4.00	3.75
6 to 8 ft	6.00	5.75	5.50
8 to 10 ft	7.50	7.00	
8 to 10 ft. spec	15.00	1	
*o. plena. Doublewhite English H	awtho	rn. 1	5 <b>'</b>
4 to 5 ft	4.00	3.75	
5 to 6 ft	5.00	4.75	4.50
6 to 8 ft	7.50	6.50	6.00
8 to 10 ft	12.50	10.00	
10 to 12 ft	18.00		
*o. pauli Paul's Scarlet English H	anthe	orn 1	5°
4 to 5 ft	4.00	3.75	3.50
5 to 6 ft	5.00	4.75	4.50
6 to 8 ft	7.50	6.50	6.00
•	12.50	10.00	0.00
	18.00		
			1 = 1
*o. punicea. Singlered English H	4.00	orn. 3.75	.5' 3.50
4 to 5 ft	5.00	4.75	4,50
5 to 6 ft	7.50	6.50	6.00
6 to 8 ft	12.50	10.00	0.00
	18.00	10.00	
		_	
*o. rosea plena. Doublepink Englis			ı. 15'
4 to 5 ft	4.00	3.75	
5 to 6 ft	5.00	4.75	
6 to 8 ft	7.50	6.50	
8 to 10 ft	12.50	10.00	
*peregrina. Peregrina Hawthorn.	<i>15</i> ′		
3 to 4 ft	3.00	2.75	
4 to 5 ft	3.50	3.25	
5 to 6 ft	4.25	4.00	
6 to 8 ft	6.00	5.75	
8 to 10 ft	8.50	7.50	
*persistens. 15'			
4 to 5 ft	4.00	3.75	3.50
5 to 6 ft	5.00	4.75	4.50
6 to 8 ft	7.50	6.50	6.00
8 to 10 ft	12.50	10.00	

	1-4 Éach	5-24 Each	25 & up Each
Crataegus		,	
*phaenopyrum. (cordata)			
Washington Hawthorn. 20			
3 to 4 ft	3.00	2.75	2.50
4 to 5 ft	3.50	3.25	3.00
5 to 6 ft	4.25	4.00	3.75
6 to 8 ft	6.00	5.75	5.50
8 to 10 ft	7.50	7.00	6.50
*pinnatifida major. Large Chines			. 20'
3 to 4 ft	3.00	2.75	
4 to 5 ft	3.50	3.25	
5 to 6 ft	4.25	4.00	
6 to 8 ft	6.00	5.75	
*pruinosa. Frosted Hawthorn. 18	3 <b>'</b>		
4 to 5 ft	4.50	4.00	
5 to 6 ft	5.50		
*prunifolia. Plumleaf Hawthorn.	<i>25</i> ′		
3 to 4 ft	3.00	2.75	2.50
4 to 5 ft	3.50	3.25	3.00
5 to 6 ft	4.25	4.00	3.75
6 to 8 ft	6.00	5.75	5.50
*punctata. Dotted Hawthorn. 25	7		
4 to 5 ft	3.50	3.25	
5 to 6 ft	4.25	4.00	
pyracantha (See Pyracantha coccir	nea).		
*succulenta. Fleshy Hawthorn.	20'		
4 to 5 ft	4.50	4.00	
5 to 6 ft	5.00	4.50	
*viridis. Green Hawthorn, 25'			
5 to 6 ft	4.50	4.00	3.75
6 to 8 ft	6.00	5.75	5.50
8 to 10 ft	7.50	7.00	
Cryptomeria japonica lobbi Lobb Cryp	n <b>t</b> o ana an	ria O	o!
2 ftB&B	5.00	ia. 20 4.00	
3 ftB&B	6.00	5.50	3.50
4 ftB&B			5.00
	7.50	7.00	6.50
	12.50	10.00	8.50
	15.00	12.50	10.00
7 ftB&B	_	17.50	15.00
8 ftB&B	25.00	20.00	17.50

Cudrania tricuspidata. 25'	1-4 Each	5-24 Each	25 & up Each
4 to 5 ft	4.00		
Cydonia. (see Chaenomeles)			
Cytisus elongatus. 5' 12 to 15 in., 4 in. pots	1.50	1.25	
nigricans. Spike Broom. 4' 12 to 15 in	1.50		
scoparius. Scotch Broom. 10' 18 to 24 in	1.50	1.25	1.00
scoparius andreanus. Paradise Br	oom.	10'	
18 to 24 in	1.50	1.25	1.00
supinus. Bigflower Broom. 3' 10 to 12 in., 4 in. pot	1.50	1.25	
Daphne cneorum. Rose Daphne. 1'			
8 to 10 in. spdB&B	1.50	1.35	1.25
10 to 12 in. spdB&B			
12 to 15 in, spd,B&B	2.50	2.25	2.00
mezereum. February Daphne. 4'			
15 to 18 in		2.00	1.75
18 to 24 inB&B		2.50	
2 to 2½ ftB&B	- •	3.50	
2½ to 3 ftB&B	5.00		
mezereum alba. White February	Dank	me l	,
18 to 24 in	-	-	
24 to 30 in			
2½ to 3 ftB&B		0.10	0.20
Decumaria barbara. Southeast Decum			00
3 yr. from pots	1.00	.75	.60
Deutzia gracilis. Slender Deutzia. 3'			
	.60	-	.45
	.75	.55	.50
24 to 30 in	.85	.70	.65
lemoinei. Lemoine Deutzia. 5'			
18 to 24 in	.60	.50	.45
24 to 30 in	.75	.60	.55
2½ to 3 ft	.85	.70	
LARGE SPECIMEN SHRUBS QUOTED	ON R	EQUEST	

	1-4 Each	5-24 Each	25 & up Each
Deutzia			
lemoine compacta. 5'			
18 to 24 in	.75	.55	.50
2 to 3 ft	.85	.65	.60
myriantha Boule Rose. Pink Deut			
18 to 24 in		.60	
2 to 3 ft	1.00	.75	
ningpoense. 5'			
3 to 4 ft	1.50		
parviflora. Mongolian Deutzia. 5'	•		
18 to 24 in	.75	.55	.50
2 to 3 ft	.85	.65	.60
rosea. Rose-panicle Deutzia. 5'			
18 to 24 in	.75	.55	.50
24 to 30 in	.85	.65	.60
2½ to 3 ft	1.00	.80	.75
rosea campanulata.			
Bellflower Rosepanicle Deut	tzia.	<i>5</i> ′	
18 to 24 in	.75	.55	.50
2 to 3 ft	.85	.65	.60
rosea carminea. Carmine Rosepan	icle .	Deutzio	a. 4'
18 to 24 in	.75	.55	.50
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.00	.80	.75
rosea venusta. White Rosepanicle	Deut	zia. 5'	•
18 to 24 in	.75	.55	
2 to 3 ft	.85	.65	
scabra. Fuzzy Deutzia. 12'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	
scabra Pride of Rochester. 12'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25

Dec. 1	1-4 Each	5-24 Each	25 & up Each
Deutzia			
scabra florepleno rosea. Doublero		utzia.	12'
2 to 3 ft		.50	.45
3 to 4 ft		.60	.55
4 to 5 ft		.80	.75
5 to 6 ft	1.25	1.10	1.00
scabra watereri. Waterer's Deutz		,	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.80	.75
scabra wellsi. Wells Deutzia. 12			
3 to 4 ft		.65	.60
4 to 5 ft	1.00	.85	.75
schneideriana laxiflora. $6'$			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
Diervilla lonicera. (trifida). Dwf. Bus	h Hon	annan al	cle. 4
2 to 3 ft	75	.65	.60
3 to 4 ft		.85	.75
			.10
sessilifolia. Southern Bush Honey		. 5'	
2½ to 3 ft		.55	.50
	.75		.60
4 to 5 ft	1.00	.85	.75
Diospyros virginiana. Common Persin	imon.	15 <b>'</b>	
6 to 8 ft	6.00	5.00	
8 to 10 ft	7.50	6.00	
10 to 12 ft	10.00	7.50	
Dirca palustris. Atlantic Leatherwood	. 6'		
8 to 10 inB&B			
Elaeagnus angustifolia. Russian Olive.	20'		
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft		1.35	
6 to 8 ft	2.50	2.00	
	3.00	2.75	
10 to 12 ft	7.50	5.00	
commutata. Silverberry. 12'		-,00	
8 to 10 ft	3.50	3.00	
LARGE SPECIMEN SHRUBS QUOTED			
TOWN STRAIGHT SHUARS KAGIED	OIT RE	A OE21	

	1-4 Each	5-24 Each	25 & up Each
Elaeagnus			
multiflora. (longipes) $Cherry\ E$	laeagn	us. 6	
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.50	2.00	
umbellata. Autumn Elaeagnus.	12'		
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.50	2.00	
u. parvifolia. Chinese Elaeagnu	s. 15'		
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
Elsholtzia stauntoni. 4'			
18 to 24 in	1.00	.85	
2 to 3 ft	1.25	1.00	
Erica carnea. Spring Heath. 1'			
6 to 8 in., 4 in. pots	1.25	1.00	.90
darleyensis. Darley Heath. 1'			
6 to 8 in., 4 in. pots	1.25	1.00	.90
vagans. Cornish Heath. 1'			
6 to 8 in., 4 in. pots	1.25	1.00	.90
Eucommia ulmoides. 60'			
6 to 8 ft	7.50	6.00	
8 to 10 ft	10.00	7.50	
Euonymus alatus. Winged Euonymus	. 10'		
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.75	1.60	1.50
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.75	3.50
6 to 8 ft. heavyB&B	15.00		
8 to 10 ft. heavyB&B	20.00		
alatus compactus. Dwarf Winger	l Euon	ymus.	6'
2 to 3 ft		1.25	
3 to 4 ft	1.75	1.5C	

Euonymus	1-4 Each	5-24 Each	25 & up Each
americanus. Brook Euonymus. 8'			
2 to 3 ft	1.00	.90	.75
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.50	1.10	1.00
T 00 0 10,	1.00	1.00	
_	15'	•	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	<b>.5</b> 5
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.35	1.10	1.00
6 to 8 ft	1.75	1.60	1.50
bungeanus. Winterberry Euonymu	e 14	5'	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.35	1.10	1.00
6 to 8 ft	1.75	1.60	1.50
		_,,,	2,00
europaeus. European Euonymus.	15 <b>'</b>		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.35	1.10	1.00
6 to 8 ft	1.75	1.60	1.50
fortunei. (acutus). Wintercreeper	Euon	ymus.	2'
12 to 15 in	.65	.55	.50
15 to 18 in	.85	.70	.65
f. argenteo-marginatus.			
Silveredge Wintercreeper	$E_{uon}$	umue	2'
12 to 15 in		.55	.45
	.85	.70	.65
			-
f. carrierei. Glossy Wintercreeper		-	3'
	.65	.55	.50
	.85	.70	.65
18 to 24 ft	1.00	.80	.75
f. coloratus.			
Purple leaf  Wintercree per	Euor	nymus.	3'
12 to 15 in	.60	.50	.45
15 to 18 in	.75	.65	.60
18 to 24 in	1.00	.80	.75

SEE PAGE 162 FOR COMPLETE LIST OF HERBACEOUS STOCK

Euonyn	nous	1-4 Each	5-24 Each	25 & up Each
f.	kewensis. Kew Wintercreeper	Euon	บทบร.	1'
••	8 to 12 in. from pots	.75	.65	.60
f.	minimus. Baby Wintercreeper			1'
	8 to 12 in. from pots	.75	.65	.60
	12 to 15 in. from pots	1.00	.85	.75
f.	radicans. Common Wintercree	ner E	Luonyn	ius.
	8 to 12 in	.60	.50	.45
	12 to 15 in	.65	.55	.50
	15 to 18 in	.80	.70	.65
	18 to 24 in	1.00	.80	.75
f.	vegetus. Bigleaf Wintercreepe	er Eu	omaimai	s. 4'
1.	12 to 15 in	1.00	.80	.75
	15 to 18 in	1.25	•	1.00
	18 to 24 in		1.35	1.25
kia	nutschovicus (patens). Spreadir	•		
	18 to 24 inB&B	2.75	2.50	2.25
	2 to 3 ftB&B	3.50	3.00	
	3 to 4 ftB&B	5.00		
lat	ifolius. Broadleaf Euonymus.	<i>10'</i> .		
	3 to 4 ft	.90	.75	
	4 to 5 ft	1.25	1.00	
	5 to 6 ft	1.50	1.25	
ma	acki. Maack Euonymus. 10'			
	2 to 3 ft	.65	.55	
	3 to 4 ft	.75	.65	
	4 to 5 ft	1.00	.85	.75
	5 to 6 ft	1.25	1.10	1.00
	6 to 8 ft	1.50	1.35	1.25
na	nus. Dwarf Euonymus. 3'			
	12 to 15 in	1.50	1.25	1.00
	15 to 18 in		1.50	
a b		• -	2.00	
do	$egin{array}{lll}  extbf{ovatus.} & Running & Euonymus. & Running & $		.60	.50
		.10	.00	.50
ox	yphyllus 15'			
	4 to 5 ft		1.75	
	5 to 6 ft	2.25	2.00	1.75
pa	tens. (see kiautschovicus).			

Each Each Each         Each Each       <
yedoensis.       Yeddo Euonymus.       10'         2 to 3 ft.       .65 .55         .3 to 4 ft.       .75 .65         4 to 5 ft.       1.00 .85         5 to 6 ft.       1.25 1.10 1         6 to 8 ft.       1.50 1.35 1    Evodia danieli. Korean Evodia. 25'     4 to 5 ft.     4.00
2 to 3 ft
. 3 to 4 ft.       .75 .65         . 4 to 5 ft.       1.00 .85         . 5 to 6 ft.       1.25 1.10 1         . 6 to 8 ft.       1.50 1.35 1    Evodia danieli. Korean Evodia. 25'     4 to 5 ft.     4.00
4 to 5 ft.       1.00 .85         5 to 6 ft.       1.25 1.10 1         6 to 8 ft.       1.50 1.35 1    Evodia danieli. Korean Evodia. 25' 4 to 5 ft. 4.00
5 to 6 ft. 1.25 1.10 1 6 to 8 ft. 1.50 1.35 1  Evodia danieli. Korean Evodia. 25' 4 to 5 ft. 4.00
6 to 8 ft. 1.50 1.35 1  Evodia danieli. Korean Evodia. 25' 4 to 5 ft. 4.00
Evodia danieli. Korean Evodia. 25' 4 to 5 ft 4.00
4 to 5 ft 4.00
- · · · · · · · · · · · · · · · · · · ·
5 to 6 ft 5.00
hupehensis. Hupeh Evodia. 25'
4 to 5 ft 4.00
5 to 6 ft 5.00
Exochorda giraldi wilsoni Wilson Redbud Pearlbush. 1
3 to 4 ft
4 to 5 ft
5 to 6 ft
racemosa. (grandiflora). Pearlbush. 10'
2 to 3 ft
3 to 4 ft
4 to 5 ft
5 to 6 ft
6 to 8 ft
8 to 10 ft 3.50 3.00
6 to 8 ft. spec
8 to 10 ft. spec
Fagus grandiflora. (americana). American Beech. 60'
4 to 5 ft
5 to 6 ft
6 to 8 ft
8 to 10 ft
10 to 12 ft

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

E			1- <b>4</b> Each	5-24 Each	25 & up Each
Fagus					
sylvai	ica.	$\boldsymbol{E}$	uropean Beech. 75'		
3	to	4	ftB&B 6.00	5.50	5.00
			ftB&B 7.50		6.50
5	to		ftB&B 12.50		
6	to	_	ftB&B 15.00		
8	-		ft B&B 22.50		
			ftB&B 35.00		25.00
			ftB&B 50.00		
14	to	16	ftB&B 60.00	50.00	
sylva	tica	fas	igiata. Pyramidal Beech.	25'	
15	to	18	ftB&B 75.00	ı	
svlva	tica	het	rophylla. Cutleaf Beech.	25'	
_			ftB&B 30.00		
sylva	tica	pe	dula. Weeping Beech. 50	9 <b>'</b>	
12	to	14	ftB&B 60.00	)	
14	to	16	ft B&B 75.00	1	
L	arg	er s	zes quoted on request.		
svlva	tica	pu	purea. Purple Beech. 78	5 <b>'</b>	
	to		ftB&B 17.50		
6	to		ftB&B 25.00		
8	to	10	ftB&B <b>35.0</b> 0		
10			ftB&B 45.00		
sylva	tica	riv	ersi. River's Beech. 75'		
-			ftB&B 35.00		
			ft., 1½ inB&B 50.00		
L	arg	er s	zes quoted on request.		
			ei. Fortune Fontanesia.		
			£t		.60
				.85	
				1.10	
			ft		
8	to	10	ft 2.00	1.85	1.75

Forsythia europea. Albanian Forsythia	1-4 Each	5-24 Each	25 & up Each
2 to 3 ft	.75	.60	.50
3 to 4 ft	.85	.70	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.50	1.25	1.00
intermedia. Border Forsythia. 8		•	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
intermedia primulina.	-,00	1.00	2.20
Primrose Border Forsythia	. 10'		
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
intermedia spectabilis. Showy Bor	der F	or syth	ia. 8'
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	2.00	1.75	1.50
ovata. Early Forsythia. 8'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.25	1.00	.85
suspensa. $Weeping\ Forsythia.$ 6'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
suspensa atrocaulis.			
Purplestem Weeping For	•		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
suspensa fortunei. Fortune Weepin			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25		1.00
6 to 8 ft	1.50	1.35	1.25

	1-4 Each	5-24 Each	25 & up Each
Forsythia	. T	anthia	. 8'
suspensa sieboldi. Siebold Weeping 2 to 3 ft	.60	50.	45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
viridissima. Greenstem Forsythia.	8'	1.00	1.20
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
Fothergilla gardeni. Dwarf Fothergilla	ı. 3'		
18 to 24 inB&B	5.00	4.00	
24 to 30 inB&B	6.00	5.00	
30 to 36 inB&B	7.50		
Franklinia alatamaha. 20'			
3 to 4 ftB&B 1	2.50		
8 to 10 ftB&B 3	0.00		
Fraxinus americana. White Ash. 80'			
8 to 10 ft	3.00	2.50	2.25
1¼ to 1½ in	3.50	2.75	2.50
	4.50	4.00	3.75
	6.00	5.50	5.00
2 to 2½ in	7.50	7.00	6.50
	2.50	10.00	9.00
excelsior. European Ash. 100'			
8 to 10 ft	3.00	2.50	2.25
11/4 to 11/2 in	3.50	2.75	2.50
1½ to 1¾ in	4.50	4.00	3.75
13/4 to 2 in	6.00	5.50	5.00
2 to 2½ in	7.50	7.00	6.50
2½ to 3 in	2.50	10.00	9.00
mandshurica. Manchurian Ash. 8	0'		
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.00	3.25	
1¼ to 1½ in		4.25	
1½ to 1¾ in	6.50	5.50	
nigra. Black Ash. 80'			
	3.50	3.25	3.00
1¼ to 1½ in	4.50	4.00	
1½ to 1¾ in	6.00	5.00	

	1-4 Each	5-24 Each	25 & up Each
Fraxinus Bal Ask and			
pennsylvanica. $Red Ash. 60'$ 8 to 10 ft	4.00	3.25	3.00
1 <sup>1</sup> / <sub>4</sub> to 1 <sup>1</sup> / <sub>2</sub> in	5.00	4.25	
1½ to 1¾ in	6.50	5.50	5.00
1¾ to 2 in	8.50	7.50	5.00
	12.50	10.00	
p. lanceolata. Green Ash. 60'	12,00	10.00	
8 to 10 ft	3.00	2.50	2.25
1¼ to 1½ in	3.50	2.75	2.50
1½ to 1¾ in	4.50	4.00	3.75
13/4 to 2 in	6.00	5.50	5.00
2 to 2½ in	7.50	7.00	6.50
2½ to 3 in	12.50	10.00	9.00
quadrangulata. $Blue\ Ash.\ 80'$			
6 to 8 ft	4.00		
8 to 10 ft	5.00		
Gaylussacia baccata. Black Huckleber	ru. 3	,	
24 to 30 inB&B	•	3.50	
Genista juncea. 2'			
15 to 18 in. from pots	1.00	.75	
pilosa. Silky Leaf Woadwaxen.		• • •	
4 to 6 in		.75	
sagittalis. Arrowhead Broom. 9"			
4 to 6 in	1.00	.90	
scoparia (see Cytisus).			
tinctoria. Woadwaxen. 3'			
18 to 24 in	.60	.50	
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
Ginkgo biloba. Maidenhair Tree. 60'			
6 to 8 ft	3.25	2.75	2.50
8 to 10 ft	4.00	3.50	3.25
1½ to 1½ in	5.00	4.50	4.25
1½ to 1¾ in	6.00	5.50	5.00
13/4 to 2 in	7.50	7.00	6.50
2 to 2½ in	10.00	9.50	9.00
2½ to 3 in	18.00	15.00	12.50
3 to 3½ in	25.00	20.00	
3½ to 4 in	30.00	25.00	
biloba fastigiata. Sentry Ginkgo.	<b>60'</b>		
6 to 8 ft	7.50		

	1-4 Each	5-24 Each	25 & up Each
Gleditsia japonica. Japanese Honeylo	cust.	40'	
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
triacanthos. $Honeylocust.$ 60'  5 to 6 ft	1.75	1.50	1.35
		$\frac{1.30}{2.25}$	2.00
6 to 8 ft	2.50		
8 to 10 ft	3.75	3.50	3.25
1¼ to 1½ in	4.50	4.00	3.75
1½ to 1¾ in	5.50	5.00	4.50
1 <sup>3</sup> / <sub>4</sub> to 2 in	7.50	6.00	
2 to 2½ in,	10.00	7.50	
2½ to 3 in	12.50	10.00	
triacanthos elegantissima. $Bushy$	Hone	ylocust.	20'
4 to 5 ft	3.50	2.50	2.00
5 to 6 ft	3.50	3.00	2.50
triacanthos inermis. Thornless H	•		
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	4.00	3.50	3.25
1½ to 1¾ in	5.50	5.00	4.50
1¾ to 2 in	7.50	6.00	
2 to 2½ in	10.00		
Gordonia alatamaha. (see Franklinia).			
Gymnocladus dioca. Kentucky Coffee	tree.	40'	
5 to 6 ft	4.00	3.00	2.50
6 to 8 ft	5.00	4.00	3.50
8 to 10 ft	6.00	5.00	4.50
10 to 12 ft	7.50	6.50	6.00
2 to 3 in		0.50	0.00
2 to 5 m	15.00		
Halesia carolina. (tetraptera). Carolin	na Silv	erbell.	15'
4 to 5 ft	2.00	1.50	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.00	2.50	2,25
8 to 10 ft	4.00	3.50	3.00
10 to 12 ft	7.50	6.00	4.50
8 to 10 ft. spec		0.00	1.00
10 to 12 ft. spec			
10 to 12 1t. Spec,	40.00		

	1-4 Each	5-24 Each	25 & up Each
Halesia			
monticola. Mountain Silverbell.	<i>50</i> <b>′</b>		
5 to 6 ft	7.50		
6 to 8 ft	10.00		
8 to 10 ft	12.50		
Hamamelis japonica. Japanese Witch		20 <b>'</b>	
5 to 6 ft	3.50		
japonica rubra. 20'			
3 to 4 ft	3.50		
mollis. Chinese Witchhazel. 20'			
2 to 3 ft	4.00	3.50	
3 to 4 ft	5.00	4.50	
4 to 5 ft	6.00		
vernalis. Vernal Witchhazel. 8'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.75	2.25	2.00
0 00 0 10			
vernalis tomentella. $6'$			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.75	2.25	2.00
virginiana. Common Witchhazel.			<b>5</b> 0
-	.65		
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.50		
5 to 6 ft	1.75		
	2.25		
8 to 10 ft	3.00	2.75	2.50
Hedera helix. English Ivy. 20'			
	.40	.30	.25
2 year, 3 in. pots	.50	.35	
3 year, 4 in. pots			
, <u> </u>			
helix Albany. Albany English In			0=
2 year, 3 in. pots	.60	.45	.35

77 J	1-4 Each	5-2 <b>4</b> Each	25 & up Each
Hedera			
helix baltica. Baltic English Ivy.			4.0
2 year, 3 in. pots	.55	.45	.40
helix conglomerata. Bunchleaf Eng	lish .	Ivy. 1	0'
2 year, 3 in. pots	.75	.60	
helix Emerald Gem. 15'			
2 year, 3 in. pots	.75	.60	.50
• • •			,,,,
helix gracilis. Miniature English I	_		20
2 year, 3 in. pots	.45	.35	
3 year, 4 in. pots	.55	.45	.40
helix Hahn's			
2 year, 3 in. pots	.50		.35
3 year, 4 in. pots	.60	.50	.45
helix lobata.			
2 year, 3 in. pots	.50	.40	.35
Helwingia japonica. 5'			
	1.50		
Hibiscus syriacus. Shrub Althea. 12'			
double varieties			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft. hvy B&B 1	5.00		
Ardens — Purple.			
Banner — Blush.			
<b>Jeanne d Arc</b> — White.			
Lady Stanley — White, shaded	rose	•	
Rubra Plena — Red.			
Speciosa Plena — Pink.			
single varieties.			
2 to 3 ft	.60	.50	.45
	.75		.55
4 to 5 ft			
	1.25	1.10	1.00
Coelestis — Blue.			
Rosea — White, crimson eye.			
Rubis — Red.			
Totus albus — White.			

Hibiscus	1–4 Each	5-24 Each	25 & up Each
	7.7		
variegatus. Leopardleaf Shrub A			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.10	1.00
5 to 6 ft	1.50	1.35	
variegatus Meehani. Meehan Var	iegated	Althe	a. 6'
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
Hippophae rhamnoides. Sea-bucktho		,	
3 to 4 ft	2.50		
4 to 5 ft	3.00		
5 to 6 ft	4.00		
Hydrangea arborescens. Smooth Hyd	drangea	. 6'	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
arborescens grandiflora. $Snowhill$	ll Hydr	angea	. 6'
2 to 3 ft	.85	.70	.65
3 to 4 ft	1.00	.80.	
cineria sterilis. Sterile Ashy Hy	drange	a. 6'	
2 to 3 ft	1.00		
macrophylla Otaksa. 3'			
4 year	1.00	.75	.60
paniculata. Panicle Hydrangea.	10'		
2 to 3 ft	.75	.60	.50
3 to 4 ft	.85	.75	.65
4 to 5 ft	1.00	.85	.75
5 to 6 ft		1.10	1.00
	-		
paniculata grandiflora. Peegee I			
2 to 3 ft		.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.50	1.25	
3 to 4 ft., tree form	2.00	1.50	
4 to 5 ft., tree form	2.50	1.75	
paniculata praecox. $Early\ Hydr$	rangea.	10'	
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	

Hydrangea	1-4 Each	5-24 Each	25 & up Each
petiolaris. Climbing Hydrangea. 4 inch pots	2.00		
quercifolia. Oakleaf Hydrangea.	4'		
2 to 3 ft	•	1.35	
3 to 4 ft		_,,,	
radiata. Silverleaf Hydrangea. 6'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
xanthoneura Thos. Hogg. 3'		de .	
4 year	1.00	.75	.60
Hypericum arnoldianum. Arnold St.	Lohno	wort	5'
18 to 24 in	.75	.60	J
2 to 3 ft		.75	
2 to 3 It	1.00	.13	
bucklei. Blueridge St. Johnswort	. 1'		
6 inches	1.00	.75	
densiflorum. Dense St. Johnswort	. 6'		
18 to 24 in	.60	.50	.45
2 to 3 ft	.75	.60	.55
3 to 4 ft	.85	.70	.65
frondosum. (aureum). Golden St.			
18 to 24 in	.60	.50	.45
2 to 3 ft	.75	•	.55
3 to 4 ft	.85	.70	.65
3 to 4 it	.00	.10	.00
kalmianum. $4'$			
18 to 24 in	.60	.50	.45
2 to 3 ft	.75	.60	.55
3 to 4 ft	.85	.70	.65
lobocarpum. 6'			
2 to 3 ft	1,00	.75	
3 to 4 ft	1.25	1.00	
moserianum. Goldflower. 2'	. 70	60	
15 to 18 in	.70	.60	.55
18 to 24 in	.85	.70	.65
patulum. Goldencup St. Johnwort	. 3'		
18 to 24 in	.85	.70	.65
patulum henryi. Henry St. Johnsi	vort	4'	
18 to 24 in	.70	.60	.55
2 to 3 ft	.85	.70	.65
2 W U II	.00	.10	.00

	1-4 Each	5-24 Each	25 & up Each
Hypericum			
prolificum. Shrubby St. Johnswon	rt. 5'		
18 to 24 in	.60	.50	.45
2 to 3 ft	.75	.60	.55
3 to 4 ft	.85	.70	.65
vanfleeti. Van Fleet St. Johnswor			
2 to 3 ft	1.50		
Idesia polycarpa. 40'			
3 to 4 ft	2.50		
4 to 5 ft	3.00		
Ilex cornuta. Chinese Holly. 10'			
	4.00		
manata I II.II 10/			
crenata. $Japanese Holly$ . $10'$ $15 \text{ in}$	3.50	2.75	2.50
	4.00	3.50	$\frac{2.50}{3.25}$
	6.00	5.00	4.50
30 in		6.50	6.25
	12.50	10.00	0.20
42 inB&B	15.00	12.50	
crenata bullata. Convexleaf Japa	nese I	_	
15 to 18 inB&B	4.00	3.50	
18 to 24 inB&B	5.00	4.25	3.75
24 to 30 inB&B	7.50		
crenata latifolia. Bigleaf Japanes	se Hol	lly. 10	) <b>'</b>
18 to 24 inB&B	4.00	3.50	3.25
24 to 30 inB&B	6.00	5.00	4.50
30 to 36 inB&B	7.50		
36 to 42 in	12.50		
crenata microphylla. $Littleleaf\ Ja$	mamaa	a Halla	1. 10'
15 inB&B		$\frac{2.75}{2.75}$	<i>y</i> . 10
18 in			
24 in B&B			
	0.00		
crenata rotundifolia. 6'			
	3.75	3.25	
18 to 24 inB&B	4.50	4.00	
geniculata. Droopbead Holly. 8'			
3 to 4 ft	2.50		
4 to 5 ft	3.00		

	1–4 Each	5 <b>-24</b> Each	25 & up Each
Ilex			
glabra. Inkberry. 8'			0.05
15 to 18 in		2.75	
18 to 24 inB&B 24 to 30 inB&B	$\frac{4.00}{5.00}$	3.25 $4.25$	2.75 $3.75$
30 to 36 in	6.50		
36 to 42 in			0.00
laevigata. Smooth Winterberry.	<i>6</i> ′		
2 to 3 ft	1.00	.75	.65
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
montana. Mountain Winterberry.	10'		
3 to 4 ft	2.50		
opaca. American Holly. 40'			
<b>5</b> ft	15.00		
6 ftB&B	20.00		
7 ft	25.00		
For larger sizes to 12 ft., add \$5.	00 per	foot.	
serrata. Finetooth Holly. 12'			
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.50	2.00	1.75
verticillata. Common Winterberry	y. 10'		
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.90	.85
4 to 5 ft	1.25	1.10	1.00
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	2.00	1.85	1.75
verticillata chrysocarpa.			
$Yellow-fruit\ Winterberry.$	10'		
2 to 3 ft	2.25	2.00	
3 to 4 ft	2.50	2.25	
4 to 5 ft	3.00	2.50	

Indigofera amblyantha. Pink Indigo.	1-4 Each <i>6'</i>	5-24 Each	25 & uip Each
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	1.25
kirilowi. Kirilow Indigo. 4'			
18 to 24 in	2.00	1.50	1.25
potanini. Potanin Indigo. 5'			
2 to 3 ft	2.00	1.75	
3 to 4 ft	2.50	2.00	
Itea virginica. Virginia Sweetspire.	8'		
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.10	1.00
Jasminum nudiflorum. Winter Jasmi	ine. 3	,	
15 to 18 in	.60	.50	.40
18 to 24 in	.75	.60	.50
12 to 15 in., $2\frac{1}{2}$ in pots	1.00	.85	.75
stephanense. Stephan Jasmine.	3'		
2 ft., 4 in. pots	1.50	1.25	
Juglans cinerea. Butternut. 75'			
6 to 8 ft	4.00		
8 to 10 ft	5.00		
nigra. Black Walnut. 80'			
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	4.50	4.00	3.75
1½ to 1¾ in	6.00	5.00	4.50
13/4 to 2 in	7.50	6.00	5.50
2 to 2½ in	12.50	10.00	
sieboldiana. Siebold Walnut. 50	•		
1½ to 1¾ in	6.00	5.00	
13/4 to 2 in	8.50	7.50	
2 to 2½ in	12.50	10.00	
2½ to 3 in	15.00	12.50	
LARGE SPECIMEN SHRUBS QUOTED	ON R	EQUEST	

Juniperus	chinensis.	Pyramid Chine	1-4 Each se Juni	Each	5 & up Each
2	ft	B&E	5.50	4.50	
3		B&E		6.00	
4		B&E		8.00	
5		B&E		10.00	
6		B&E			
7		B&E		18.00	:
8		B&E		25.00	,
	nsis albovar		30.00	20.00	
chinen		•	a Tam	in an a	o*
	•	Pyramid Chine		-	O .
3		B&B		7.50	
4		B&E		10.00	
5	ft	B&E	3 15.00		
chiner	ısis column	aris.			
	Columnar	Pyramid Chine	se Jun	iper. 20	<b>9'</b>
4	ft	B&F	3 12.50	10.00	
5	ft	B&E	3 15.00	12.50	
6	ft	B&E	3 18.00	15.00	
7		B&I			
8		B&I			
chiner	nsis globosa		1		
		ramid Chinese J	_	5'	
18		B&I		4.00	
24	in	B&I	3 6.00	5.00	
chine	nsis japonio	a. Japanese Ju	niper.	8'	_
18	in	B&B	4.50	3.50	
2	ft	B&I	6.00	5.00	
3	ft	B&I	3 7.50	6.50	
c. jap	onica aurec	ovariegata. ariegated Japan	ese Im	niper. 8	Q <b>'</b>
18		B&I		oper.	
		B&I			
chine	nsis mas.	-			
3	ft	B&1	3 10.00		
chine		iensis. Conical		Juniper	. 10'
3	<b>ft.</b>	B&I	3 7.50	6.00	
4	ft	B&1	3 10.00	7.50	
5	ft	B&I	3 12.50		

1-4	5-24	25 & up
Each	Each	Each

## Juniperus

chinensis oblonga. Oblong Chinese Juniper. 20	)′
6 ftB&B 10.00	
7 ftB&B 12.50	
chinensis pfitzeriana. Pfitzer Juniper. 6'	
18 to 24 in. spd B&B 4.50 3.75	3.25
2 to 2½ ft. spd. B&B 5.50 5.00	4.50
2½ to 3 ft. spd. B&B 7.50 6.50	
3 to 3½ ft. spdB&B 11.50 9.00	
3½ to 4 ft. spd B&B 15.00 12.50	
4 to 4½ ft. spd. B&B 18.00 16.00	
4½ to 5 ft. spdB&B 25.00 20.00	
5 to 6 ft. spdB&B 30.00 25.00	22.50
6 to 7 ft. spd B&B 40.00 35.00	
(Upright form can be furnished in sizes 18" to	
(Opright form can be furnished in sizes to to	<i>,</i>
chinensis pfitzeriana compacta. 6'	
18 to 24 in. spd	
24 to 30 in. spdB&B 6.50 5.50	
21 to 00 III spatt	
chinensis sargenti. Sargent Chinese Juniper.	3'
18 inB&B 4.50 4.00	3.75
24 inB&B 6.00 5.00	
chinensis smithi. Smith Chinese Juniper. 8'	
2 ftB&B 4.50 4.00	
3 ftB&B 5.50 5.00	
communis. Common Juniper. 25'	
3 ftB&B 4.50 4.00	
4 ftB&B 6.00 5.00	
communis depressa. Oldfield Common Juniper	. 3'
18 to 24 in. spdB&B 3.00 2.50	2.25
	2.20
24 to 30 in. spd B&B 4.00 3.50 2½ to 3 ft. spd B&B 6.00 4.50	
3 to 4 ft. spd B&B 10.00	
4 to 5 ft. spdB&B 12.50	
communis aureo-spica	
Golden Prostrate Juniper. 3'	
15 to 18 in. spdB&B 3.50 3.00	
18 to 24 in. spd	

Juniperus	1-4 Each	5-24 Each	25 & up Each
communis depressa plumosa.			
(see horizontalis plumosa	)		
(see norizontaris prumosa	/•		
communis hibernica. Irish Junipe		<b>5'</b>	
2 ftB&B	3.00	2.50	2.25
3 ftB&B	4.50	3.50	3.00
4 ftB&B	6.00	5.00	
communis suecica. Swedish Juni	per.	25 <b>'</b>	
2 ftB&B	3.00	2.75	2.50
3 ftB&B	4.50	4.00	
4 ftB&B	6.50	5.50	
communis suecica nana. $Dwarf\ Su$	vedish.	Junine	er. $6'$
2 ftB&B		4.00	
3 ftB&B		•	
	0,00	0.00	
communis vase-shaped. $10'$			
2 to 2½ ftB&B	4.50	4.00	
2½ to 3 ftB&B	6.00	5.00	
3 to 3½ ftB&B	7.50	6.00	
conferta. Shore Juniper. 5'			
18 in	4.00	3.50	3.00
2 ftB&B	5.00	4.50	4.00
2½ ftB&B	6.50	5.50	5.00
3 ftB&B	7.50	6.50	
excelsa. Greek Juniper. 50'			
3 ftB&B	5.00	4.00	
excelsa stricta. Spiny Greek Junip		,	
18 inB&B		3.00	2,50
2 ftB&B			
2½ ft B&B		4.50	3.75
3 ftB&B		4.00	3.13
3½ ftB&B			
•			
horizontalis. Creeping Juniper. 1			
18 to 24 in. spdB&B		3.00	2.50
24 to 30 in. spdB&B		4.00	3.75
$2\frac{1}{2}$ to $3$ ft. spdB&B		5.00	4.50
3 to $3\frac{1}{2}$ ft. spdB&B	7.50	6.00	5.50

Juniperus	1-4 Each	5-24 Each	25 & up Each
horizontalis alpina. Alpine Creepin 18 to 24 in. spd	3.50	<i>iper.</i> 3.00	1'
horizontalis Bar Harbor. 1'         15 to 18 in. spd		2.75 3.00	
horizontalis glauca. Blue Creeping  18 to 24 in. spd B&B  24 to 30 in. spd B&B  2½ to 3 ft. spd B&B	$3.50 \\ 4.50$	$\frac{3.00}{4.00}$	2.50 3.75
horizontalis plumosa. Andorra Cre         18       to 24       in.       B&B         24       to 30       in.       B&B         2½       to 3       ft.       B&B         3       to 3½       ft.       B&B         3½       to 4       ft.       B&B	3.50 4.50 6.00 7.50	3.00 4.00 5.00 6.00	2.50 3.75 4.50
recurva. Himalayan Juniper. 30'         2 ft	7.50		
sabina. Savin Juniper. 6'         18       to 24       in.spd B&B         2       to 2½ ft. spd B&B         2½ to 3       ft spd B&B         3       to 3½ ft. spd B&B	3.50 .4.00 5.00		2.50 3.00 4.00
sabina tamariscifolia. Tamarix Sa         18       to 24       in. spd B&B         24       to 30       in. spd B&B         2½ to 3       ft. spd B&B         3       to 3½ ft. spd B&B         3½ to 4       ft. spd B&B	4.00 5.00 7.50 10.00	3.50 4.50 6.00 8.50	3.25 4.00
sabina Von Ehron.       10'         24 to 30 in. spd.       B&B         30 to 36 in. spd.       B&B         36 to 42 in. spd.       B&B         42 to 48 in. spd.       B&B	$6.00 \\ 8.50$	5.50 7.50	

1-4 5-24 25 & up Each Each Each

Juniperus	Each	Each	Each
scopulorum. Rocky Mountain Junia	per. 3	30 <b>'</b>	
3 ftB&B	7.50		
sphaerica. Fortunes Juniper. 10'			
3 ftB&B	6.00	5.00	
4 ft	7.50	6.00	
5 ft		•••	
squamata. Singleseed Juniper. 3'			
2 to 2½ ft. spdB&B	6.00	5.00	
-			
squamata meyeri. Meyer Singlesee	ed Jur	iiper.	4'
18 to 24 inB&B	4.00	3.50	3.00
24 to 30 inB&B	4.50	4.00	3.75
2½ to 3 ftB&B	6.50	5.50	5.00
3 to 3½ ftB&B	10.00	7.50	6.00
<b>v</b> irginiana. $Eastern\ Redcedar.$ 75'	•		
2 ftB&B	4.50	3.75	3.50
3 ftB&B	6.00	5.00	4.25
4 ftB&B	7.50	6.50	5.75
5 ft	10.00	9.00	8.00
6 ftB&B	12.50	11.00	
7 ftB&B	15.00		
8 ftB&B	20.00		
9 ftB&B 2	25.00		
10 ftB&B			
For larger sizes to 20 ft., add \$	55.00 p	er foot	•
virginiana canaerti. Canaert Redc		<i>50'</i>	
3 ftB&B	7.50	6.50	6.00
4 ftB&B		8.50	7.50
5 ftB&B		12.50	10.00
6 ftB&B		15.00	12.50
7 ftB&B	20.00	18.00	15.00
8 ftB&B			
9 ftB&B			
10 ftB&B			
For larger sizes to 18 ft., add \$	\$5.00 r	per foot	

SEE PAGE 162 FOR COMPLETE LIST OF HERBACEOUS STOCK

1-4	5-24	25 & up
Each	Each	Each

## Juniperus

virginiana elegantissima. Goldtip Re	dcedar. 25'
2 ftB&B 6.0	00 5.00
3 ftB&B 7.	6.50
4 ftB&B 10.0	00.8 00
5 ft B&B 12.	
2 20	
virginiana glauca. Silver Redcedar.	25'
3 ftB&B 7.	6.50 6.00
4 ftB&B 10.	00 8.50 7.50
5 ftB&B 15.	00 12.50 10.00
6 ftB&B 18.	00 15.00
7 ftB&B 22.	50
8 ftB&B 27.	50
For larger sizes to 18 ft., add \$5.0	
virginiana globosa. Globe Redcedar.	4'
18 to 24 inB&B 6.	00 5.00 4.50
24 to 30 in	50 6.00 5.50
3 to 3½ ftB&B 10.	00 7.50 7.00
virginiana keteleeri. Keteleer Redced	
3 ftB&B 7.	50 6.50
3 ft	50 6.50 00 8.50
3 ft B&B 7. 4 ft B&B 10. 5 ft B&B 15.	50 6.50 00 8.50 00 12.50
3 ft.       B&B 7.         4 ft.       B&B 10.         5 ft.       B&B 15.         6 ft.       B&B 18.	50 6.50 00 8.50 00 12.50 00 15.00
3 ft B&B 7. 4 ft B&B 10. 5 ft B&B 15.	50 6.50 00 8.50 00 12.50 00 15.00
3 ft.       B&B 7.         4 ft.       B&B 10.         5 ft.       B&B 15.         6 ft.       B&B 18.         7 ft.       B&B 22.	50 6.50 00 8.50 00 12.50 00 15.00 50 18.00
3 ft.       B&B 7.         4 ft.       B&B 10.         5 ft.       B&B 15.         6 ft.       B&B 18.         7 ft.       B&B 22.    virginiana kosteri. Koster Redcedar.	50 6.50 00 8.50 00 12.50 00 15.00 50 18.00
3 ft. B&B 7. 4 ft. B&B 10. 5 ft. B&B 15. 6 ft. B&B 18. 7 ft. B&B 22.  virginiana kosteri. Koster Redcedar. 2 to 2½ ft. spd. B&B 5.	50 6.50 00 8.50 00 12.50 00 15.00 50 18.00 4' 50 5.00 4.50
3 ft. B&B 7. 4 ft. B&B 10. 5 ft. B&B 15. 6 ft. B&B 18. 7 ft. B&B 22.  virginiana kosteri. Koster Redcedar. 2 to 2½ ft. spd. B&B 5. 2½ to 3 ft. spd. B&B 7.	50 6.50 00 8.50 00 12.50 00 15.00 50 18.00 4' 50 5.00 4.50 50 6.50 6.00
3 ft. B&B 7. 4 ft. B&B 10. 5 ft. B&B 15. 6 ft. B&B 18. 7 ft. B&B 22.  virginiana kosteri. Koster Redcedar. 2 to 2½ ft. spd. B&B 5. 2½ to 3 ft. spd. B&B 7. 3 to 3½ ft. spd. B&B 11.	50 6.50 00 8.50 00 12.50 00 15.00 50 18.00 4' 50 5.00 4.50 50 6.50 6.00 50 9.00
3 ft. B&B 7. 4 ft. B&B 10. 5 ft. B&B 15. 6 ft. B&B 18. 7 ft. B&B 22.  virginiana kosteri. Koster Redcedar. 2 to 2½ ft. spd. B&B 5. 2½ to 3 ft. spd. B&B 7. 3 to 3½ ft. spd. B&B 11. 3½ to 4 ft. spd. B&B 15.	50 6.50 00 8.50 00 12.50 00 15.00 50 18.00 4' 50 5.00 4.50 50 6.50 6.00 50 9.00
3 ft. B&B 7. 4 ft. B&B 10. 5 ft. B&B 15. 6 ft. B&B 18. 7 ft. B&B 22.  virginiana kosteri. Koster Redcedar. 2 to 2½ ft. spd. B&B 5. 2½ to 3 ft. spd. B&B 7. 3 to 3½ ft. spd. B&B 11. 3½ to 4 ft. spd. B&B 15. 4 to 4½ ft. spd. B&B 18.	50 6.50 00 8.50 00 12.50 00 15.00 50 18.00 4' 50 5.00 4.50 50 6.50 6.00 50 9.00 00
3 ft. B&B 7. 4 ft. B&B 10. 5 ft. B&B 15. 6 ft. B&B 18. 7 ft. B&B 22.  virginiana kosteri. Koster Redcedar. 2 to 2½ ft. spd. B&B 5. 2½ to 3 ft. spd. B&B 7. 3 to 3½ ft. spd. B&B 11. 3½ to 4 ft. spd. B&B 15. 4 to 4½ ft. spd. B&B 15. 4 to 4½ ft. spd. B&B 18. 4½ to 5 ft. spd. B&B 25.	50 6.50 00 8.50 00 12.50 00 15.00 50 18.00 4' 50 5.00 4.50 50 6.50 6.00 50 9.00 00 00
3 ft. B&B 7. 4 ft. B&B 10. 5 ft. B&B 15. 6 ft. B&B 18. 7 ft. B&B 22.  virginiana kosteri. Koster Redcedar. 2 to 2½ ft. spd. B&B 5. 2½ to 3 ft. spd. B&B 7. 3 to 3½ ft. spd. B&B 11. 3½ to 4 ft. spd. B&B 15. 4 to 4½ ft. spd. B&B 18.	50 6.50 00 8.50 00 12.50 00 15.00 50 18.00 4' 50 5.00 4.50 50 6.50 6.00 50 9.00 00 00
3 ft. B&B 7. 4 ft. B&B 10. 5 ft. B&B 15. 6 ft. B&B 18. 7 ft. B&B 22.  virginiana kosteri. Koster Redcedar. 2 to 2½ ft. spd. B&B 5. 2½ to 3 ft. spd. B&B 7. 3 to 3½ ft. spd. B&B 11. 3½ to 4 ft. spd. B&B 15. 4 to 4½ ft. spd. B&B 15. 4 to 4½ ft. spd. B&B 18. 4½ to 5 ft. spd. B&B 25. 5 to 6 ft. spd. B&B 30.	50 6.50 00 8.50 00 12.50 00 15.00 50 18.00 4' 50 5.00 4.50 50 6.50 6.00 50 9.00 00 00 00 00
3 ft. B&B 7. 4 ft. B&B 10. 5 ft. B&B 15. 6 ft. B&B 18. 7 ft. B&B 22.  virginiana kosteri. Koster Redcedar. 2 to 2½ ft. spd. B&B 5. 2½ to 3 ft. spd. B&B 7. 3 to 3½ ft. spd. B&B 11. 3½ to 4 ft. spd. B&B 15. 4 to 4½ ft. spd. B&B 15. 4 to 4½ ft. spd. B&B 18. 4½ to 5 ft. spd. B&B 25. 5 to 6 ft. spd. B&B 30.  virginiana pendula. Weeping Redced	50 6.50 00 8.50 00 12.50 00 15.00 50 18.00 4' 50 5.00 4.50 50 6.50 6.00 50 9.00 00 00 00 00 00 00
3 ft. B&B 7. 4 ft. B&B 10. 5 ft. B&B 15. 6 ft. B&B 18. 7 ft. B&B 22.  virginiana kosteri. Koster Redcedar. 2 to 2½ ft. spd. B&B 5. 2½ to 3 ft. spd. B&B 7. 3 to 3½ ft. spd. B&B 11. 3½ to 4 ft. spd. B&B 15. 4 to 4½ ft. spd. B&B 15. 4 to 4½ ft. spd. B&B 18. 4½ to 5 ft. spd. B&B 18. 4½ to 5 ft. spd. B&B 25. 5 to 6 ft. spd. B&B 30.  virginiana pendula. Weeping Redced 4 ft. B&B 12.	50 6.50 00 8.50 00 12.50 00 15.00 50 18.00 4' 50 5.00 4.50 50 6.50 6.00 50 9.00 00 00 00 00 00 00 00 00
3 ft. B&B 7. 4 ft. B&B 10. 5 ft. B&B 15. 6 ft. B&B 18. 7 ft. B&B 22.  virginiana kosteri. Koster Redcedar. 2 to 2½ ft. spd. B&B 5. 2½ to 3 ft. spd. B&B 7. 3 to 3½ ft. spd. B&B 11. 3½ to 4 ft. spd. B&B 15. 4 to 4½ ft. spd. B&B 15. 4 to 4½ ft. spd. B&B 18. 4½ to 5 ft. spd. B&B 25. 5 to 6 ft. spd. B&B 30.  virginiana pendula. Weeping Redced	50 6.50 00 8.50 00 12.50 00 15.00 50 18.00 4' 50 5.00 4.50 50 6.50 6.00 50 9.00 00 00 00 00 00 00 00 00

Juniperus	1-4 Each	5-24 Each	25 & up Each
virginiana plumosa. Plume Red C 4 ft	10.00	15'	
virginiana schotti. Schott Redcede	ar. 25		,
3 ftB&B	7.50	6.50	6.00
4 ftB&B	10.00	8.50	7.50
5 ftB&B		12.50	10.00
6 ftB&B			12.50
7 ft			
For larger sizes to 18 ft., add			t.
vivojnjana tripautita Econtoio D		er. 5'	
virginiana tripartita. Fountain R  2 ft			
		5.00	
=72 =00 1111111111111111111111111111111111		6.00	
3 ftB&B		7.50	
3½ ftB&B			
4 ft B&B	12.50		
virginiana venusta. Green Pyram	id Red	lcedar.	25'
2 ftB&B	4.50	4.00	
3 ftB&B	6.50	5.50	
4 ftB&B	10.00	8.50	
5 ftB&B	15.00	12.50	
6 ftB&B	18.00		
7 ftB&B	20.00		
Kalmia latifolia. Mountain Laurel.			
18 to 24 inB&B		3.50	3.25
2 to 3 ftB&B		5.50	5.00
3 to 4 ftB&B	7.50	6.50	6.00
Kalopanax pictus. Castor Aralia. 25'			
6 to 8 ft	7.50	6.00	
8 to 10 ft			
0 to 10 1t	10.00	7.50	
pictus maximowiczi. 25'			

12.50

6 to 8 ft.....

	1-4 Each	5-24 Each	25 & up Each
Kerria japonica. Japanese Kerria. 4'			
18 to 24 in		.55	.50
2 to 3 ft		.70	.65
japonica pleniflora. Double Japan	ce $K$ e	rria.	4'
18 to 24 in	1.00	.75	
2 to 3 ft	1.25	1.00	
Koelreuteria paniculata. Panicled G	denrai	n Tre	c. 25
4 to 5 ft	3.00		
5 to 6 ft	4.00		
6 to 8 ft	5.00		
	7.50		
	10.00		
Kolkwitzia amabilis. Beauty Bush. 8	)*		
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.75	
6 to 8 ft	3.00	2.50	
Laburnum alpinum. Scotch Laburnum	a. 30'		
4 to 5 ft	6.00		
5 to 6 ftB&B	7.50		
6 to 8 ft. heavyB&B	20.00		
8 to 10 ft. heavy B&B			
anagyroides. (vulgare). Goldenshaa		burnur	n. 20'
4 to 5 ftB&B	6.00		
5 to 6 ftB&B	7.50		
6 to 8 ft. heavy B&B	20.00		
8 to 10 ft. heavy B&B	25.00		
watereri. Waterer Laburnum. 20	,		
8 to 10 ft	25.00		
10 to 12 ftB&B	35.00		
Lagerstroemia indica rubra. Red Cra	vemur	tle. 1	2'
18 to 24 in from pots		1.75	
Larix decidua. (europea). European L			
3 to 4 ftB&B		5.00	
4 to 5 ft		6.00	
5 to 6 ft		8.50	
6 to 8 ft			
8 to 10 ft	40.00	15.00	

1 <i>-4</i> Each	5-24 Each	25 & up Each
Larix		
laricina. Eastern Larch. 50' 3 to 4 ft		
leptolepis. Japanese Larch. 50'		
3 to 4 ftB&B 6.00	5.00	
4 to 5 ftB&B 7.50	6.00	
5 to 6 ftB&B 10.00	8.50	
6 to 8 ftB&B 15.00	12.50	10.00
8 to 10 ftB&B 20.00	15.00	12.50
10 to 12 ftB&B 35.00	25.00	
12 to 14 ftB&B 45.00		
Lespedeza bicolor. Shrub Lespedeza. 6'		•
2 to 3 ft	.60	
3 to 4 ft 1.00	.75	
4 to 5 ft	1.00	
5 to 6 ft	1.25	
japonica. Japanese Lespedeza. 5'		
2 year 1.00	.75	.60
thunbergi (penduliflorum). $Thunberg\ L$	espedez	a. 4'
2 year	.55	.45
3 year	.65	.55
Leucothoe catesbaei. Drooping Leucothoe.	,,	
15 to 18 in		
18 to 24 in		
24 to 30 in	1.00	
21 to 30 m		
Libocedrus decurrens. California Incenseced	lar. 10	00'
24 to 30 inB&B 5.00		
3 to 4 ftB&B 6.00		
4 to 5 ftB&B 7.50		
Ligustrum acuminatum. Sharpleaf Privet.	10'	
2 to 3 ft		.30
3 to 4 ft	.45	40
acuminatum macrocarpum, Bigberry P	rivet.	10'
2 to 3 ft		
3 to 4 ft	.45	.40

	1-4 Each	5-24 Each	25 & up Each
Ligustrum			
4 5 4 4 7			
amurense. Amur Privet. 15'	.25	.18	.15
18 to 24 in	.35	.25	.18
2 to 3 ft	.40	.30	.25
4 to 5 ft	.55	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.80	.75
ibolium. Ibolium Privet. 8'			
18 to 24 in	.25	.18	.12
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.45	.40
obtusifolium (ibota). Border Prive	t. 10	,	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
o. nanum. Pygmy Border Privet.	6'		
18 to 24 in	.40	.30	.25
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	
4 to 5 ft	.65	.55	.50
o. regelianum. Regel Border Prive	et. 6'		
18 to 24 in. spd	.55	.45	
24 to 30 in. spd	.65	.55	
2½ to 3 ft. spd	1.00	.70	
3 to 4 ft. spd	2.00	1.50	
4 to 5 ft, spd	3.00	2.50	
ovalifolium. California Privet. 10			
18 to 24 in	.25	.15	
24 to 30 in	.30	.20	.15
ovalifolium variegatum.			
Golden California Privet.	10'		4.5
18 to 24 in	.60	.50	
24 to 30 in	.65	.55	
3 to 4 ft	1.00	.75	.65
vulgare. European Privet. 12'			. 40
2 to 3 ft	.55	.45	
3 to 4 ft	.65	.55	
4 to 5 ft	.75	.65	
5 to 6 ft	1.00	.85	.75

	1-4 Each	5-24 Each	25 & up Each
Ligustrum			
vulgare foliosum. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
vulgare leucocarpum. Whiteberry			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.00	
vulgare nanum. (Lodense). $Europ$			
12 to 15 in	.40	.35	.30
15 to 18 in	.50	.45	.40
18 to 24 in	.65	.55	.50
24 to 30 in	.75	.65	.60
Lindera benzoin. Common Spicebush.	12'		,
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
8 to 10 ft. clumps B&B	15.00		
*Liquidambar formosana. Formosa Su	veetgur	n. 60	,
1½ to 1½ in	12.50		
*styraciflua. American Sweetgum	60'		
6 to 8 ft	3.50	2.75	2.50
8 to 10 ft	4.00	3.50	3.25
1½ to 1½ in	5.00	4.25	3.75
1½ to 1¾ in	6.00	5.00	4.25
13/4 to 2 in	7.50	6.00	
2 to 2½ in	10.00	8.50	
2½ to 3 in	18.00	15.00	
3 to 3½ in	25.00	20.00	
4 to 5 in	35.00	30.00	
5 to 6 in	50.00		
*styraciflua aurea. Golden Sweetg	um. 6	80'	
1½ to 1¾ in	12.50		
13/4 to 2 in	15.00		
2 to 2½ in	20.00		
2½ to 3 in	25.00		

*Liriodendron tulipifera. Tuliptree.	1-4 Each	5-24 Each	25 & up Each
6 to 8 ft		2.50	2.25
8 to 10 ft		2.75	$\frac{2.23}{2.50}$
1½ to 1½ in		3.50	$\frac{2.30}{3.25}$
1½ to 1¾ in		4.00	$\frac{3.25}{3.75}$
1 <sup>3</sup> / <sub>4</sub> to 2 in		5.00	$\frac{3.73}{4.50}$
2 to 2½ in		7.50	6.50
2½ to 3 in		12.50	0.50
3 to 3½ in		12.00	
3½ to 4 in			
*tulipifera fastigiatum. Pyramid		150	,
	-	6.50	
		8.50	
2½ to 3 in			
3 to 3½ in	30.00		
Lonicera alseuosmoides.		2.2	
2 year	.75	.60	.50
amoena arnoldiana. Arnold Hone	eysuck'	e. $6'$	
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
bella albida. White Belle Honeysi	ickle.	10 <b>'</b> .	
2 to 3 ft	60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
bella atrorosea. Pink Belle Honey	ysuckle	. 10'	
2 to 3 ft	60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
billardi. 8'			
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
browni plantierensis. Coral Brow	ns Hor	ieysuck	le. 4'
2 year		.60	.50
3 year			
caprifolium. Sweet Honeysuckle.			
2 year		.60	.50
4 year	.10	.00	.00

Lonicera	1-4 Each	5-24 Each	25 & up Each
chrysantha. Coralline Honeysuckle	. 10'		
3 to 4 ft	75	.60	,55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
conjugialis. Purpleflower Honeysu		8'	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
dioica. Limber Honeysuckle. 10'			
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
fragrantissima. Winter Honeysuckl	e. 8'		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
fuchsioides. Fuchsia Honeysuckle.	4'		
2 year	.75	.65	.60
gracilipes. Spangle Honeysuckle.	<i>6'</i>		
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
heckrotti. Everblooming Honeysud	kle.	15'	
2 year	.75	.60	.50
henryi. Henry Honeysuckle. 15'			
2 year	.75	.65	.60
hirsuta. Hairy Honeysuckle. 15'			
•	.75	.60	
3 year		.75	
japonica. $Japanese$ $Honeysuckle$ .			
2 year			.22
	.50		
japonica chinensis. Purple Japanes		neysuck	le. 15'
2 year			
japonica halleana. Hall Japanese	_		
2 year			
3 year	.50	.35	.25
japonica aureo-reticulata.			
Yellownet Japanese H	_		
2 year		.50	
koehneana. Koehne Honeysuckle.			
2 to 3 ft	.75		
3 to 4 ft	1.00		

Lonicera.	1-4 Each	5 <b>-24</b> Each	25 & up Each
korolkowi floribunda.			
Broad Blueleaf Honeys	suckle.	10'	
2 to 3 ft		.75	
3 to 4 ft	1.25	1.00	
korolkowi zabeli. 10'			
2 to 3 ft	1.25		
3 to 4 ft	1.50		
ledebouri. Ledebour Honeysuckle.	10'		
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
maacki. Amur Honeysuckle. 10'			
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25		
maacki podocarpa. 10'			
3 to 4 ft	.75	.60	,
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25	1.00	
morrowi. Morrow Honeysuckle.	8 <b>′</b>		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
morrowi xanthocarpa.			
Yellowfruit Morrow Honeys	suckle.	<b>8'</b>	
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	
5 to 6 ft	1.25	1.10	1.00
muendeniensis. Muenden Honeysu	ckle.	<i>8</i> ′	
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.85	
5 to 6 ft	1.25	1.10	
6 to 8 ft	1.50	1.35	1.25
nitida. Box Honeysuckle. 4'			
6 to 12 in	.75	.65	.60
orientalis longifolia. (kesselringi).	10'		
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
periclymenum belgica. $Dutch\ Wo$			
2 year	.75	.65	
3 year	1.00	.80	.75
pileata. Privet Honeysuckle. 2'			
6 to 12 in	.75	.68	60.60

prolifera. Grape Honeysuckle. 5'         3 year       1.00       .75         quinquelocularis. Mistletoe Honeysuckle. 10'       2 to 3 ft.       1.00         3 to 4 ft.       1.25         ruprechtiana. Manchurian Honeysuckle. 10'       2 to 3 ft.       .60 • .50         3 to 4 ft.       .75 .60         saccata. 5'       2 to 3 ft.       .75 .60
3 year 1.00 .75  quinquelocularis. Mistletoe Honeysuckle. 10' 2 to 3 ft. 1.00 3 to 4 ft. 1.25  ruprechtiana. Manchurian Honeysuckle. 10' 2 to 3 ft. 60 • .50 3 to 4 ft75 .60  saccata. 5'
quinquelocularis.       Mistletoe Honeysuckle.       10'         2 to 3 ft.       1.00         3 to 4 ft.       1.25         ruprechtiana.       Manchurian Honeysuckle.       10'         2 to 3 ft.       .60 • .50         3 to 4 ft.       .75 .60         saccata.       5'
2 to 3 ft. 1.00 3 to 4 ft. 1.25  ruprechtiana. Manchurian Honeysuckle. 10' 2 to 3 ft
3 to 4 ft
ruprechtiana.       Manchurian Honeysuckle.       10'         2 to 3 ft.       .60 • .50         3 to 4 ft.       .75 .60         saccata. 5'
2 to 3 ft
3 to 4 ft
saccata. 5'
2 to 3 ft
- 00 0 200 11111111111111111111111111111
3 to 4 ft
sempervirens. Trumpet Honeysuckle. 15'
2 year
3 year
spinosa alberti. Albert Thorn Honeysuckle. 3'
12 to 15 in
15 to 18 in
standishi. Standish Honeysuckle. 8'
2 to 3 ft
3 to 4 ft
4 to 5 ft 1.00 .85 .75
5 to 6 ft 1.25 1.10 1.00
syringantha. Lilac Honeysuckle. 4'
15 to 18 in., 4 in. pots 1.50 1.25
syringantha wolfi. Wolf Lilac Honeysuckle. 6'
15 to 18 in., 4 in. pots 1.50 1.25
tatarica. Tatarian Honeysuckle. 10'
2 to 3 ft
3 to 4 ft
4 to 5 ft 1.00 .85 .75
5 to 6 ft
6 to 8 ft 1.50 1.35
tatarica alba. White Tatarian Honeysuckle. 10'
2 to 3 ft
3 to 4 ft
4 to 5 ft
5 to 6 ft

6 to 8 ft.....

1.50 1.35 1.25

1-4	5-24	25 & up
Each	Each	Each

## Lonicera

tatarica lutea. Yellow Tatarian	Honeysu	ckle.	10'
2 to 3 ft	.75	.60	
3 to 4 ft	. 1.00	.85	
tatarica rosea. Rosy Tatarian H	Ioneysuc	kle. 10	) <b>*</b>
2 to 3 ft		.50	.45
3 to 4 ft	75	.60	.55
4 to 5 ft	. 1.00	.85	.75
5 to 6 ft	. 1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
tatarica sibirica. Red Tatarian H	Ioney suc	kle. 10	)′
2 to 3 ft	60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	. 1.00	.85	.75
5 to 6 ft	. 1.25	1.10	1.00
6 to 8 ft	. 1.50	1.35	1.25
tatarica virginalis. Maiden Hone	ysuckle.	10'	
2 to 3 ft	60	.50	.45
3 to 4 ft	75	.60	.55
4 to 5 ft	. 1.00	.85	.75
5 to 6 ft	. 1.25	1.10	1.00
6 to 8 ft		1.35	1.25
tellmanniana. Tellmann Honeysu			
2 year	. 1.00	.90	
thibetica. Tibetan Honeysuckle.			
2 year			
xylosteum. European Fly Hone		8 <b>'</b>	4
2 to 3 ft		.50	.45
3 to 4 ft		.60	.55
4 to 5 ft	. 1.00	.85	.75
Lycium chinense. Chinese Wolfberry	ı. 5'		
2 to 3 ft	_	.35	.30
3 to 4 ft		.45	.40
halimifolium. Matrimony Vine.			
2 to 3 ft		.35	.30
3 to 4 ft		.45	
Lyonia ligustrina. He-Huckleberry.		0.00	
24 to 30 in		3.00	
mariana. Staggerbush Lyonia.	6' '	4.00	
30 to 36 in		4.00	
36 to 42 in	B 6.00	5.00	

	1-4 Each	5-24 Each	25 & up
Maackia amurensis. Amur Maackia.	40'		
2 to 3 ft	•		
3 to 4 ft			
4 to 5 ft			
5 to 6 ft			
Maclura pomifera. Osage-orange. 30	,	,	
3 to 4 ft	1.25	1.00	
Magnolia acuminata. Cucumber Tree.			
5 to 6 ftB&B			
6 to 8 ftB&B			
8 to 10 ftB&B		12.50	
10 to 12 ftB&B	20.00	15.00	
denudata. Yulan Magnolia. 50'			
4 to 5 ftB&B	15.00		
8 to 10 ftB&B	30.00		
fraseri. Fraser Magnolia. 50'			
6 to 8 ftB&B	25.00		
8 to 10 ftB&B	30.00		
glauca (see virginiana).			
hypoleuca. (see obovata).			
kobus. Kobus Magnolia. 25'			
4 to 5 ftB&B	8.00	7.00	
5 to 6 ftB&B	10.00	9.00	
kobus borealis.			
4 to 5 ftB&B		7.00	6.50
5 to 6 ftB&B		9.00	8.50
6 to 8 ftB&B		13.50	12.50
8 to 10 ftB&B		17.50	15.00
8 to 10 ft. spec			
Larger sizes quoted on r	equest.		
kobus nana compacta. 8'			
3 to 4 ftB&B	15.00		
macrophylla. Bigleaf Magnolia.			
8 to 10 ftB&B	<b>25</b> .00		).
obovata. Whiteleaf Japanese Mag		<i>50</i> ′	
5 to 6 ftB&B		12.50	
6 to 8 ftB&B	18.00	15.00	
8 to 10 ftB&B		20.00	
10 to 12 ftB&B	30.00	25.00	

1-4 5-24 25 & up Each Each Each

## Magnolia

soulan	gea	na.	Saucer Magnolia. 20'	
3	to	4	ftB&B 10.00	
4	to	5	ftB&B 12.50	
5	to	6	ftB&B 15.00	
6	to	8	ftB&B 20.00	
s. lenn	ei.	Le	nne Saucer Magnolia. 20'	
4	to	5	ftB&B 12.50	
5	to	6	ftB&B 15.00	
6	to	8	ftB&B 20.00	
8	to	10	ft B&B 25.00	
			Magnolia. 8'	
2	to		ftB&B 12.50	
3	to		ftB&B 15.00	
4	to	5	ftB&B 20.00	
			<b>a.</b> Pinkstar Magnolia. 15' ftB&B 15.00	
_	to		ftB&B 20.00	
_	to		ftB&B 25.00	
			ftB&B 25.00	
-	to		ftB&B 35.00	
O	ιο	10	TUB&B 30.00	
tripeta	ala.	$U_{1}$	mbrella Magnolia. 30'	
5	to	6	ftB&B 10.00 7.50	
6	to	8	DOD 10 50 10 00	
8	to	10	- a - a - a - a - a - a - a - a - a - a	
10	to	12	ftB&B 25.00 20.00	
virgin	iana	a. (g	glauca). Sweetbay Magnolia. 25'	
2	to	3	ftB&B 4.50 4.00	3.50
3	to	4	ftB&B 5.50 5.00	4.50
4	to	5		6.50
5	to	6	ftB&B 12.50 10.00	9.00
6	to	8	ftB&B 15.00 13.50 1	2.50
8	to	10		5.00
_	to		ftB&B 30.00 25.00	

	1-4 Each	5-24 Each	25 & up Each
	4'		·.·
18 to 24 inB&B		2.75	2.50
24 to 30 inB&B		3.50	3.25
30 to 36 inB&B	5.00	4.50	4.00
repens. Creeping Mahonia. 1'			
12 to 15 in, spread B&B		2.50	2.00
15 to 18 in. spread B&B	3.50	3.00	2.50
18 to 24 in. spread B&B	4.00	3.50	
Malus adstringens. 12'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
angustifolia. Southern Crabapple.	25'		
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
arnoldiana. Arnold Crabapple.			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
atrosanguinea. Carmine Crabappl		5.00	2.00
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	1.75	1.50
6 to 8 ft		3.00	2.50
10 to 12 ft		4.50	
8 to 10 ft. spec	10.00	7.50	
baccata. Siberian Crabapple. 30'			
3 to 4 ft		1.05	1 00
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
	2.50	1.75	1.50
	3.50	3.00	2.50
8 to 10 ft		4.00	3.50
10 to 12 ft		7.50	
baccata mandshurica. Manchurian			30'
3 to 4 ft		1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	

	1-4 Each	5-24 : Each	25 & up . Each
Malus			
brevipes. 12'			
3 to 4 ft,	1.50	1.25	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
coronaria. Wild Sweet Crabapple.	<i>30</i> ′		
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	1.75	1.50
6 to 8 ft	3.50	3.00	2.50
* 8 to 10 ft	5.00	4.50	
10 to 12 ft	10.00	7.50	
coronaria Charlotte. 15'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
10 to 12 ft	10.00	7.50	
·			
dolga. 15'	4 55	1.50	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	1.75	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	$\frac{4.00}{7.50}$	
10 to 12 ft	10.00	7.50	
Elisa Rathke. Weeping Flg. App	ole. 8	•	
3 to 4 ft. spread	3.00		
4 to 5 ft. spread	4.00		
The state of the s	201		
florentina Florentine Crabapple.			
4 to 5 ft	$\frac{2.25}{3.00}$		
5 to 6 ft			
6 to 8 ft	4.00		
floribunda. Japanese Flowering C			
3 to 4 ft		1.25	1.00
4 to 5 ft		1.50	
5 to 6 ft			
6 to 8 ft			
8 to 10 ft	5.00	4.50	

Malus	1-4 Each	5-24 Each	25 & up Each
fusca. Oregon Crabapple. 20'	Lucii	20011	20011
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	•
glaucescens. Dunbar Crabapple.	12 <b>'</b>		
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	
halliana. $Hall$ 's $Crabapple$ . 15'			
5 to 6 ft	6.00		
6 to 8 ft	7.50		
8 to 10 ft	10.00		
halliana parkmani. Hall's Parkma	n Cral	bapple.	15'
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.50	3.00	
6 to 8 ft	4.50	4.00	
8 to 10 ft	6.00	5.00	
10 to 12 ft	10.00	7.50	
hopa. Red Flowering Crabapple.	<i>12</i> ′		
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	6.00	5.00	
hupehensis (theifera). 20'			
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.75	2.25	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00		
h. rosea (theifera rosea). 20'			
4 to 5 ft	2.25	2.00	1.75
5 to 6 ft	2.75	2.50	2.25
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	4.50
10 to 12 ft	10.00		
ioensis. Prairie Crabapple. 25'			
3 to 4 ft	2.00	1.50	1.25
4 to 5 ft	2.25	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	

	1-4 Each	5-24 Each	25 & up Each
Malus.			
ioensis plena. Bechtel Crabapple.	15'		
3 to 4 ft	2.00	1.50	1.25
4 to 5 ft	2.25	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00		
micromalus. Midget Crabapple.	10'		
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
niedzwetzkyana. Redvein Crabap	ple. 2	20'	
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	
Oekonemurat Echtermeyer. 15'			
3 to 4 ft	2.00		
4 to 5 ft	3.00		
5 to 6 ft	4.00		
purpurea. Purple Crabapple. 15	,		
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
purpurea aldenhamensis.			
Aldenham Purple Crabappl	e. 15'		
4 to 5 ft	2.00	1.75	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
purpurea eleyi. Eley Purple Cre	abappl	e. 15'	•
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	2.75
8 to 10 ft	5.00	4.50	4.00

Malus	1-4 Each	5-24 Each	25 & up Each
purpurea lemoinei. Lemoine Pu	rple Cro	abappl	e. 15'
3 to 4 ft	. 2.00		
prunifolia rinki. Chinese Pearle			15 <b>'</b>
4 to 5 ft		1.50	
5 to 6 ft		2.00	
6 to 8 ft		3.00	
8 to 10 ft		4.00	
10 to 12 ft		7.50	. } •
robusta. Cherry Crabapple. 15		,	
3 to 4 ft			
4 to 5 ft			
5 to 6 ft		2.50	
6 to 8 ft		3.50	
8 to 10 ft		4.50	
robusta erecta. Column Cherry	•	•	15'
3 to 4 ft		1.50	
4 to 5 ft		1.75	
5 to 6 ft		2.50	
6 to 8 ft		3.50	
8 to 10 ft	5.00	4.50	
robusta persicifolia.			
Peachleaf Cherry Crabap	-		
4 to 5 ft		1.75	
5 to 6 ft		2.50	
6 to 8 ft		3.50	
8 to 10 ft		4.50	
sargenti. Sargent Crabapple.		4 ==	4 50
3 to 4 ft		1.75	1.50
4 to 5 ft		2.00	
5 to 6 ft		2.75	
6 to 8 ft		3.50	
scheideckeri. Scheidecker Crab		20'	1.05
3 to 4 ft		1.50	
4 to 5 ft	• -	1.75	
5 to 6 ft		2.50	
6 to 8 ft		3.50	Α.
sieboldi. Toringo Crabapple.		1.05	1.00
3 to 4 ft		1.25	
4 to 5 ft		1.50	
5 to 6 ft		1.75	
6 to 8 ft		2.75	
8 to 10 ft		4.50	
10 to 12 ft	. 10.00	7.50	

Malua	1-4 Each	5-24 2 Each	5 & up Each
Malus	1 ~)		
• 11	15'	1 95	1.00
3 to 4 ft	1.75	1.25	1.00
4 to 5 ft	2.00	1.50	1.25
5 to 6 ft	2.50	2.00	1.50
6 to 8 ft	3.50	3.00	2.75
8 to 10 ft	5.00	4.50	
spectabilis albiplena.			
Double White Chinese Cra			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.25	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
sublobata. Yellow Autumn Craba	nple.	15 <b>'</b>	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	
theifera. (see hupehensis)	0.00	_,,,	
toringoides. Cutleaf Crabapple.	15 <b>'</b>		
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	2.20	
	5.00		
8 to 10 ft	3.00		
3 to 4 ft	1.75		
	2.00		
4 to 5 ft	3.00		
		a b a mml a	. 25'
yunnanensis veitchi. Veitch Yunn 3 to 4 ft	$\frac{an}{1.75}$		. 20
	2.00	1.75	
4 to 5 ft		2.25	
5 to 6 ft	2.50		
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	
zumi. Zumi Crabapple. 15'			
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	6.00	5.00	
10 to 12 ft	10.00	7.50	

	1-4 Each	5-24 Each	25 & up
Malus	Lucii	Lucii	20011
zumi calocarpa. 15'			
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	2,50
8 to 10 ft	5.00	4.50	
	• • • •		
Morus alba pendula. Weeping Mulber	rry.	10'	
3 yr. heads, 5 to 7 ft. stems	5.00		
alba tatarica. Russian Mulberry.	60'		
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.50
1½ to 1¾ in	3.00	2.50	2.00
13/4 to 2 in	4.00	3.50	3.00
2 to 2½ in	6.00	5.00	
Myrica carolinensis. (see pennsylvanic	:a)		
conifora Courtham Wammentla	<b>5'</b>		
cerifera. Southern Waxmyrtle.		9.00	
2 to 3 ft	2.25	2.00	
3 to 4 ft. heavyB&B		6.00	
4 to 5 ft. heavy B&B	10.00	7.50	
gale. Sweetgale. 4'			
18 to 24 inB&B	3.00	2.50	
2 to 3 ftB&B	4.00	3.50	3.00
pennsylvanica. Northern Bayber	ru. 5'		
18 to 24 in	_		
24 to 30 in			
		2.00	
Neillia longiracemosa. 10'			
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
sinensis. Chinese Neillia. 6'			
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	1.25
			1.20
Nemopanthus mucronata. Mountain	•	10'	
2 to 3 ft	3.00		
Neviusia alabamensis. Snow-wreath.	6'		
2 to 3 ft			
3 to 4 ft			
= ====;::::::::::::::::::::::::::::::::	_,		

PAINESVILLE, OTTIO			
	1-4 Each	5-24 Each	25 & up Each
Nyssa aquatica. Water Tupelo. 40'			
3 to 4 ftB&B	6.00		
4 to 5 ftB&B	7.50		
sylvatica. Black Tupelo. 40'			
3 to 4 ftB&B	5.00	4.50	4.00
4 to 5 ftB&B	6.50	5.50	5.00
5 to 6 ftB&B	10.00	7.50	6.50
6 to 8 ftB&B	12.50	10.00	8.50
8 to 10 ftB&B	15.00	12.50	
10 to 12 ftB&B	25.00		
Ostrya virginiana. American Hophora	nbeam.	40'	
5 to 6 ft	3.50	2.75	2.50
6 to 8 ft	4.50	3.50	3.00
8 to 10 ft	6.00	5.00	4.00
	10.00	7.50	
*Oxydendrum arboreum. Sourwood.	40'		
2 to 3 ft	2.00	1.50	
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.50	3.00	
5 to 6 ft	5.00	4.00	•
6 to 8 ft	7.50	6.00	
8 to 10 ft	10.00	8.50	
10 to 12 ft	15.00	12.50	
Pachistima canbyi. Canby Pachistim		-	
3 inch pots	1.00	.85	.75
10 to 12 in. spd., field grown	1.25	1.10	1.00
Paeonia suffruticosa. Tree Peony. 6'			
8 to 10 in., 3 year			
Parrotia persica. Persian Parrotia.			
2 to 3 ft			
3 to 4 ft	6.50		
Parthenocissus henryi. Silvervein Cr	eeper.	<i>15</i> <b>′</b>	
4 inch pots	.75		
quinquefolia. Virginia Creeper.	<i>35</i> ′		
2 year	.40	.30	.25
3 year	.45	.35	.30
4 year	.60	.50	.45
q. engelmanni. Engelmann Virgi	inia Cr	reeper	35 <b>'</b>
2 year	.40	.30	.25
3 year	.45	.35	.30
4 year	.60	.50	.45
q. saintpauli. St. Paul Virginia	Cree	per.	35 <b>'</b>
2 year	.40	.30	.25
3 year	.50	.40	.30
—,  ——— — — — — — — — — — — — — — — — —			

T .	1-4 Each	5-24 Each	25 & up Each
Parthenocissus		-4	
tricuspidata veitchi. $Veitch\ Japa$		_	
2 year		.40	.30
3 year		.55	.45
2 year from pots	.75	.60	
tricuspidata lowi. Lows Japanese	_		
2 year from pots		.65	.60
3 year from pots, heavy	1.00	.90	.75
Paulownia tomentosa. Royal Paulown	via. 3	0'	
6 to 8 ft	6.00		
	7.50		
10 to 12 ft	10.00		
Periploca graeca. Grecian Silkvine.	<i>30</i> ′		
2 year	.75	.60	.50
3 year	1.00	.75	.60
Perovskia atriplicifolia. 4'			
2 to 3 ft	2.00		
Phellodendon amurense. Amur Cork	tree.	50 <b>'</b>	
6 to 8 ft	2.25	1.75	1.50
8 to 10 ft	2.75	2.25	2.00
1½ to 1½ in	3.75	3.25	3.00
1½ to 1¾ in	5.00	4.25	4.00
13/4 to 2 in	6.50	5.50	5.00
2 to $2\frac{1}{2}$ in	10.00	7.50	
lavallei. Lavalle Corktree. 30'			
8 to 10 ft	4.00		
1½ to 1¾ in	6.00		
Philadelphus coronarius. Sweet Mock	corange	e. 10'	
	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	,75
	1.25	1.10	1.00
6 to 8 ft		1.35	1.25
coronarius aureus. Golden Mocko	-	4'	
18 to 24 in		.85	
· 24 to 30 in		1.00	
coronarius nanus. Dwarf Sweet		_	4'
12 to 15 in		.60	
15 to 18 in	.85	.75	
18 to 24 in		.90	
coronarius plenus. Double Sweet		0	6'
18 to 24 in		.60	.50
2 to 3 ft	1.00	.75	.60

4	1-4	5-24	25 & up
	Each	Each	Each
Philadelphus			
cymosus Banniere. 8'  2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
	.10	100	•00
c. Norma. 8'	.60	.50	.45
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.10	1.00
	1.20	1,10	2.00
c. Voie Lactee. 6'	.65	.55	.50
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	.00	,10
5 to 6 ft			
falconeri. Falconers Mockorange.	8 <b>'</b>	CO	55
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
gordonianus. Gordon Mockorange.	12'	<b>~</b> 0	4.5
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
grandiflorus. Big Scentless Mocke			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75		.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25		1.00
6 to 8 ft	1.50	1.35	1.25
incanus. Gray Mockorange. 10'			
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
inodorus. Scentless Mockorange.	10 <b>'</b>		
3 to 4 ft	1.25		
lemoinei. Avalanche. 5'			
2 to 3 ft	.65	.55	
lemoinei Dame Blanche. 6'			
2 to 3 ft	.65	.55	
lemoinei erectus. Erect Lemoine	Mock	orange	. 5'
	.65	.55	
3 to 4 ft	.75	.65	.60

	1-4 Each	5-24 Each	25 & up Each
Philadelphus			
lemoinei Pyramidale. 6'			
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.80	-
lewisi. Lewis Mockorange. 10'			
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
magdalenae. Magdalena Mockoran	ge. 6	,	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
nepalensis. Nepal Mockorange. 1		,,,,	
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
nivalis. Snowbank Mockorange. 1		1.00	1,20
2 to 3 ft	.65	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
polyanthus Favorite. 10'		2.00	1,20
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.80	
p. Gerbe de Neige. 6'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
p. Pavillon Blanc. 8'			
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
purpureo-maculatus Ophelia. 6'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
p. Sybille. 5'			
18 to 24 in	.75	60	
2 to 3 ft	1.00	.75	
sericanthus. $Silk\ Mockorange$ . 12	,		
3 to 4 ft	1.50	1.25	

Philadelphus	1-4 Each	5-24 Each	25 & up Each
Filladelphus			
splendens. Splendens Mockorange.			
2 to 3 ft	1.50	1.25	
virginalis Albatre. $6'$			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
v. Argentine. 5'			
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
v. Bouquet Blanc. 5'			
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
v. Glacier. $6'$			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.80	
v. virginal. 8'			
2 to 3 ft	.75	.60	.55
3 to 4 ft	.85	.75	.70
4 to 5 ft	1.00	.90	.85
5 to 6 ft	1.25	1.10	1.00
zeyheri. Zeyher Mockorange. 10'			
3 to 4 ft	.75		
Photinia villosa. Oriental Photinia. 1	<i>5</i> ′		
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1,25
6 to 8 ft	2.75	2.25	1.75
8 to 10 ft	3.50	3.00	2.50
villosa laevis. Smooth Oriental Pi	hotinie	a. 15'	
4 to 5 ft	2.00	1.50	1
5 to 6 ft	2.50	1.75	
6 to 8 ft	3.50		
Physocarpus intermedius parvifolius.			
Dwarf Illinois Ninebark.	4'		
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
monogynus. Mountain Ninebark.	3 <b>'</b>		
2 to 3 ft	3.50	3.00	•

	1-4 Each	5-24 Each	25 & up Each
Physocarpus			
opulifolius. Common Ninebark. 1	0'		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
opulifolius luteus. Goldleaf Ninel		10'	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
opulifolius nanus. Dwarf Commor			<b>5'</b>
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
Picea abies (excelsa). Norway Spruce	. 75'		
2 ftB&B	4.00	3.50	3.00
3 ftB&B.	6.00	5.00	4.50
4 ftB&B	8.00	7.00	6.50
5 ft B&B	12.00	10.00	9.00
6 ftB&B	15.00	12.00	
7 ftB&B	18.00	15.00	
8 ftB&B	20.00	18.00	
9 ftB&B	25.00	22.50	
For larger sizes to 25 ft., add	\$5.00	per fo	ot.
abies aurea. Golden Norway Spru	ce. 7	5 <b>'</b>	
3 ftB&B		8.00	
4 ftB&B	12.50	10.00	
5 ftB&B	15.00		
6 ftB&B	18.00		
For larger sizes to 12 ft., add		per fo	ot.
abies clanbrasiliana. Barry Noru	yau Sx	ruce.	7'
2 ftB&B			•
3 ftB&B			-
abies maxwelli. Maxwell Norway	u Spri	ice. 6	
18 to 24 inB&B		6.00	
24 to 30 inB&B			
30 to 36 inB&B	-		
36 to 42 in			

	1-4 Each	5-24 Each	25 & up Each
Picea			
abies nana. Dwarf Norway Spru	-	<i>'</i>	
18 to 24 inB&B		6.00	
24 to 30 inB&B	-	7.50	
30 to 36 in		10.00	
36 to 42 inB&B	15.00		
abies parviformis.			
Dwarf Pyramid Norway S <sub>I</sub>	oruce.	4'	
2 ftB&B	10.00		
3 ftB&B	12.50		
abies pendula. Weeping Norway	Spruc	e. 20'	
3 ftB&B			
4 ftB&B	12.50		
5 ftB&B	15.00		
6 ft	20.00		
For larger sizes to 12 ft., add :	\$5.00	per fo	ot.
abies procumbens. Prostrate Nora	nan S	Inruce	3'
2 ft. spdB&B	_	prace.	Ü
2½ ft. spdB&B			
abies pygmea. Pygmy Norway Spr		20'	
18 to 24 inB&B		20	
24 to 30 inB&B	•		
	•	e!	
abies remonti. Remont Norway Sp 18 to 24 inB&B			
24 to 30 in		$6.00 \\ 7.50$	
30 to 36 inB&B 1		-	
36 to 42 inB&B	-		
42 to 48 inB&B 2			
alba. (see glauca)	20.00	10.00	
asperata. Dragon Spruce. 60'	<b>7.</b> 5.0	0.00	
2 ft B&B		6.00	
3 ftB&B	10.00		
bicolor. (alcockiana). Alcock Spru	ice. 7	<i>'5'</i>	
3 ftB&B	10.00		
4 ftB&B	12.50		
engelmanni. Engelmann Spruce.	75'		
3 ftB&B			
4 ft			
5 ft			
6 ft	-		
LARGE SPECIMEN SHRUBS QUOTED	-	EQUEST	

<b>D'</b>		1-4 Each	5-24 Each	25 & up Each
Picea				
e. microphylla. $Dwa$	erf Engelman	n Spri	uce. 5	5'
2 ft	B&B	12.50		
3 ft	<u>.</u> B&B	15.00		
glauca, (alba). $Whit$	te Spruce. 50	o <b>'</b>		
2 ft	B&B	4.50	4.00	3.75
3 ft	B&B	6.00	5.50	
4 ft	B&B	8.00	7.00	
5 ft	B&B	12.50	10.00	
6 ft	B&B	15.00		
· · · · · · · · · · · · · · · · · · ·		18.00		
8 ft	B&B	20.00		
g. aurea. Golden W	hite Spruce.	<i>30</i> ′		
2 ft	B&B	7.50		
3 ft	B&B	10.00		
g. conica. Dwarf A	lberta Spruce	. 6'		
3 ft	B&B	10.00	8.50	
4 ft	B&B	15.00	12.50	
g. densata. (canaden	sis). Black H	Hills S1	oruce.	<i>60</i> ′
2 ft			4.00	
3 ft	B&B	6.00	5.50	
4 ft	B&B	8.00	7.00	
5 ft	B&B	12.50	10.00	
6 ft	B&B	15.00		
7 ft	B&B	18.00	,	
8 ft	B&B	20.00		
mariana doumeti. $D$	oumet Black	Spruce	e. 25'	,
3 ft				
4 ft	B&B	10.00		
5 ft	B&B	12.50	•	
omorika. Serbian S	Spruce. 50'			
3 ft	B&B	10.00	7.50	)
4 ft	B&B	12.50	10.00	)
5 ft	B&B	15.00	12.50	)
6 ft	B&B	17.50		
7 ft	<b>B&amp;B</b>	20.00		

Picea.	1-4 Each	5-24 Each	25 & up Each
Ficed.			
orientalis. Oriental Spruce. 75'			
2 ftB&B	6.50	5.00	
3 ftB&B	8.50	7.50	
4 ftB&B	12.50	10.00	
5 ftB&B	15.00	12.50	
6 ftB&B	20.00		
polita. Tigertail Spruce. 75'			
2 ftB&B	6.50	5.50	
3 ftB&B	8.50	7.50	
4 ftB&B	12.50	10.00	
For larger sizes to 10 ft., add	\$5.00	per fo	ot.
pungens. Colorado Spruce. 60'			
2 ft.,B&B	5.00	4.00	
3 ftB&B	6.50	5.50	
4 ftB&B		7.00	
5 ftB&B	12.50		
pungens glauca. $Blue\ Colorado\ S_{I}$	pruce.	<i>60</i> ′	
2 ftB&B	10.00	9.00	
3 ftB&B	13.50	12.50	
4 ftB&B			
5 ft	25.00		
pungens kosteriana. Koster Blue	-		•
2 ftB&B			
2½ ftB&B		12.50	
3 ftB&B			
3½ ftB&B			
4 ftB&B		20.00	
4½ ftB&B 5 ftB&B		25.00	
5 ft		30.00 35.00	
6 ft		40.00	
7 ftB&B		45.00	
8 ft	-		
	4= =4	20.00	

For larger sizes to 25 ft., add \$7.50 per foot.

Picea.	1-4 Each	5-24 Each	25 & up Each
	a		101
pungens moerheimi. Moerheim Bi	_	ruce.	40'
2½ ftB&B			
3 ftB&B			
3½ ftB&B			
4 ftB&B	25.00		
sitchensis. Sitka Spruce. 40'			
3 ftB&B	7.50		•
4 ftB&B	10.00		
5 ftB&B	12.50		
	,		
Pieris floribunda. Mountain Pieris. 4			
18 to 24 inB&B			
24 to 30 inB&B	8.50		
japonica. Japanese Pieris. 10'	4.00		
15 to 18 inB&B			
18 to 24 inB&B	5.00		
Pinus banksiana. Jack Pine. 60'			
2 ftB&B	5.00	4.25	3.75
3 ftB&B		5.50	5.00
4 ft			7.50
5 ft. /B&B 1			
6 ft		12.50	
7 ft	20.00		
8 ftB&B	25.00		
For larger sizes to 18 ft., add \$	5.00 p	er foot	- /4
bungeana. Lacebark Pine. 60'			
5 ft B&B	12.50		
6 ftB&B	15.00		
cembra. Swiss Stone Pine. 70'			
2 ftB&B	12.50		
3 ftB&B	15.00		
4 ftB&B 2	20.00		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

Pinus	1-4 Each	5-24 Each	25 & up Each
densiflora. Japanese Red Pine.	ent		
2 ftB&B		4.25	
3 ft			
4 ft			
5 ft			
6 ft			
7 ft			
8 ft			
For larger sizes to 17 ft., add	-	•	t.
densiflora umbraculifera. $Tanyos$	_		•
2 ft		ie.	
flexilis. Limber Pine. 30'	12.00		
3 ft	10.00	7.50	
4 ft			
5 ft			
6 ft		-	
7 ft		• - •	
For larger sizes to 16 ft., add			t
koraiensis. Korean Pine. 35'	φυ.υυ <u>τ</u>	)CI 100	
3 ft	10.00		
4 ft	• •		
mugo. (montana). Swiss Mountar		10'	
18 in B&B		2.75	
2 ft			
2½ ft			
3 ftB&B			
3½ ftB&B		0,00	
4 ftB&B			
5 ftB&B			
6 ftB&B	25.00		
7 ftB&B	35.00		
mugo mughus. Mugho Swiss Mou	intain	Pine.	4'
15 to 18 in spdB&B	3.50	3.00	•
18 to 24 in. spdB&B	4.00	3.50	
2 to 2½ ft. spdB&B	5.00	4.50	
2½ to 3 ft. spd B&B		6.50	
3 to 3½ ft. spdB&B	12.50	10.00	
3½ to 4 ft. spdB&B			
4 to 5 ft. spdB&B	25.00		
5 to 6 ft. spdB&B	35.00		
6 to 7 ft. spdB&B	45.00		

Pinus	1-4 Each	5-24 : Each	25 & up Each
nigra. Austrian Pine. 50'	Eden	20011	
2 ftB&B	6.00	5.00	
3 ftB&B			
4 ftB&B			
5 ftB&B			
6 ftB&B			
7 ftB&B			
8 ftB&B			
9 ftB&B			
For larger sizes to 25 ft., add 3		er foot	
peuce. Balkan Pine. 20'			
2 ftB&B	8.50	7.50	
3 ftB&B	12.50	10.00	
4 ftB&B	15.00	12.50	
5 ftB&B	18.00	15.00	
ponderosa. Ponderosa Pine. 60'			
3 ftB&B	7.50		
4 ftB&B	10.00		
parviflora. Japanese White Pine.	. 50'		
5 ftB&B	12.50		
6 ftB&B	15.00		
resinosa. Red Pine. 50'			
3 ftB&B	10.00	7.50	
4 ftB&B	12.50	10.00	
8 ftB&B	30.00	25.00	
9 ftB&B			
For larger sizes to 12 ft., add		per foo	t.
strobus. Eastern White Pine. 75			
2 ftB&B			
3 ftB&B		7.50	
4 ftB&B		10.00	
5 ftB&B		12.50	
For larger sizes to 20 ft., add	\$5.00 <u>]</u>	per foo	t.
sylvestris. Scotch Pine. 50'	- 00	4.50	4.00
2 ftB&B		4.50	4.00
	6.50	5.50	5.00
4 ftB&B		8.50	7.50
5 ftB&B		12.50	10.00
6 ftB&B			
7 ftB&B	•	18.00	
8 ftB&B		20.00	
9 ft		25.00	
10 ft B&B	35.00	30.00	

-1	1-4 Each	5-24 Each	25 & up Each					
Pinus								
sylvestris watereri. Waterer Scotc		2. 10'						
5 ftB&B								
	15.00							
thunbergi. Japanese Black Pine.	<b>60'</b>							
2 ftB&B		7.50						
	12.50	10.00						
	15.00	12.50						
5 ftB&B	•	15.00						
6 ftB&B		20.00						
7 ftB&B		25.00						
Platanus occidentalis. American Plan		75 <b>'</b>						
6 to 8 ft	2.50	2.00	1.75					
8 to 10 ft	3.00	2.50	2.25					
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.00	3.50	3.25					
1½ to 1¾ in	6.00	5.00	4.50					
13/4 to 2 in	7.50	6.50	6.00					
2 to $2\frac{1}{2}$ in	10.00	8.50	7.50					
2½ to 3 in	15.00	12.50	10.00					
orientalis. Oriental Planetree. 8	0'							
6 to 8 ft	2.50	2.25	2.00					
8 to 10 ft	3.50	2.75	2.50					
11/4 to 11/2 in	4.50	3.75	3.50					
1½ to 1¾ in	5.50	5.00	4.75					
13/4 to 2 in	7.50	6.50						
2 to 2½ in,	12.50	10.00						
2½ to 3 in	15.00	12.50						
Polygonum auberti. Silvervine Fleece	floaner	. 25'						
2 year		. 25	.45					
·	.00	.50	.10					
Populus alba. White Poplar. 60'								
6 to 8 ft	3.00	2.50						
10 to 12 ft	5.00	4.00						
134 to 2 in	6.00	5.00						
$2$ to $2\frac{1}{2}$ in	7.50	6.50						
alba bolleana. Bolleana Poplar. 50'								
6 to 8 ft	1.50	1.25	1.00					
8 to 10 ft	2.00	1.50	1.25					
1½ to 1½ in	2.50	2.00	1.75					
1½ to 1¾ in	3.50	3.00	2.50					
13/4 to 2 in	5.00	4.50						
2 to 2½ in	7.50	6.00						

				1-4 Each	5 <b>-24</b> Each	25 & up Each			
Populus									
alba nivea. Silver Poplar. 90'									
8		10	ft	2.75	2.50				
10	to	12	ft	3.50	3.00				
2	to	2½	in	7.50	6.50				
berolinensis. Berlin Poplar. 40'									
8	to	10	$\mathbf{ft.}\dots\dots\dots\dots$	2.50	2.25	2.00			
$1\frac{1}{4}$	to	$1\frac{1}{2}$	in	3.00	2.75	2.50			
1½	to	$1\frac{3}{4}$	iņ	3.50	3.25	3.00			
13/4	to	2	in	5.00	4.00	3.50			
candicar	ıs.	Balr	n of Gilead. 90'						
8	to	10	ft	2.50	2.25				
11/4	to	$1\frac{1}{2}$	$in.\dots\dots\dots$	3.00	2.50				
maximowiczi. Japanese Poplar. 40'									
8	to	10	ft	3.00	2.50				
10	to	12	ft	3.50	3.00				
11/2	to	$1\frac{3}{4}$	in	5.00	4.00				
2	to	$2\frac{1}{2}$	$in.\dots\dots\dots$	7.50	6.00				
nigra betulifolia. Birchleaf Black Poplar. 60'									
11/2	to	2	in	5.00	4.00	3.50			
2	to	$2\frac{1}{2}$	in	7.50	6.00	5.00			
21/2	to	3	in	10.00	7.50				
nigra italica. Lombardy Poplar. 60'									
6	to	8	ft	1.00	.75	.60			
8	to	10	ft	1.25	1.00	.75			
10	to	12	ft	1.50	1.25	1.00			
$1\frac{1}{2}$	to	$1\frac{3}{4}$	in	2.00	1.75	1.50			
13⁄4	to	2	in	3.50	3.00	2.75			
<b>2</b>	to	$2\frac{1}{2}$	in	6.00	4.50	3.75			
21/2	to	3	in	10.00	7.50	6.00			
o	to	$3\frac{1}{2}$	in	12.50	10.00				
simoni.	S	imon	Poplar. 35'						
6	to	8	ft	1.50	1.25	1.00			
8	to	10	ft	1.75	1.50	1.25			
11/4	to	11/2	in	2.50	2.00	1.75			
11/2	to	13/4	in	3.50	2.75	2.25			
13⁄4	to	2	in	5.00	4.50				

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

1-4 Each	5-24 Fach	25 & up Each
Populus.	Eden	Eddii
suaveolens. Mongolian Poplar. 40'		
1½ to 1¾ in 4.50	4.00	
13/4 to 2 in 6.00	5.00	
2½ to 3 in, 10.00	7.50	
tremuloides. Quaking Aspen. 50'		
8 to 10 ft 3.00		
10 to 12 ft 4.00		
13/4 to 2 in 5.00		
2 to $2\frac{1}{2}$ in		
trichocarpa. California Poplar. 40'		
10 to 12 ft 3.00	2.50	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00	
1 <sup>3</sup> / <sub>4</sub> to 2 in 5.00	4.00	
2 to $2\frac{1}{2}$ in 6.00	5.00	
2½ to 3 in 10.00	7.50	
Potentilla fruticosa. Bush Cinquefoil. 4'		
18 to 24 in	.50	.45
2 to 3 ft	.60	• • • • • • • • • • • • • • • • • • • •
2 00 0 20000000000000000000000000000000	.00	
Prinsepia sinensis. Cherry Prinsepia. 6'		
9 to 12 in., from pots 2.00	1.50	
Prunus americana. American Plum. 20'		
4 th 5 ft 1.00	.85	75
5 to 6 ft	1.10	1.00
6 to 8 ft 1.75	1.50	1.25
8 to 10 ft	1.75	1.50
americana Newport.		
Purpleleaf American Plum. 20'		
3 to 4 ft	1.00	.90
4 to 5 ft	1.25	1.10
5 to 6 ft	1.75	
*avium plena.		
Double White Flowering Cherry.	<b>30'</b>	
6 to 8 ft 4.00	3.50	
8 to 10 ft 6.00	5.00	
Large specimens quoted on request.		
besseyi. Bessey Cherry. 8'		
2 to 3 ft	.60	.50
3 to 4 ft	.75	.60
4 to 5 ft	1.00	.75

100		1-4	5-24	25 & up
Pru	nus	Each	Each	Each
	cerasifera pissardi. Purpleleaf Pla	um. 1	2'	
	4 to 5 ft	1.50	1.25	
	5 to 6 ft	1.75	1.50	
	6 to 8 ft	2.50	2.00	
	cistena. Purpleleaf Sand Cherry.	20 <b>'</b>		
	3 to 4 ft	1.00	.90	
	4 to 5 ft	1.50	1.25	
	5 to 6 ft	1.75	1.50	
	davidiana. David Peach. 25'			
	4 to 5 ft	2.00		
	5 to 6 ft	2.50		
	6 to 8 ft	3.50		
	8 to 10 ft	4.50		
	davidiana alba. White David Ped	ch. 2	5 <b>'</b>	
	4 to 5 ft	2.50	2.00	
	5 to 6 ft	3.00	2.50	
	6 to 8 ft	4.00	3.50	
	8 to 10 ft	5.00	4.50	
	dunbari. Dunbar Plum. 6'			
	3 to 4 ft	1.25	1.00	
	4 to 5 ft	1.50	1.25	
	5 to 6 ft	2.00	1.50	
	glandulosa. Almond Cherry. 10'			
	2 to 3 ft	.60	.50	.45
	3 to 4 ft	.75	.60	.55
	4 to 5 ft	1.00	.85	.75
	glandulosa albiplena.			
	Doublewhite Almond Cherr	y. 6'		
	2 to 3 ft	1.00	.75	
	3 to 4 ft	1.25	1.00	
	2 to 3 ft. own roots	2.00		
	glandulosa sinensis. $Doublepink$	Almon	d Cher	rry. 6'
	2 to 3 ft	1.00	.75	
	3 to 4 ft	1.25	1.00	
	2 to 3 ft. own roots	2.00		
	3 to 4 ft. own roots	2.50		
	hortulana. Hortulan Plum. 30'			
	4 to 5 ft	1.50	1.25	
	5 to 6 ft	1.75	1.50	)
	6 to 8 ft	2.50	2.00	
	8 to 10 ft	3.00	2.50	)

	1-4 Each	5 <b>-24</b> Each	25 & up Each
Prunus			
incisa. Fuji Cherry. 15'			
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2,50	2.25	2.00
8 to 10 ft	3.50	3.00	2.50
japonica. Chinese Bush Cherry.	12'		
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	1.25
laurocerasus schipkaensis.			
Schipka Laurel Cherry. 10'			
12 to 15 in., 4 in. pots	2.00	1.50	
maacki. Amur Chokecherry. 30'			
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.35	1.25
maritima. Beach Plum. 12'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.25	1.00	.90
moseri fl. pl. 12'	0.00	1.50	
5 to 6 ft	2.00	1.50	
6 to 8 <b>ft.</b> 8 to 10 <b>ft.</b>	$\frac{2.50}{3.50}$	$\frac{2.00}{3.00}$	
mume. Japanese Apricot. 15'	5.50	3,00	
5 to 6 ft	3.00		
6 to 8 ft			
mume fl pl. Dbl. Flg. Japanese A		t. 15'	
4 to 5 ft	•		
munsoniana. Wildgoose Plum. 25	,		
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
padus. European Bird Cherry. 3	<i>30'</i>		
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	1.75	1.65	1.50
pennsylvanica. Pin Cherry. 25'	1.05	1.00	00
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.50	2.00	1.75
10 to 12 ft	3.50	3.00	2.75

	1-4 Each	5-24 Each	25 & up Each
Prunus			
persica. Double Flowering Peach	. 10'		
3 to 4 ft	1.50	1.00	
4 to 5 ft	2.00	1.25	
5 to 6 ft	2.50		
6 to 8 ft	3.00		
Alboplena — Double Wh	ite.		
Clara Meyer — Double Pi	ink.		
Rosea Plena — Double Pi	nk		
Rubroplena. — Double Re	ed.		
persica pendula. Weeping Flowering	na Ped	ach. 10	<b>)</b> '
3 ft. standards	7.50		
	• • • • • • • • • • • • • • • • • • • •		
pumila. Sand Cherry. 5'	.75	.60	.50
2 to 3 ft			_
3 to 4 ft	1.00	.75	.65
*sargenti. Sargent Cherry. 50'			
5 to 6 ft	3.50	3.00	
6 to 8 ft	4.50	4.00	
8 to 10 ft	6.00	5.00	
serotina. Wild Black Cherry. 60'			
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	1.75	1.65	1.50
10 to 12 ft	3.50	3.00	
*serrulata. Oriental Cherry. 40'			
5 to 6 ft	3.50	3.00	
6 to 8 ft	4.50	4.00	
8 to 10 ft	6.00	5.00	
*serrulata Amayadori. 30'			
_	3.50		
6 to 8 ft	4.50		
*serrulata Higantakura. Dbl. White		Cherry	ı. 30'
5 to 6 ft	_	3.00	y. 30
6 to 8 ft	4.50		
8 to 10 ft		5.00	
Large specimens quoted on re			
	_		an'
*serrulata Hisakura. $Dbl.$ $Pink$ $Fl.$ 4 to 5 ft	_	2.50	<i>30'</i>
F 1 0 C1	0.50	3.00	
6 to 8 ft	4.50	4.00	
8 to 10 ft		5.00	
Large specimens quoted on r			
marge specimens duoted ou t	eque	36.	

1-4	5-24	25 & up
Each	Each	Each

## Prunus

*serrulata James H. Veitch, syn. 1	Fugenz	<b>EO.</b> 30	,
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	4.50	4.00	
8 to 10 ft	6.00	5.00	
*s. James H. Veitch pendula.			
Dbl. Pink Weeping Cherry.			
2 yr. hds., 3 to 5 ft. stem	10.00		
*serrulata Jonioi. Jonioi Oriental	Cherry	. 25'	
5 to 6 ft	3.50	3.00	
6 to 8 ft	4.50	4.00	
*serrulata lannesiana. Hitoye Che	rry.	<i>30'</i>	
5 to 6 ft	3.50	3.00	
6 to 8 ft	4.50	4.00	
8 to 10 ft	6.00	5.00	
*serrulata sirotae. Shirotae Orien	tal Ch	erry.	<i>25</i> ′
5 to 6 ft	3.50	3.00	
6 to 8 ft	4.50	4.00	
8 to 10 ft	6.00	5.00	
siberica. Siberian Apricot. 12'			
5 to 6 ft	3.00		
6 to 8 ft	3.50		
8 to 10 ft	5.00		
*sieboldi, syn. Naden. Siebold Che	erry.	40'	
5 to 6 ft	3.50	3.00	
6 to 8 ft	4.50	4.00	
8 to 10 ft	6.00	5.00	
Large specimens quoted on re	equest.	,	
spinosa. Blackthorn. 12'			
3 to 4 ft	.75	.65	
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
spinosa purpurea. Purpleleaf Blac	kthorn	. 12'	
3 to 4 ft	1.50		
*subhirtella. Higan Cherry. 30'			
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	4.50	4.00	
8 to 10 ft	6.00	5.00	
Large specimens quoted on re	equest	•	

1-4	5-24	25 & up
Each	Each	Each

## Prunus

*subhirtella ascendens. Shiro-higo	an. 20	o <b>'</b>	
4 to 5 ft	3.00		
5 to 6 ft	4.00		
6 to 8 ft	5.00		
*subhirtella autumnalis. Autumn l	Higan	Cherry	,. 30'
5 to 6 ft	5.00	4.00	
6 to 8 ft		5.00	
8 to 10 ft			
Large specimens quoted on re	equest.	•	
*subhirtella pendula. Weeping Hig			15'
2 yr. hds., 4 to 6 ft. stem	7.50	6.50	
tenella. Russian Almond. 6'			
2 to 3 ft	2.00	1.50	
	2.50	2.00	
4 to 5 ft	3.00	2.50	
tomentosa. Manchu Cherry. 10'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
triloba. Flowering Plum. 10'			
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.50	3.25	3.00
6 to 8 ft	4.50	4.00	
triloba plena. Double Flowering P	lum.	10'	
3 to 4 ft	1.50	1.25	
4 to 5 ft		1.50	
5 to 6 ft	3.00	2.50	
virginiana. Chokecherry. 30'		·	
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
v. demissa. Western Chokecherry.	<i>30</i> ′		
4 to 5 ft	1.25		
5 to 6 ft	1.50		
*yedoensis. Yoshino Cherry. 35'			,
6 to 8 ft	4.50	4.00	
8 to 10 ft	6.00	5.00	

25 & up

**Fach** 

5-24

1-4

Each

## Prunus

edo	ensi	s T	aizan-fukun. 30'		
4	to	5	ft	3.00	2.50
5	to	6	ft	3.50	3.00
6	to	8	ft	4.50	4.00
8	to	10	ft	6.00	<b>5.</b> 00
L	arge	e sp	oecimens quoted on re	quest.	

We can also supply in limited quantity the following varieties of Japanese Flowering Cherries propagated from the collection at Highland Park, Rochester. They are available in the 4 to 5 ft., 5 to 6 ft., and 6 to 8 ft. grades at \$3.00, \$4.00 and \$5.00 each, respectively.

Amanogawa — semi-double pale pink

Gioiko - semi-double pale yellow

Hata-zakura — semi-double white

Horaisan — double pink

Hosokawanioi — semi-double flesh

Kuramayami — double pink

Kwanzan-syn. Sekiyama - double deep pink

Miyako — double pink

Shirofugen — double light pink

Shogetsu — double soft pink

Sumizome — double purplish pink

Our named varieties of Japanese Flowering Cherries are grown on the Japanese type stocks. While the common practice of grafting on the European Mazzard Cherry stock is a cheaper method of propagation, it results in short-lived trees, which difficulty is overcome by using Japanese stocks.

Pseudotsug	ga t	axifolia. (douglasí). $Douglas\ Fir.$	70'
2	ft.	B&B 5.00 4.	.00
3	ft.	B&B 7.50 5.	.50
4	ft.	B&B 10.00	
5	ft.	B&B 12.50	
6	ft.	B&B 15.00	
7	ft.	B&B 18.00	
8	ft.	B&B 25.00	

For larger sizes to 25 ft., add \$5.00 per foot.

	1-4 Each	5-24 Each	25 & up Each
Ptelea trifoliata. Hoptree. 20'	Lacii	Lucii	Lucii
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.00	1.50	1.25
		•	
Pterostyrax corymbosa. Little Epaulet			
5 to 6 ft		6.00	
6 to 8 ft	10.00	7.50	
Pueraria thunbergiana. Thunberg Kud	zu-hea	n. 40'	
2 year		.30	
·			
Pyracantha coccinea. Scarlet Firethorn			
15 to 18 in., 4 inch pots	1.75		
coccinea lalandi. Laland Firethor	n. 10	,	
18 to 24 inB&B	5.00	4.50	4.00
2 to 3 ftB&B	6.50	5.50	5.00
3 to 4 ft. specimensB&B	15.00	12.50	
4 to 5 ft. specimens B&B			
5 to 6 ft. specimens B&B			
-		•	
crenato-serrata. 10'	1 75		
12 to 18 in., 4 in. pots	1.75		
Pyrus betulaefolia. Birch Leaf Pear.	20'		
6 to 8 ft	3.50	3.00	
calleryana. Callery Pear. 20'			
5 to 6 ft	2.50	2.00	
6 to 8 ft		3.00	
8 to 10 ft	4.50	4.00	
	1.00	4.00	
salicifolia. Willowleaf Pear. 30'			
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
serrulata. 20'			
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.50	4.00	
Quercus alba. White Oak. 75'	= 00	4.00	0.05
	5.00	4.00	-
11/4 to 11/2 in	6.50	5.50	
	8.50	7.00	6.50
13/4 to 2 in	10.00	8.00	
2 to 2½ in	15.00	12.50	
	18.00		
3 to 3½ in	25.00		

·			
Quercus	1-4 Each	5 <b>-24</b> Each	25 & up Each
bicolor. Swamp White Oak. 60'			
6 to 8 ft	5.00	4.00	3.25
1¼ to 1½ in	6.50	5.50	5.00
1½ to 1¾ in	8.50	7.00	6.50
134 to 2 in	10.00	8.00	• • • • • • • • • • • • • • • • • • • •
2 to 2½ in	15.00	12.50	
2½ to 3 in	18.00	12.00	
3 to 3½ in			
3½ to 4 in			
borealis. (rubra). Northern Red O		5 <b>′</b>	
6 to 8 ft	3.50	3.00	2.50
1½ to 1½ in	6.00	5.00	4.50
1½ to 1¾ in	8.50	7.00	6.25
13/4 to 2 in		8.50	7.50
2 to 2½ in	15.00	12.50	
2½ to 3 in		15.00	
3 to 3½ in		20.00	
3½ to 4 in		25.00	
4 to 4½ in		20,00	
cerris. European Turkey Oak. 75'	10.00		
1 <sup>1</sup> / <sub>4</sub> to 1 <sup>1</sup> / <sub>2</sub> in	7.50		
1½ to 1¾ in			
13/4 to 2 in			
coccinea. Scarlet Oak. 75'	12.00		
6 to 8 ft	4.00	3.50	3.00
1½ to 1½ in	6.00	5.00	4.50
1½ to 1¾ in	8.50	7.00	6.25
13/4 to 2 in			
2 to 2½ in			
2½ to 3 in			
3 to 3½ in			
3½ to 4 in		25.00	
4 to 4½ in			
imbricaria. Shingle Oak. 60'	10.00		
1½ to 1¾ in	12.50	10.00	
134 to 2 in		12.50	
lyrata. Overcup Oak. 75'	10.00		
1½ to 1¾ in	8.50		
134 to 2 in			
3 to 3½ in			
macrocarpa. Bur Oak. 75'	_5.00		
3½ to 4 in	30.00		
4 to 4½ in	10.00		

Quercus	1-4 Each	5-24 Each	25 & up Each
palustris. Pin Oak. 75'			
1½ to 1½ in	5.50	5.00	4.59
1½ to 1¾ in	7.50	6.75	6.25
13/4 to 2 in	9.00	8.00	7.50
2 to 2½ in	12.50	11.50	10.00
2½ to 3 in	18.00	15.00	12.50
3 to 3½ in	22.50	18.00	12.00
3½ to 4 in	30.00	25.00	
4 to 5 in	40.00		
5 to 6 in	50.00		
phellos. Willow Oak. 40'			
	6.50	5.50	
	7.50	7.00	
1½ to 1¾ in	10.00	8.50	
13/4 to 2 in	12.50	10.00	
2 to 2½ in	15.00	12.50	
2½ to 3 in	25.00	20.00	
3 to 3½ in	30.00	25.00	
prinus. Chestnut Oak. 50'			
11/4 to 11/2 in	6.50	5.50	5.00
1½ to 1¾ in	8.50	7.00	6.50
13/4 to 2 in	10.00	8.00	
2 to 2½ in	15.00	12.50	
2½ to 3 in	18.00	15.00	
3 to 3½ in	25.00	20.00	
3½ to 4 in	30.00	25.00	
robur. English Oak. 80'			
1½ to 1¾ in	10.00	7.50	
2 to 2½ in	15.00	12.50	
2½ to 3 in	18.00	15.00	
3 to 3½ in	25.00	20.00	
3½ to 4 in		25.00	
4 to 4½ in			
robur fastigiata. Pyramidal Englis	sh Oal	k. 60'	
1½ to 1¾ inB&B			
2½ to 3 inB&B			
3 to 3½ inB&B			
3½ to 4 inB&B			
rubra (see borealis).			

	1-4 Each	5-24 Each	25 & up Each
Quercus	EGCII	EGCH	Eden
stellata. Post Oak. 75'			
1½ to 1½ in	6.50	5.50	
1½ to 1¾ in	7.50	6.50	
1¾ to 2 in	10.00	8.00	
texana. Texas Oak. 75'			
1½ to 1¾ in	8.50	7.00	6.50
13/4 to 2 in	10.00	8.00	7.50
2 to 2½ in	15.00	12.50	10.00
2½ to 3 in	18.00	15.00	
3 to 3½ in	25.00	20.00	
3½ to 4 in	30.00	25.00	
4 to 4½ in	40.00		
variabilis. Oriental Oak. 75'			
1½ to 1½ in	7.50	7.00	)
1½ to 1¾ in	10.00	8.50	
velutina. Black Oak. 70'			
1½ to 1¾ in	10.00	7,50	7.00
134 to 2 in	12.50	10.00	9.00
2 to 2½ in	15.00	12.50	11.00
	20.00	15.00	14.00
3 to 3½ in	25.00	20.00	
	30.00	25.00	
Retinospora (see Chamaecyparis).			
		0 =1	
Rhamnus caroliniana. Carolina Buckth		25'	
4 to 5 ft	1.00		
5 to 6 ft	4.00		
cathartica. Buckthorn. 12'		0.0	
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.80	
5 to 6 ft	1.25	1.10	
6 to 8 ft	1.50	1.35	1.25
crenata. Oriental Buckthorn. 10'			
4 to 5 ft	3.50		
5 to 6 ft	4.00		
davurica. Dahurian Buckthorn. 1	2'		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25

	1-4 Each	5-24 Each	25 & up Each
Rhamnus	Eden	Eden	Lucii
frangula. Glossy Buckthorn. 12'			
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	2.00	1.65	1.50
frangula asplenifolia. Feathery Rho	imnus .	12'	
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.50	3.00	
5 to 6 ft	4.00		
koraiensis. Korean Buckthorn. 12	•		
3 to 4 ft	1.00	.90	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.00	1.75	
purshiana. Cascara Buckthorn. 18	2 <b>'</b>		
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	2.00	1.65	1.50
spathulaefolia. 6'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
utilis. Chinese Buckthorn. 10'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
wilsoni. 10'	_,,,,	1.00	
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft		1.75	1.40
Rhododendron carolinianum. Carolina		lendro	n. 6'
2 to 3 ftB&B		6.75	6.25
catawbiense. Catawba Rhododendro			
2 to 3 ftB&B		5.50	5.00
3 to 4 ftB&B		6.75	6.25
maximum. Rosebay Rhododendron.			
2 to 3 ftB&B			4.50
3 to 4 ftB&B		6.00	5.50
4 to 5 ftB&B			
Broad heavy clumps, B&B, a	at each	rate	, plus
50%.			

	1-4 Each	5-24 Each	25 & up Each
Phodotunts sandons (Ironicidos) Leth			Lacii
Rhodotypos scandens. (kerrioides). Jetb			
2 to 3 ft	.75	.60	.55
3 to 4 ft	.85	.75	.70
Rhus aromatica. (canadensis). Fragrant	Sun	nac. 6'	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
			.75
4 to 5 ft	1.00		
5 to 6 ft	1.25	1.10	1.00
chinensis. Chinese Sumac. 20'			
4 to 5 ft	2.00		
5 to 6 ft	2.50		
6 to 8 ft	3.00		
8 to 10 ft	4.00		
8 to 10 1t	4.00		
copallina. Flameleaf Sumac. 20'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	2.00	1.65	1.50
0 10 10 11	2.00	1.00	1.00
cotinus. (see Cotinus coggygria).			
alabas Guesth Gumas 10'			
glabra Smooth Sumac. 12'	50	40	25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
trilobata. Lemonade Sumac. 3'			
2 to 3 ft	1.00		
2 10 0 10,	1.00		
typhina. Staghorn Sumac. 25'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.60	.55
5 to 6 ft	1.00	.85	.75
	_ • - •	•	
typhina lacinata. Cutleaf Staghorn			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.85	.75	.65
5 to 6 ft	1.00	.90	.80
6 to 8 ft	1.25	-	
U VU U ZVII. I I I I I I I I I I I I I I I I I I			

Dibor oloimum 41st C	1-4 Each	5-24 Each	25 & up Each
Ribes alpinum. Alpine Currant. 4'	<b>5</b> 5		
18 to 24 in	.75	.60	
2 to 3 ft	1.00	.75	
aureum. Golden Currant. 10'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
fasciculatum. Winterberry Curran	t. 4'		
18 to 24 in	.65	.55	.50
2 to 3 ft	.75	.60	,55
3 to 4 ft	1.00	.75	.65
gordonianum. Gordon Currant. 8	<i>P</i>		
3 to 4 ft	1.50		
sanguineum. Winter Currant. 8'	1100		
2 to 3 ft	1.00		
3 to 4 ft	1.00		
, 5 to ± 1t	1.50		
Robinia Elliotti. Elliott Locust. 10'			
3 to 4 ft	3.00		
4 to 5 ft	4.00		
fertilis. 25'			
6 to 8 ft	4.00	3.50	
	5.00	4.50	
globosa. Globe Locust.	0.00	1.00	
_	7.50		
3 yr. hds., 5 to 6 ft. stems			
3 yr. hds., 6 to 8 ft. stems	10.00		
hispida. Roseacacia Locust.	0.50		
2 yr. standard, 3 to 4 ft	3.50		
2 yr. standard, 4 to 5 ft	4.00	4.0.	
Bush form, 2 to 3 ft	1.50	1.25	
	0.50		
4 to 5 ft	3.50		
5 to 6 ft	4.50		
kelseyi. Kelsey Locust. 12'	= 00		
6 to 8 ft	5.00		
8 to 10 ft	6.00		
Margaretta. Margaret Locust. 20			
6 to 8 ft	5.00		
8 to 10 ft	6.00		
neomexicana. New Mexico Locust.			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	

1-4 5-24 25 & up Each Each Each

Robinia	Each	Each	Each
pseudoacacia. Black Locust. 60'			
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	2.75	2.50	2.25
10 to 12 ft	3.50	3.00	
pseudoacacia bessoniana. Besson l	*	. 40'	
4 to 5 ft			
pseudoacacia decaisneana. Decais		cust. 4	.0'
5 to 6 ft	3.50		
6 to 8 ft	4.00		
8 to 10 ft	5.00		
viscosa. Clammy Locust. 10'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.10	1.00
Rosa acicularis. Prickly Rose. 5'	5.0	40	0.5
18 to 24 in	.50		-
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
acicularis bourgeauiana. Bourgeau		. 6'	
15 to 18 in	1.00		
alpina. (see pendulina).	•	•	
blanda. Meadow Rose. 5'			
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
canina. $Dog\ Rose.$ 8'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
carolina (humilis). Carolina Rose.	<b>5</b> ′	,	
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.55	.50
coriifolia froebeli. Froebel Rose.	<i>5'</i>		
18 to 24 in	.55	.45	
2 to 3 ft	.65	.55	
davurica. Dahurian Rose. 6'			
2 to 3 ft	1.00	.75	.60

	•	•	
	1-4 Each		25 & up Each
Rosa			
ecae. Eca Rose. 6'			
2 to 3 ft	1.25	1,00	
3 to 4 ft	1.50		
eglanteria. Sweetbriar Rose. 6'			
	.65	.55	.50
	.85	.70	
4 to 5 ft		.80	
eglanteria hybrids.			•
2 to 3 ft	1.25		
3 to 4 ft			
Flora McIvor Lady Penza			
Green Mantle Lord Penza	ance		
Jeannie Deans Lucy Ashte	on		
foetida. Austrian Brier Rose. 10'			
2 year			
foetida persiana. Persian Yellow			
2 year	1.50		
helenae. Helen Rose. 6'			
2 to 3 ft		.75	
3 to 4 ft	1.25	1.00	
helenae fl. pl. Dbl. Helen Rose. 6			
3 to 4 ft	1.50	1.25	
hugonis. Father Hugo Rose. 6'			
2 to 3 ft	1.25	1.00	
	1.50	1.25	
humilis. (see carolina).			
luciae fujisanensis. Mt. Fuji Rose.			
3 to 4 ft	1.00	.85	.75
lucida. (see virginiana). marreti. $Marret \ Rose. \ \ 6'$			
	1.50		
maximowicziana jacki. Jack Rose.			
2 to 3 ft	1.50		
moyesi. Moyes Rose. 10'	1.50		
2 to 3 ft	1.50		
multiflora. Japanese Rose. 8'	1.00		
2 to 3 ft	.50	.35	.30
	.60		.40
4 to 5 ft		.60	.50
multiflora cathayensis. Cathay Jap			6'
0 4 4 1 :		.75	

	1-4 Each	5-24 Each	25 & up Each
Rosa	Lucii	Eden	Lucii
nitida. Shining Rose. 4'			
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
palustris. Swamp Rose. 8'			
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
pendulina. (alpina). $Drophip\ Rose$		•••	•••
2 to 3 ft	1,00	.75	.60
rouletti.	2,00	****	.00
12 to 15 in., 4 in. pots	1.00		
rubiginosa. (see eglanteria).	1,00		
rubrifolia. Redleaf Rose. 6'			
·			
18 to 24 in	.55	.45	
2 to 3 ft	.65	.55	
3 to 4 ft	1.00	.75	
rugosa. Rugosa Rose. 6'			
18 to 24 in	.60	.45	.40
2 to 3 ft	.75	.55	.50
rugosa alba. White Rugosa Rose.			
18 to 24 in	.75	.65	.60
2 to 3 ft	1.00	.85	
rugosa hybrids. 5'			
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
Varieties:	~		4.7
Blanche de Coubert, C. F. Mey	,		
Agnes Carmen, New Century,			,
Mad. Geo. Bruant, Mrs. Ant	_		•
Belle Poitevine, Sir <b>Thomas</b> 1 Agnes, F. J. Grootendorst.	ribtou	, mans	a,
- '			
rugosa hyb. — climbing.	9.00	1 85	
Max Graf	2.00	1.75	
rugosa repens. Creeping Rugosa R		1'	
2 year			
3 year	2.50		
sericea. Fourpetal Rose. 4'			
2 to 3 ft		.75	
3 to 4 ft	1.25	1.0C	

	1-4 Each	5-24 Each	25 & up Each
Rosa			
setigera. Prairie Rose. 6'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.50	.45
4 to 5 ft	.75	.60	.55
spinosissima altaica. Altai Scotch	Rose.	4'	
18 to 24 in	.65	.55	.50
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
spinosissima hispida. Bristly Scote	h Ros	e. 6'	
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.10	1.00
spinosissima hybrids. 5'			
18 to 24 in	1.50		
Dbl. Blush, Dbl. White, Dbl. F Sgl. Red, Sgl. Pink.	Pink, I	Fulgen	S.
virginiana (lucida). Virginia Rose.	<i>6'</i>		
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
watsoniana. Watson Rose. 6'			
3 to 4 ft	1.50	1.25	
wichuraiana. Wichurai Rose. 2'			
2 year	.65	.55	.50
3 year	.75	.65	.60
wichuraiana hybrids. 2'			
2 year	1.25	.85	.75
Jersey Beauty, Sweetheart, Un	iversa	l Favo	or-
ite, Manda's Triumph, South	Orar	ige Pe	er-
fection, Evergreen Gem.			

## ROSES

Hybrid Perpetuals. 2 year	r No. 1 1.25
Frau Karl Druschki	J. B. Clark
Gen. Jacqueminot	Mme. Albert Barbier
Geo. Arends	Mrs. John Laing
Paul Neyron	Ulrich Brunner

P.C	SES	1-4 Each		25 & up Each
. AC	Jaca			
Hybrid Tea. 2 year No. 1.		1.25		
Betty Uprichard	Madame I	3utterí	fly	
Chas. K. Douglas	Mrs. Henr	y Boy	vles	
Etoile de France	Mrs. Henr	•		
Gruss an Teplitz	Pres. Hoov	-		
Jonkheer J. L. Mock	Radiance	. 01		
Killarney	Rev. F. Pa	age-Ro	herts	
Lady Alice Stanley	Sunburst	180 100	DCI 65	
Lady Hillingdon	White Kill	larnev		
Mad. Abel Chatenay	Willowmen	•		
			1.00	
Climbing Roses. 2 year No				
American Beauty	Mad. Gre	_	Staech	nelin
American Pillar	Mary Wal			
Aviateur Bleriot	Paul's Sca	rlet C	limbeı	
Dr. W. Van Fleet	Roserie			
Dorothy Perkins	Silver Mo	on		
Excelsa Star of Persia				
Gardenia	White Do	rothy	Perki	ns
Hiawath <b>a</b>				
Polyantha hybrids. 2 year	No. 1	1.25		
Else Poulsen	Ideal			
Gloria Mundi	Katherine	Zeime	et	
Golden Salmon	Lafayette			
Rosa				
woodsi. Wood's Rose.	5 <b>'</b>			
2 to 3 ft		.85	.75	
3 to 4 ft		1.00	.85	
xanthina Allard. 10'				
2 to 3 ft		2.00		
Rubus deliciosus. Boulder B	Raspberry.	5 <b>'</b>		
2 to 3 ft		1.75		
3 to 4 ft		2.00		
nemarosus. Caucasian I	Dewberry.	2'.		
2 year		.75	.60	.50
3 year		1.00	.75	.60
odoratus. Fragrant Th		6'		
2 to 3 ft	_	.60	.50	.45
3 to 4 ft		.75	.60	.55

phoenicolasius. Wine Raspberry. 8'

	1-4 Each	5-24 Each	25 & up Each
Salix alba chermesina. Redstem White	will.	ow. 30	<b>)</b> '
6 to 8 ft	2.00	1.50	,
8 to 10 ft	2.50	2.00	
1½ to 1¾ in	3.50	3.00	
13/4 to 2 in	4.50	4.00	
2 to 2½ in	6.00	5.00	
a. viteNina. Yellowstem White Wi	llow.	<i>30</i> ′	
6 to 8 ft	2.75	2.50	2.25
8 to 10 ft	3.00	2.75	2.50
1¼ to 1½ in	3.50	3.00	2.75
1½ to 1¾ in	4.00	3.50	3.25
13/4 to 2 in	5.00	4.50	4.00
a, vitellina pendula.			
Weepinggold White Willow.	40 <b>'</b>		
6 to 8 ft	2.75	2.50	2.25
8 to 10 ft	3.00	2.75	2.50
1½ to 1¾ in	4.00	3.50	3.25
13/4 to 2 in	5.00	4.50	4.00
amygdaloides. Peachleaf Willow.	<i>30</i> ′		
2 to 3 ft	1.50	1.25	
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	
babylonica crispa. Ringleaf Weepi	ng W	illow.	<i>30</i> <b>′</b>
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.00	3.50	
babylonica solomoni. (see sepulcra			
blanda. Wisconsin Weeping Willow	v. 40'		
6 to 8 ft	2.50	2.25	
	3.00	2.50	
1¼ to 1½ in	3.75	3.25	
caprea. Goat Willow. 20'			
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	2.00	1.75	1.50
discolor. Pussy Willow. 20'			
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
8 to 10 ft	1.50	1.35	1.25
doniana. Dons Willow. 9'			
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	

Salix	1-4 Each	5-24 Each	25 & up Each
eleagnos. (incana). Rosemary Will		o <b>'</b>	
3 to 4 ft. shrub form	.75		E
4 to 5 ft. shrub form	1.00	.60 .85	.55
5 to 6 ft. shrub form	1.25	1.10	.75 $1.00$
6 to 8 ft. shrub form		1.35	1.00 $1.25$
elegantissima. Thurlow Weeping			1.20
6 to 8 ft	2.75	$\frac{30}{2.50}$	2,25
8 to 10 ft	3.00	2.75	$\frac{2.25}{2.50}$
1½ to 1½ in	3.50	3.25	3.00
1½ to 1¾ in	4.50	4.00	3.00
134 to 2 in	5.00	4.75	
2 to 2½ in	7.50	6.50	
,	1.50	0.50	
fragilis. Brittle Willow. 50'			
3 to 4 ft	2.00		
4 to 5 ft	2.50		
fragilis repandens. 10'			
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
incana. (see eleagnos).	0.00		
irrorata. Bluestem Willow. 12'			
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	
6 to 8 ft	1.50	1.10 $1.35$	1.00
jessoensis. Yeddo Willow. 6'	1.50	1.50	1.25
3 to 4 ft	2.00	1.50	1.25
4 to 5 ft	2.25	1.75	1.50
5 to 6 ft	2.50	2.00	1.75
	2.00	2.00	1.75
lucida. Shining Willow. 18'	1 25	1.50	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
mandshurica. 30'			
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
matsudana. Hankow Willow. 35'			
6 to 8 ft	2.00	1.50	
8 to 10 ft	2.50	2.00	
1½ to 1¾ in	3.00	2.50	
134 to 2 in	4.00	3.50	

	1-4 Each	5 <b>-24</b> Each	25 & up Each
Salix			
maisudana ioriuosa.			
Contorted Hankow Willow.	20'		
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
mutabilis. 6'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.00	
myricoides rigida. $g'$			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1,25
5 to 6 ft	2.00	1.75	1.50
nigricans cotinifolia. 12'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.00	1.75
		2.00	1.70
niobe. Niobe Weeping Willow. 30		0.50	0.05
6 to 8 ft	2.75	2.50	2.25
8 to 10 ft	3.00	2.75	
1½ to 1¾ in	4.50	4.00	
13/4 to 2 in	5.00	4.50	
2 to 2½ in	7.50	6.00	
patula. 20'			
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	
pentandra. Laurel Willow. 30'			
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.00	2.75	2.50
1¼ to 1½ in	3.50	3.25	3.00
1½ to 1¾ in	4.F0	4.00	3.50
1¾ to 2 in	6.00	5.00	
purpurea. Purpleosier Willow. 12	•		
5 to 6 ft		1.10	1.00
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft		1.60	1.50
purpurea gracilis. Slender Purpleo			15'
5 to 6 ft		1.10	1.00
6 to 8 ft		1.35	1.25
purpurea nana. Dwarf Purpleosie			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00

	1-4 Each	5-24 Each	25 & up Each
Salix			
regalis. Royal Willow. 30'			
5 to 6 ft	2.25	2.00	
6 to 8 ft	2.75	2.50	
8 to 10 ft	3.50	3.00	
sepulcralis. Solomon Weeping Wil	low.	50 <b>'</b>	
8 to 10 ft	3.00	2.75	2.50
1¼ to 1½ in	3.75	3.25	3.00
1½ to 1¾ in	4.50	4.00	3.75
13/4 to 2 in	5.50	5.00	4.50
	7.50	6.00	
2½ to 3 in	12.50	10.00	
3 to $3\frac{1}{2}$ in	15.00	12.50	
sieboldiana. Siebold Willow. 30'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
smithiana. Smith Willow. 20'			
2 to 3 ft	1.75	1.50	
3 to 4 ft	2.00	1.75	
tomini. 20'			
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50		
vitellina. (see alba vitellina).			
wentworthi. 50'			
	3.00	2.50	
1½ to 1¾ in	3.50	3.00	Α
13/4 to 2 in	5.00	4.00	
2 to 2½ in	6.50		
Combonia descia Associa Ellis	. 401		
Sambucus canadensis. American Elder		50	45
	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft		1.10	1.00
canadensis acutiloba. Cutleaf Ele			4.5
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00		.75
5 to 6 ft	1.25	1.10	1.00
nigra. European Elder. 15'	4.0-		
	1.25		
5 to 6 ft	1.50	1.25	

Sambucus	1-4 Each	5-24 Each	25 & up Each
nigra aurea. $Golden \ European \ Eld$	ler. 1	<b>5</b> ′	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
nigra albo-variegata.			
Whiteblotch European Elde	r. 10	) <b>*</b>	
3 to 4 ft	1.50		
pubens. Scarlet Elder. 8'			
3 to 4 ft	.75	.65	
4 to 5 ft	1.00	.90	
5 to 6 ft	1.50	1.25	
racemosa. European Red Elder. 8	2"		
3 to 4 ft	.75	.65	
4 to 5 ft	1.00	.90	
5 to 6 ft	1.50	1.25	
0 10 0 10	1.00	1.20	
Sassafras albidum. Common Sassafras	. 50'		
8 to 10 ft	5.00	4.50	4.00
10 to 12 ft	7.50	6.00	
Schizophragma hydrangeoides.	aat		
$\it Japanese\ Hydrangea-vine.$		1 85	
from pots	2.00	1.75	
Sciadopitys verticillata. Umbrella Pine	. 60'		
10 ft. spec			
_		_	
Shepherdia argentea. Silver Buffalobe	_	<i>15</i> ′	
5 to 6 ft			
6 to 8 ft	2.50	2.00	
canadensis. Russet Buffaloberry.	8'		
4 to 5 ft	2.25	2.00	
Sinowilsonia honnui II IVII	o t		
Sinowilsonia henryi. Henry Wilsontree			
2 to 3 ft	2.50		
3 to 4 ft	3.50		
Smilax rotundifolia. Common Greenbro	ier.		
18 to 24 in	.75	.65	.60
2 to 3 ft		.85	.75
Solanum dulcamara. Bitter Nightshad			
2 year	.60	.50	.40

	1-4	5-24	25 & up
Sophora japonica. Chinese Pagodatree.	Each 25'	Each	Each
2 to 3 ftB&B		5.50	
3 to 4 ftB&B	7.50	6.50	
4 to 5 ftB&B	10.00	7.50	
5 to 6 ftB&B	12.50	10.00	
6 to 8 ftB&B	15.00	12.50	
5 to 6 ft. spec	20.00		
6 to 8 ft. spec	25.00		
viciifolia. Vetchleaf Sophora. 8'			
18 to 24 inB&B	7.50		
Sorbaria aitchisoni. Kashmir False Sp	piraea	. 8'	
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
arborea glabrata. Smooth Tree Fo	alse S	'piraea	. 15'
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
sorbifolia. Ural False Spiraea. 6'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
tomentosa. Lindley False Spiraea.	<i>8</i> ′		
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.85	
Sorbus americana American Mountain	Ash.	25 <b>'</b>	
5 to 6 ft	3.50	3.00	2.50
6 to 8 ft	4.00	-3.50	
8 to 10 ft	5.00	4.50	
1¼ to 1½ in	7.50		
aucuparia. European Mountain Asi	h. 50	"	
8 to 10 ft	4.00	3.50	3.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	5.00	4.75	4.50
1½ to 1¾ in	6.50	5.50	5.00
13/4 to 2 in	7.50	6.50	6.00
2 to 2½ in 1	10.00	8.50	7.50
$2\frac{1}{2}$ to 3 in	15.00	12.50	10.00
3 to 3½ in 2	20.00	15.00	
3½ to 4 in	25.00	20.00	
aucuparia columnaris. Columnar A	Mt. A	sh. 40	) <b>′</b>
11/4 to 11/2 in	8.50		
2 to 2½ in	15.00		

	1-4 Each	5-24 Each	25 & up Each
Sorbus			
aucuparia fastigiata. Pyramidal Mt 8 to 10 ft	7.50	40'	
aucuparia pendula. Weeping Mt. A	sh. 1	<b>9</b> '	
2 yr., 5 to 6 ft. stem	7.50		
commixta. Korean Mountain Ash.	25'		
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.00	
10 to 12 ft	6.50	5.00	
latifolia. 40'			
<u> </u>	3.50	3.00	
	4.00	3.50	
2 to 2½ in	7.50		
quercifolia. (see thuringiaca).			
spuria. 15'			
-	3.50	3.00	
	4.00	3.50	
	5.00	4.50	Α.
thuringiaca. (quercifolia). Oakleaf			5'
	3.50	3.00	
	4.00	3.50	
1½ to 1½ in	5.00	4.50	
	7.50	6.00	
	0.00	7.50	
	2.50	10.00	
	5.00	12.50	
	0.00	15.00	
torminalis. Checkertree Mt. Ash.	<i>50</i> ′		
	4.50	4.00	
	5.00	•	
	,		
Spirea arguta. Garland Spirea. 6'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
billiardi. Billiard Spiraea. 6'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
bumalda Spiraea. 3'			
18 to 24 in	.65	.55	

Spiraea	1-4 Each	5-24 Each	25 & up Each
Spiraea			
bumalda Anthony Waterer.			
Anthony Waterer Spiraed	ı. 3'		
15 to 18 in	.60	.50	.45
18 to 24 in	.65	.55	.50
bumalda walluffi. 3'			
18 to 24 in	.65	.55	
24 to 30 in	.75	.65	
cantonensis. Reeves Spiraea. 8'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.33 .75
·			-
cantonensis lanceata, Double Reeve	es Spi	raea.	8'
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
chamaedryfolia. ulmifolia. $Elmleaf$	Snire	ıea. 6	,
2 to 3 ft	.75	ieu. o	
3 to 4 ft	1.00		
	-100		
douglasi. Douglas Spiraea. 8'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
froebeli. Froebel Spiraea. 4'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
japonica. Japanese Spiraea. 6'		•	
18 to 24 in	.60	.50	.45
24 to 30 in	.75	.60	.55
		.00	.00
japonica fortunei. Fortune Spirae	•		E 0
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
japonica ovalifolia. Ovalleaf Japa	nese S	Spiraeo	. 3'
18 to 24 in	.75	.60	.55
24 to 30 in	.85	.70	.65
japonica ruberrima. Red Japanese	Spire	aea.	<b>5</b> ′
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60

	1-4 Each	5-24 Each	25 & up Each
Spiraea			
latifolia. (bethlehemensis).			
Broadleaf Meadowsweet Sp	iraea.	6'	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
margaritae. Margarita Spiraea.	5 <b>'</b>		
2 to 3 ft	.75	.65	
3 to 4 ft	1.00	.75	
nipponica rotundifolia. Big Nippon	n Spir	aea. 1	0'
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25		
5 to 6 ft	1.50	1.25	
prunifolia. Bridal Wreath Spiraed	a. 8'		
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25		1.00
·	1,20	1.10	1.00
pubescens. 6'	1.05		
3 to 4 ft	1.25		
4 to 5 ft	1.50		
salicifolia. Willowleaf Spiraea. 5			
2 to 3 ft	.60		
3 to 4 ft	.75	.60	.55
4 to 5 ft	_ •	.85	.75
5 to 6 ft	1.25	1.10	1.00
superba. Striped Spiraea. 4'			
18 to 24 in	.65	.55	.50
2 to 3 ft	.75	.65	.60
syringiflora Lilac Spiraea. 3'			
18 to 24 in	1.25		
thunbergi. Thunberg Spiraea. 5'			
18 to 24 in	.55	.45	.40
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
tomentosa. Hardhack. 4'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55

Spinos	1-4 Each	5-24 Each	25 & up Each
Spiraea			
trichocarpa. Korean Spiraea. 4'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
van houttei. Vanhoutte Spiraea.	10'		
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.85	.70	.65
5 to 6 ft	1.00	.80	.75
veitchi. Veitch Spiraea. 12'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.75	.65
wilsoni. Wilson Spiraea. 6'			
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.00	
·			
Staphylea bumalda. Bumalda Bladdern	nut. 8	8 <b>"</b>	
3 to 4 ft	.75	.65	
4 to 5 ft	1.00	.85	
5 to 6 ft	1.50	1.25	
colchica. Colchis Bladdernut. 12'			
3 to 4 ft	1.75	1.25	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.00	2.50	
pinnata. European Bladdernut. 1	2'		
3 to 4 ft	.75	.65	
4 to 5 ft	1.00	.85	
trifolia. American Bladdernut. 12'			
2 to 3 ft	.65	.55	.50
3 to 4 ft,	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
Stephanandra incisa (flexuosa).			
Cutleaf Stephanandra. 6'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55

1-4 Each		25 & up Each
Stowartin ownth (nontherms) Mountain St	aan maati a	
Stewartia ovata. (pentagyna). Mountain St 3 to 4 ftB&B 7.50		
4 to 5 ft		
5 to 6 ft	-	
6 to 8 ft		
8 to 10 ft		F
ovata grandiflora. Showy Mountain Sto		15'
6 to 8 ft		10
8 to 10 ft		
serrata. 30'		
4 to 5 ftB&B 12.50	)	
5 to 6 ft		
6 to 8 ft		
0 10 0 10,		
Stranvaesia davidiana. Chinese Stranvaesii	a. 5'	
12 to 15 in., from pots 1.75		
24 to 30 in		
2. 00 00 111	,	
Styrax japonica. Japanese Snowbell. 20'		
3 to 4 ft	5.50	
4 to 5 ft		
5 to 6 ft	=	
6 to 8 ft		
8 to 10 ft		
obassia. Fragrant Snowbell. 20'	10.00	
6 to 8 ft	,	
8 to 10 ft		
10 to 12 ft		
10 10 12 10 11 11 11 11 11 11 11 11 11 11 11 11		
Symphoricarpus albus. (racemosus). Snow	berru.	6'
2 to 3 ft		.45
3 to 4 ft		.55
4 to 5 ft		.75
chenaulti. Chenault Coralberry. 5'		
2 to 3 ft	.50	.45
3 to 4 ft		.55
mollis. Spreading Snowberry. 6'		
2 to 3 ft	.50	.45
3 to 4 ft		.55
occidentalis. Western Snowberry. 5'		
2 to 3 ft	.55	.50
3 to 4 ft		.60
	,	

	1-4 Each	5-24 Each	25 & up Each
Symphoricarpos			
o. heyeri. Thinleaf Western Snow	berry.	5 <b>'</b>	
2 to 3 ft	1.00		
orbiculatus (vulgaris). Indiancurra	nt Con	ralberr	y. 5'
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
orbiculatus leucocarpus. $White\ Ii$		urrant.	5 <b>'</b>
2 to 3 ft	1.25	1.00	
racemosus. (see albus).			
*Symplocos paniculata. Sapphireberry	Swee	tleaf.	20 <b>'</b>
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.25
5 to 6 ft	2.75	2.25	1.75
6 to 8 ft	3.50	3.00	2.50
Syringa amurensis japonica.			
Japanese Tree Lilac. 20'			
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.25	2.00	1.75
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	4.00	3.25	3.00
10 to 12 ft	10.00	7.50	
12 to 15 ft	15.00		
chinensis. syn. rothomagensis. $\mathit{Chi}$	nese I	ilac.	10'
2 to 3 ft		.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.15	1.00	.90
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1,25
chinensis alba. White Chinese Lile			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
chinensis metensis. 10'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

Syringa	1-4 Each	5-24 Each	25 & up Each
chinensis saugeana. Purple Chines			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.10	1.00	.90
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
emodi. Himalayan Lilac. 8'	1.05	1.00	
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.50	
henryi eximea. 8'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
henryi lutece. 8'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
japonica. (see amurensis japonica).	•		
josikaea. Hungarian Lilac. 10'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	
microphylla. Littleleaf Lilac. 10'			
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	2.00	1.50	1.25
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.00	2.50	2.00
oblata. Early Lilac. 12'			
3 to 4 ft	1.50	1.35	1.25
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.00	
oblata dilatata. Korean Early Lila	c. 12	P	
2 to 3 ft	1.25	1.10	1.00
3 to 4 ft	1.50	1.35	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.00	

SEE PAGE 162 FOR COMPLETE LIST OF HERBACEOUS STOCK

Construe of	1–4 Each	5-24 Each	25 & up Each
Syringa			
pekinensis. Peking Lilac. 15'			
4 to 5 ft	1.75	1.50	1,25
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	4.00	3.75	3.50
10 to 12 ft	7.50	6.00	
	15.00		
8 to 10 ft. specB&B	20.00		
persica. Persian Lilac. 10'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.25	1.00	.90
persica alba. White Persian Lilac.	10'		
2 to 3 ft	1.00	.90	
3 to 4 ft	1.25	1.00	
pubescens. Hairy Lilac. 6'			
2 to 3 ft	2.50	2.00	
3 to 4 ft	3.00	2.50	
4 to 5 ft	3.50	3.00	
velutina. Manchurian Lilac. 10'			
3 to 4 ft	2.00		
4 to 5 ft	2.50		
5 to 6 ft	3.00		
villosa. Late Lilac. 8'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	2.50	2.00	
1	<i>15</i> ′		
2 to 3 ft	.65	.55	.50
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.50	1.35	
6 to 8 ft	2.00	1.75	1.50
4 to 5 ft. clumpsB&B	10.00		
5 to 6 ft. clumpsB&B	12.50		

Comings	1-4 Each	5-24 Each	25 & up Each
Syringa			
vulgaris alba. Common White Lil	ac.	15'	
2 to 3 ft		.65	.60
3 to 4 ft			.75
4 to 5 ft			
5 to 6 ft		1.50	
4 to 5 ft. clumpsB&B	-		
5 to 6 ft. clumpsB&B.	12.50		
vulgaris. Named Varieties. 15'			
These hybrid lilacs are grow	wn o	n their	own
roots in bush form. Can als			
tree form in first two sizes at	25%	additio	nal.
2 to 3 ft	1.00	.85	.70
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.75		
5 to 6 ft			
6 to 8 ft	3.50	3.00	2.50
Belle de Nancy-Double Rose.			
2-3' 3-4' 4-5' 5-6' 6-8'			
<b>Chas. Joly</b> —Dark Purplish Red. 2-3' 3-4' 4-5' 5-6' 6-8'			
Frau Dammann—Single White.			
2-3' 3-4' 4-5' 5-6' 6-8'			
La Tour d'Auvergne—Double Page 2-3' 3-4' 4-5'	urpie.	•	
<b>Ludwig Spaeth</b> —Single Red. $2-3'$ $3-4'$ $4-5'$ $5-6'$	,		
2-3 3-4 4-3 3-0			
Mad. Abel Chatenay—Double W	hite.		
2-3' 3-4' 4-5' 5-6' 6-8'			
Mad. Casimer Perier—Double Ca	reamy	w White	3.
2-3' 3-4' 4-5' 5-6' 6-8'	•		
Mad. Lemoine-Large Double V	Vhite.		
2-3' 3-4' 4-5' 5-6' 6-8'			
Marie Le Graye—Single White.			
2-3' 3-4' 4-5' 5-6'			
Pres. Grevy—Double Blue.			
2-3' 3-4' 4-5' 5-6' 6-8'			
Princess Alexandra—Single Whi	to		
2-3' 3-4' 4-5' 5-6' 6-8'	ic.		
_ 0 0 1 10 0-0 0-0			

	1-4 Each	5 <b>-24</b> Each	25 & up Each
Syringa vulgaris. Named Varieties			
We have a limited quantity			
rieties of Lemoine's hybrid n		-	
we offer at the following pr			of va-
rieties will be forwarded on	_	est.	
2 to 3 ft	1.50		
3 to 4 ft	2.00		
4 to 5 ft	2.50		
5 to 6 ft	3.50		
6 to 8 ft	5.00		
yunnanensis. Yunnan Lilac. 10'			
4 to 5 ft	2.50		
Tamarix africana. African Tamarix.	<i>15</i> ′		
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.00
	1.00		
gallica. French Tamarix. 10'		20	
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00		
gallica indica. India Tamarix. 1	0'		
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00		
juniperina. Juniper Tamarix. 18	<b>5</b> ′		
3 to 4 ft	1.50		
odessana. Odessa Tamarix. 6'			
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	
5 to 6 ft	1.50	1.25	
pentandra. Fivestamen Tamarix.	12'		
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.50		
tetandra. Fourstamen Tamarix.	10'		
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
		. •	
Taxodium ascendens. Pond Baldcypres 8 to 10 ftB&B		Y	
10 to 12 ftB&B			
LARGE SPECIMEN SHRUBS QUOTED	ON R	REQUEST	

· - · · · · · · · · · · · · · · · · · ·	1-4	5-24	
Taxodium	Each	Each	Each
distichum. Common Baldcypress.	50 <b>'</b>		
5 to 6 ftB&B		7.50	
6 to 8 ftB&B		12.50	
8 to 10 ft			
10 to 12 ft			
10 10 12 10	20.00	20.00	
Taxus baccata. English Yew. 50'			
18 in	5.00		
2 ftB&B	6.00		
2½ ftB&B	7.50		
3 ftB&B	10.00		
3½ ftB&B			
baggata eventa Busan Van 10			
baccata erecta. Broom Yew. 10' 2 ft. B&B	C 00	<b>5</b> 00	
2½ ft B&B	7,50	6.50	
baccata fastigiata. Irish Yew. 10'			
2 ftB&B	12.50		
3 ftB&B	15.00		
baccata repandens. Spreading Eng			
18 to 24 in. spdB&B		5.00	
24 to 30 in. spdB&B			
30 to 36 in. spd			
36 to 42 in. spd	15.00	12.50	
baccata washingtoni. $Washington$	Yew.	6 <b>'</b>	
18 inB&B	10.00	7.50	
24 in. spec	12.50		
cuspidata. Japanese Yew. 10'			
18 to 24 in. spdB&B	6.00	5.50	
2 to 2½ ft. spdB&B		$5.50 \\ 6.75$	
2½ to 3 ft. spdB&B			
3 to 3½ ft. spdB&B			
3½ to 4 ft. spdB&B			
4 to 4½ ft. spdB&B			
4½ to 5 ft. spdB&B 3			
472 to 5 It. spa,B&B 6	55.00	30.00	
Heavy clipped specimens, 4 to	8 ft.	broad	. 3 to
5 ft. high, quoted on request.			
cuspidata aurescens. Goldtip Japan		ew. 2	0'
18 inB&B	7.50		
2 ftB&B	10.00		

	1-4	5-24	25 & up
Taxus	Each	Each	Each
cuspidata nana. Dwarf Japanese	Yew.	<i>6'</i>	
18 to 24 inB&B		7.50	
24 to 30 inB&B	12,50	10.00	
30 to 36 inB&B			
36 to 42 inB&B	22.50		
cuspidata nana compacta. $6'$			
18 to 24 inB&B		7.50	
24 to 30 inB&B	12.50		
cuspidata capitata. Upright Japan	nese Y	ew. 2	5 <b>'</b>
2 ftB&B	7.50	6.75	6.25
2½ ftB&B	12.50	10.00	9.00
3 ftB&B	15.00	13.50	12.00
3½ ftB&B	20.00	17.50	15.00
4 ftB&B	27.50	25.00	
4½ ftB&B	32.50	30.00	
5 ftB&B	37.50	35.00	
5½ ftB&B			
6 ftB&B	50.00	45.00	
6½ ftB&B	55.00	50.00	
7 ftB&B	60.00	55.00	
hunnewelliana. Hunnewell Yew.			
18 to 24 inB&B	7.50		
	1.00		
media. Anglojap Yew. 12'	0.50		
18 to 24 inB&B			
24 to 30 inB&B	8.50		
media andersoni. Anderson Yew.			
18 to 24 inB&B	7.50		
media browni. Brown's Yew. 10'			
18 to 24 inB&B	6.50		
media hatfieldi. Hatfield Yew. 2	0'		
18 to 24 inB&B	6.50		
24 to 30 inB&B	8.50		
media hicksi. Hicks Yew. 20'			
18 to 24 inB&B		5.50	
24 to 30 inB&B			
30 to 36 inB&B			٠
36 to 42 inB&B	15.00	13.50	

				1-4 Each	5-24 Each	25 & up Each
Thuja occ	ide	ntalis. Easter	rn Arborvite	ae. 40	,	
3					4.00	3.75
4	ft.		B&B	6.50	5.50	5.00
4	ft.	heavy spec.	B&B	10.00		
5	ft.		B&B	8.50	7.00	
5	ft.	heavy spec.	B&B	12.50		
6	ft.		B&B	12.50	10.00	
6	ft.	heavy spec.	B&B	15.00		
7	ft.		B&B	15.00	13.50	
7	ft.	heavy spec.	B&B	20.00		
8	ft.		B&B	20.00	18.00	
		heavy spec.				
9					20.00	
10		'• • • • • • • • • • • • • • • • • • •			25.00	
		heavy spec				
		larger sizes to	•	\$5.00 r	per foot	t.
occide		lis aurea dou	•			
		ouglas Golder				
3					- •	
4						
5	ft.		B&B		6.50	
		lis columbia.	_		tae. 4	0'
5	ft.					
6		• • • • • • • • • • • • • • • • • • • •				
7						
8	ft.					
_	ft.					
		arger sizes to				
		lis compacta.			-	
				-	2.00	
		• • • • • • • • • • • • • • • • • • • •			2.50	
					2.75	
				-	3.50	
					4.50	
					6.00	
		lia Dansan's		10.00	7.50	
		lis Parson's	_	6'	4.50	
		• • • • • • • • • • • • • • • • • • • •		5.00	4.50	
		••••••		7.50	6.00	
					7.50.	
54	ın.		B&B	12.50	10.00	

	1-4 Each	5-24 Each	25 & up Each
uja	Lucii	Lucii	Eden
	•		
occidentalis cristata. Crested Arbo		. 15'	
4 ftB&B	7.50		
occidentalis elegantissima.			
0 ==	<i>15</i> ′		
2 ftB&B	5.00	3.75	
3 ftB&B	6.50	5.00	
4 ft B&B		7.50	
5 ft B&B	12.50	10.00	
6 ftB&B	15.00		
occidentalis ellwangeriana.			
Ellwanger Arborvitae. 6'			
<sub>*</sub> 2 ftB&B	3.50	3.00	2.50
2½ ftB&B	4.00	3.50	3.00
3 ftB&B	5.00	4.00	
3½ ftB&B	6.50	5.00	
4 ftB&B	10.00	7.50	
4½ ftB&B	12.50	10.00	
occidentalis ericoides Heath Arbo	rvitae	. 5'	
2 ft	4.50		
occidentalis globosa. Globe Arbor	vitae	3'	
18 in	3.00	2,50	2.25
24 in B&B	3.50	2.75	2.50
30 in	4.00	3.50	3.00
36 in	5.00	4.50	3.75
42 in	7.50	6.00	
	Ambo	maritaa	. 8'
occidentalis hoveyi. Hovey Golden 18 in		2.50	-
2 ftB&B		-	
2½ ft B&B		•	
3 ftB&B			5.00
3½ ft B&B			
4 ft			
4½ ft B&B			
occidentalis lutea. (see occ. elegani	tissima	1).	
occidentalis pumila. Little Gem A	rborvi	tae. 3	,
18 in. spreadB&B	3.50	3.00	•
24 in. spreadB&B	4.00	3.50	
30 in spreadB&B		4.00	
36 in. spreadB&B	6.00	5.00	
42 in. spreadB&B	7.50	6.00	

m1!	1-4 Each	5-24 Each	25 & up Each
Thuja			
occidentalis pygmaea. Pygmy Arb	orvitae	2'	
15 inB&B	4.00	3.00	
18 inB&B	5.00	4.00	
24 inB&B	6.00	5.00	
occidentalis pyramidalis. Pyramid	lal Arb	orvita	e. 25'
2 ftB&B	5.00	4.00	3.50
3 ftB&B	6.00	5.00	4.50
4 ftB&B	7.50	6.50	6.00
5 ftB&B	10.00	8.50	7.50
6 ftB&B	15.00	12.50	
7 ftB&B	18.00	15.00	
8 ftB&B	20.00	18.00	
9 ftB&B	25.00	20.00	
10 ftB&B	30.00	25.00	
For larger sizes to 18 ft., add           occidentalis douglasi pyramidalis.           Douglas Pyramidal Arbo           2 ft.         B&B           3 ft.         B&B           4 ft.         B&B           5 ft.         B&B           6 ft.         B&B           7 ft.         B&B           occidentalis reevesi.         Reeves Arbo	4.50 5.50 7.50 10.00 12.50 15.00	20' 3.75 4.50 6.00	
2½ ftB&B	4.00	3.50	
3 ftB&B	5.00		
occidentalis reidi. Reid Arborvitae	e. 8'		
2 ftB&B	3.50	3.00	2.50
2½ ftB&B	4.50	4.00	3.75
3 ftB&B	6.50	5.50	5.00
3½ ftB&B	7.50	6.50	
4 ftB&B			
4½ ftB&B		10.00	

5-24 25 & up Each Each

1-4 Each

Thuia	
Inula	

occidentalis riversi. Rivers Arboro	vitae.	12'	
2 ftB&B		4.00	
3 ftB&B			
	0.00	0.00	
occidentalis rosenthali. $Rosenthal$	Arbor	vitae.	10'
2 ftB&B	5.00	4.50	4.00
3 ftB&B			
4 ftB&B			. 7.50
5 ftB&B			
6 ftB&B		12.50	
7 ftB&B	20.00		
occidentalis spiralis. Spiral Arbor	vitae.	25 <b>'</b>	
2 ftB&B	5.00	4.00	3.50
3 ftB&B	6.00	5.00	4.50
4 ftB&B	7.50	6.50	6.00
5 ftB&B	10.00	8.50	
6 ftB&B	15.00	12.50	
7 ftB&B	18.00		
8 ftB&B	22.50		
9 ftB&B	25.00		
For larger sizes to 20 ft., add	\$5.00	per foot	•
occidentalis umbraculifera. Umbre	lla Ar	borvitae	. 3'
15 to 18 in spdB&E	3 2.25	2.00	1.75
18 to 24 in. spdB&B	2.50	2.25	
24 to 30 in, spdB&B	3,50	3.00	
2½ to 3 ft. spdB&B	4.00	3.50	
3 to 3½ ft. spdB&B		4.50	
,			
occidentalis vervaeneana. Vervaen	$e \ Arb$	orvitae.	12'
3 ftB&B	6.00	5.00	
4 ftB&B	7.50	6.50	
5 ftB&B	10.00		
6 ftB&B	12.50		
7 ftB&B	15.00		
8 ftB&B	20.00		
9 ftB&B	25.00		

	1-4 Each	5-24 Each	25 & up Each
Thuja			
occidentalis wareana. Ware Arbox	rvitae.	<i>15</i> ′	
18 in B&B	3.50	2.75	2.50
2 ft	4.00	3.25	3.00
2½ ftB&B	5.50	5.00	4.50
3 ftB&B	7.50	6.50	6.00
3½ ft B&B	8.50	7.50	7.00
4 ftB&B	10.00	9.00	
4½ ftB&B	12.50	10.00	
5 ftB&B	15.00	12.50	
occidentalis wareana lutescens.			
Ware Gold Arbo		10'	
18 inB&B	5.00		
	7 4 7		
occidentalis woodwardi. Woodwar			2. 6°
18 inB&B		2.50	
24 inB&B	3.50	3.00	
orientalis. Oriental Arborvitae.	25'		
3 ftB&B	4.50	3.75	
4 ft	6.00	5.50	
5 ft		7.50	
6 ft		10.00	
7 ftB&B			
8 ft			
9 ft			
orientalis conspicua. $Goldspire\ A$			
2 ftB&B		4.00	
3 ftB&B		4.50	
4 ft			
5 ft	10.00		
orientalis elegantissima.			
Yellow Column Arborv	itae 1	0'	
2 ftB&B		4.00	
3 ftB&B			
4 ft		0.00	
5 ft			
6 ft			
7 ft			
8 ftB&B			
0 IV	10,00		

Thuja	1-4 Fach	5-24	25 & up
orientalis nana aurea.	Each	Each	Each
Berkman's Golden Arbo	rvitae	. 3'	
18 inB&B	3.00	2.75	
2 ftB&B		3.50	
2½ ftB&B	5.00	4.00	
3 ftB&B			
orientalis sieboldi. $Siebold \ Arborv$			
3 ftB&	B = 5.0	0	
plicata. Giant Arborvitae. 20'		-	
3 ftB&B	5.00	4.50	
4 ftB&B	6.50	5.50	
5 ftB&B	10,00	7.50	
6 ftB&B	12.50	10.00	
7 ftB&B			
For larger sizes to 14 ft., add 3	\$5.00 p	er foot	t.
plicata fastigiata. Pyramidal Gian	$t \ Arbo$	rvitae.	20'
3 ftB&B	6.50	5.00	4.50
4 ftB&B	10.00	7.50	6.00
5 ftB&B	12.50	10.00	
6 ft	15.00		
7 ft	18.00		
standishi. Japanese Arborvitae. 15	· ·		
3 ftB&B			
Tilia americana. American Linden. 75	,		
8 to 10 ft		2.50	
1¼ to 1½ in			
1½ to 1¾ in		3.75	
13/4 to 2 in		5.00	
2 to 2½ in		7.50	
2½ to 3 in	13.50	11.50	
3 to 3½ in	20.00	15.00	
3½ to 4 in		20.00	
americana fastigiata.			
Pyramidal American Linde	n = 75'		
	10.00		
1½ to 1¾ in	15.00		
cordata. Littleleaf European Linde	n. $70$	,	
and a second a	5.00	4.00	
444	6.00	5.00	
407	7.50	6.50	
2 to 2½ in		8.50	
2½ to 3 in		12,50	
3 to 3½ in		18.00	

ma	1-4 Each	5-24 Each	25 & up Each
Tilia			
euchlora. Crimean Linden. 75'		4.50	4.00
6 to 8 ft	5.00	4.50	4.00
8 to 10 ft	6.50	5.50	5.00
1¼ to 1½ in	7.50	6.50	6.00
1½ to 1¾ in	10.00	8.50	7.50
13/4 to 2 in	12.50	10.00	9.00
2 to 2½ in	15.00	12.50	11.00
2½ to 3 in		15.00	14.00
3 to 3½ in	25.00	20.00	
europaea. European Linden. 75'			
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	2.75	
1¼ to 1½ in	4.50	3.75	
1½ to 1¾ in	5.50	5.00	
13/4 to 2 in	7.50	6.50	
2 to 2½ in	10.00	8.50	
2½ to 3 in	15.00	12.50	
3 to 3½ in	20.00	18.00	
3½ to 4 in	25.00	22.50	
4 to 5 in	35.00		
henryana. Henry Linden. 50'			
1¼ to 1½ in	7.50		
heterophylla. Beetree Linden.	<i>60</i> ′		
2 to 2½ in	15.00		
2½ to 3 in	17.50		
3 to 3½ in			
oliveri. Oliver Linden. 50'			
8 to 10 ft	. 7.50		
platyphyllos. Bigleaf Linden. 7	75 <b>'</b>		
6 to 8 ft		2.25	
8 to 10 ft		2.75	
1¼ to 1½ in		3.75	
1½ to 1¾ in		5.00	
134 to 2 in		6.00	
2 to 2½ in		8.50	
2½ to 3 in		12.50	
3 to 3½ in		18.00	
3½ to 4 in		10.00	
4 to 5 in			
T 100 III	. 50.00		

1-4 5-24 25 & up Each Each E**a**ch

## Tilia

	platypl	hyllo	s pv	ramid	alis.				
						f Lin	den.	50 <b>'</b>	
	6	to	8	ft			7.50		
	8		10				10.00		
	toment	osa.	Silv	er Lin	den.	40'			
							10.00		
							12.50		
	2						15.00		
	21/2						17.50		
Trip	oterygiu: 2 te	m re	geli. ft	Rege	ls Thr	eewin B&B	ngnut. 2.00	5' 1.75	1.50
							2.50		$\frac{1.50}{2.00}$
Tsug	ja canac $2\frac{1}{2}$	lensi ft	s. <i>C</i>	anada	Hemle	ock. B&B	75' 5.50	5.00	
	3							7.00	
	4							10.00	
	4			road					
	5						-	13.50	
	5			road					
	6	ft			]	B&B	25.00	20.00	
	7	ft			1	B&B	30.00	25.00	

caroli	nian	a.	,	(	$C\epsilon$	a i	•0	li	n	$\alpha$	H	I e	m	lock.	<i>50</i> ′	
2	ft.									•				.B&B	7.5	50
3	ft.													.B&B	10.0	00
4	ft.													.B&B	12.	50
5	ft.					۰			. ,			,		.B&B	15.0	00
6	ft.											۰		. B&B	20.0	00
7	ft.													.B&B	25.0	00

8 ft......B&B 35.00 30.00 For larger sizes to 18 ft, add \$5.00 per foot.

		E 04	25 & up
	1-4 Each	5-24 Each	Each
Ulex europeaus. Common Gorse. 4'	4.50	1.05	
18 to 24 in., 4 in. pots	1.50	1.25	
Ulmus americana. American Elm. 80	,		
8 to 10 ft	2.50	2.00	1.75
1½ to 1½ in	3.00	2.50	2.25
1½ to 1¾ in	4.00	3.50	3.25
134 to 2 in	6.50	5.00	4.00
2 to 2½ in	10.00	7.50	
2½ to 3 in	12.50	10.00	
3 to 3½ in	18.00	15.00	
3½ to 4 in	25.00	20.00	
4 to 4½ in	30.00	25.00	
americana moline. $Moline\ Elm.$			
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.50	2.25	2.00
11/4 to 11/2 in	3.00	2.75	2.50
1½ to 1¾ in	4.50	4.00	3.50
13/4 to 2 in	6.50	5.50	4.50
2 to 2½ in	10.00	7.50	
2½ to 3 in	12.50	10.00	
3 to 3½ in	18.00	15.00	
americana urni. Vase Elm. 60'			
6 to 8 ft	1.75	1.50	
8 to 10 ft	2.50	2.25	
1¼ to 1½ in	3.00	2.75	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.50	4.00	
$1\frac{3}{4}$ to $2$ in	6.50	5.50	
$2$ to $2\frac{1}{2}$ in		7.50	
2½ to 3 in		10.00	
3 to 3½ in	18.00	15.00	
·			
campestris. (see procera).			
* * * * * * * * * * * * * * * * * * *	777	N ~!	
carpinifolia sarniensis. Wheatley		75'	
1½ to 1½ in		5.00 6.50	
1½ to 1¾ in			
134 to 2 in		7.50	
2 to 2½ in		12.50	
2½ to 3 in		15.00	
3 to 3½ in	25.00	20.00	)

3½ to 4 in..... 30.00

us				1-4 Each	5-24 Each	25 & Eac
fulva. S	Slip	peru	Elm. 65'			
		_	in	6.00	5.00	
			in		6.50	
alahwa	Q.	h	El ~~!			
-			Elm. 75'	4.00	0.50	
			in	4.00	- •	
			in	5.00	4.50	
2			in		6.00	
_			in		7,30	
474	ιο	J	111	12.50		
			owni. Camperdown		20 <b>'</b>	
6 ft	. st	em		6.00	5.00	
			standards		,	
hollandi 1¾	i <b>ca</b> to	klem 2	meri. Klemmer El	m. 75 $12.50$	,	
hollandi 13⁄4 hollandi	ica to	klem 2 latifo	meri. Klemmer El	m. 75 12.50		
hollandi $13\!\!/\!_4$ hollandi $11\!\!/\!_2$	ica to ica to	klem 2 latifo	meri. Klemmer El	75' 5.00	4.50	
hollandi $13\!\!/\!_4$ hollandi $11\!\!/\!_2$	to to to	klem 2 latifo 134 2	meri. Klemmer El in	75' 5.00 7.50		
hollandi $1rac{3}{4}$ hollandi $1rac{1}{2}$ $1rac{3}{4}$	to to to to	klem 2 latife 134 2 21/2	meri. Klemmer El in.  clia. Belgian Elm. in. in.	75' 12.50 75' 5.00 7.50 10.00	4.50	
hollandi $1rac{3}{4}$ hollandi $1rac{1}{2}$ $1rac{3}{4}$ $2$	to to to to	klem 2 latifo 134 2 21/2 3	meri. Klemmer El in.  clia. Belgian Elm. in. in.	75' 12.50 75' 5.00 7.50 10.00 12.50	4.50	
hollandi $1\frac{3}{4}$ hollandi $1\frac{1}{2}$ $1\frac{3}{4}$ $2$ $2\frac{1}{2}$	to to to to	klem 2 latifo 134 2 21/2 3 31/2	meri. Klemmer Ele in	75' 12.50 75' 5.00 7.50 10.00 12.50 20.00	4.50 6.00	
hollandi $1\frac{3}{4}$ hollandi $1\frac{1}{2}$ $1\frac{3}{4}$ $2$ $2\frac{1}{2}$	to to to to to	klem 2 latifo 134 2 21/2 3 31/2 veget	meri. Klemmer El in	75' 12.50 75' 5.00 7.50 10.00 12.50 20.00	4.50 6.00	
hollandi $1\frac{3}{4}$ hollandi $2\frac{1}{3}$ 4 $2\frac{2}{2}$ 3	ica to to to to ca to	klem 2 latifo 134 2 21/2 3 31/2 veget	meri. Klemmer Ele in	75' 12.50 75' 5.00 7.50 10.00 12.50 20.00 m. 75' 5.00	4.50 6.00	
hollandi $1rac{1}{4}$ hollandi $1rac{1}{2}$ $1rac{3}{4}$ $2$ $2rac{1}{2}$ $3$ hollandi $1rac{1}{2}$	to to to to to to	klem 2 latifo 134 2 21/2 3 31/2 veget 134 2	meri. Klemmer Ele in.  blia. Belgian Elm. in. in. in. in. in. a. Huntington Ele in.	75' 12.50 75' 5.00 7.50 10.00 12.50 20.00 n. 75' 5.00 6.50	4.50 6.00 4.50	
hollandi $1\frac{1}{4}$ hollandi $1\frac{1}{2}$ $1\frac{3}{4}$ $2$ $2\frac{1}{2}$ $3$ hollandi $1\frac{1}{2}$ $1\frac{3}{4}$ $2$	to to to to to to	klem 2 latifo 134 2 21/2 3 31/2 veget 134 2	meri. Klemmer Ele in.  blia. Belgian Elm. in. in. in. in. in. in. in. in. in. in	75' 12.50 75' 5.00 7.50 10.00 12.50 20.00 m. 75' 5.00 6.50 10.00	4.50 6.00 4.50 5.50 7.50	
hollandi $1\frac{1}{4}$ hollandi $1\frac{1}{2}$ $1\frac{3}{4}$ $2$ $2\frac{1}{2}$ $3$ hollandi $1\frac{1}{2}$ $1\frac{3}{4}$ $2$	to to to to to to to	klem 2 latifo 134 2 21/2 3 31/2 veget 134 2 21/2 3	meri. Klemmer Ele in.  blia. Belgian Elm. in. in. in. in. in. in. in. in. in. in	75' 12.50 75' 5.00 7.50 10.00 12.50 20.00 n. 75' 5.00 6.50 10.00 15.00	4.50 6.00 4.50 5.50 7.50 12.50	
hollandi $1\frac{1}{4}$ hollandi $1\frac{1}{2}$ $1\frac{3}{4}$ $2$ $2\frac{1}{2}$ $3$ hollandi $1\frac{1}{2}$ $1\frac{3}{4}$ $2$ $2\frac{1}{2}$	ica to to to to to to	klem 2 latifo 134 2 2½ 3 3½ veget 134 2 2½ 3 3½ 3½	meri. Klemmer Ele in.  blia. Belgian Elm. in. in. in. in. in. in. in. in. in. in	75' 12.50 75' 5.00 7.50 10.00 12.50 20.00 6.50 10.00 15.00 20.00	4.50 6.00 4.50 5.50 7.50 12.50	
hollandi $1\frac{1}{4}$ hollandi $1\frac{1}{2}$ $1\frac{3}{4}$ $2$ $2\frac{1}{2}$ $3$ hollandi $1\frac{1}{2}$ $1\frac{3}{4}$ $2$ $2\frac{1}{2}$ $3$ $3\frac{1}{2}$	to to to to to to to to	klem 2 latifo 134 2 21/2 3 31/2 veget 13/4 2 21/2 3 31/2 4	meri. Klemmer Ell in.  blia. Belgian Elm. in. in. in. in. in. in. in. in. in. in	75' 12.50 75' 5.00 7.50 10.00 12.50 20.00 6.50 10.00 15.00 20.00	4.50 6.00 4.50 5.50 7.50 12.50 15.00	
hollandi $1\frac{1}{4}$ hollandi $1\frac{1}{2}$ $1\frac{3}{4}$ $2$ $2\frac{1}{2}$ $3$ hollandi $1\frac{1}{2}$ $1\frac{3}{4}$ $2$ $2\frac{1}{2}$ $3$ $3\frac{1}{2}$	to to to to to to to	klem 2 latifo 134 2 2½ 3 3½ veget 134 2 2½ 3 3½ 4	meri. Klemmer Ele in.  blia. Belgian Elm. in. in. in. in. in. in. in. in. in. in	75' 12.50 75' 5.00 7.50 10.00 12.50 20.00 1.500 10.00 15.00 20.00 25.00	4.50 6.00 4.50 5.50 7.50 12.50 15.00	

	1-4 Each	5-24 Each	25 & up Each
Ulmus			
parvifolia. Chinese Elm. 30'	0.50	9.00	1.50
6 to 8 ft	2.50	2.00	1.50
8 to 10 ft	3.00	2.75	$\frac{2.50}{2.50}$
10 to 12 ft	4.00	3.75	3.50
12 to 14 ft	7.50	6.00	
·			
procera. (campestris). English Elm			
6 to 8 ft	2.50	2.25	
8 to 10 ft	3.50	3.00	
1¼ to 1½ in	4.00	3.50	
1½ to 1¾ in	5.00	4.50	
1¾ to 2 in	7.50	6.00	
2 to $2\frac{1}{2}$ in	10.00	7.50	
	15.00	12.50	
	20.00		
$3\frac{1}{2}$ to 4 in	25.00		
p. monumentalis. Monument Engl 8 to 10 ft	$ish  El \ 5.00$	m. 75 $4.00$	,
1½ to 1½ in	6.00	5.00	
1½ to 1¾ in	7.50	6.50	
134 to 2 in	10.00	7.50	
2 to 2½ in	15.00	12.50	
2½ to 3 in,	18.00	15.00	
3 to 3½ in	25.00	20.00	18,00
3½ to 4 in		25.00	10.00
4 to 4½ in		20.00	
1 10 1/2 111	10.00		
D 11 (T .1'1 T	71	v ot	
p. purpurea. Purpleleaf English E		70	
8 to 10 ft	3.00		
pumila. Siberian Elm. 75'			
6 to 8 ft	2.50	1.75	1.50
8 to 10 ft	3.00	2.25	2.00
10 to 12 ft	3.50	2.75	2.50
1½ to 1¾ in	4.50	3.50	3.25
134 to 2 in	6.00	5.00	4.50
2 to 2½ in	10.00	7.50	7.00
2½ to 3 in	12.50	10.00	
3½ to 4 in	20.00	18.00	

Ulmus	1-4 Each	5-24 Each	25 & up Each
thomasi (sassassas) D. I. W.			
thomasi. (racemosa). $Rock Elm$ . 7 6 to 8 ft		4.50	
8 to 10 ft	6.00	4.50 5.60	
1½ to 1½ in		6.50	
	*****	0.00	
Vaccinium angustifolium laevifolium.  Smoothleaf Blue	howen	<i>18</i> "	
8 to 12 in. spreadB&B	2.00	1.50	
-		1.00	
corymbosum. Highbush Blueberry. 2 to 3 ftB&B	8' 5.00	4.00	3,75
3 to 4 ft,	6.50	5.50	5.00
4 to 5 ft,	8.50	8.00	7.50
Viburnum acerifolium. Mapleleaf Vibu			1.00
2 to 3 ft	1.00	. 5	
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	
americanum. (see trilobum).			
	0		
betulifolium. Birchleaf Viburnum.	12'	0.00	
2 to 3 ft	2.50	2.00	
3 to 4 ft	3.00		
bitchuiense. Yeddo Viburnum. 6'			
3 to 4 ftB&B	3.50	3.00	
4 to 5 ftB&B	5.00	4.00	
burejaeticum. $Manchurian\ Viburn$			
2 to 3 ft	2.50	2.00	
3 to 4 ft	3.00	2.50	
burkwoodi. Burkwood Viburnum.	<b>4</b> '		
2 to 3 ftB&B	5.00		
3 to 4 ftB&B	6.00		
carlesi. Koreanspice Viburnum. 4'			
18 to 24 inB&B	3.00	2.50	
2 to 3 ftB&B	4.00	3.50	
3 to 4 ftB&B	5.00	4.50	
18 to 24 in., own roots. B&B	4.00		
2 to 3 ft., own rootsB&B	5.00		
Standards			
18 in. stemB&B	5.00	4.00	
2 ft. stemB&B	6.00	5.00	
3 ft. stemB&B	7.50	6.00	

Viburnum	1-4 Each	5 <b>-24</b> Each	25 & up Each
Viburnum			
${\bf cassinoides.}\ \ With erod\ \ Viburnum.$	12'		
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.10	1.00
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	2.00	1.60	1.50
dentatum. Arrowwood Viburnum.	12'		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
dilitatum, Linden Viburnum, 10'			
2 to 3 ft	.75	.65	
3 to 4 ft	1.00	.85	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.75	
6 to 8 ft	2.50	2.00	
d. xanthocarpum.			
Yellowberry Linden Vibus		10'	
2 to 3 ft	1.50		
fragrans. Fragrant Viburnum. 10	,		
2 to 3 ftB&B	5.00	4.00	
3 to 4 ftB&B	6.00		
4 to 5 ftB&B	7.50		
handana II I II'I			
hupehense. Hupeh Viburnum. 6'	1.50	1.05	Z
2 to 3 ft	1.50	1.25	
3 10 4 11	2.00	1.50	
lantana. Wayfaring Tree. 15'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
lantana rugosum. Wrinkleleaf Wa	ufarin	a-tree.	<i>15</i> ′
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25		1.00
6 to 8 ft	1.50		1.25

Viburnum	1-4 Each	5-24 Each	25 & up Each
lentago. Nannyberry. 20'			
3 to 4 ft	.75	.65	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.00	1.75
10 to 12 ft. spec		2.00	1.75
10 to 12 it. spec,	20.00		
molle. Kentucky Viburnum. 10'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
nudum. Possumhaw Viburnum.	15'		
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	1.50
			2.00
opulus. European Cranberrybush.  2 to 3 ft	12'	<b>5</b> 0	45
	.60	.50	.45
	.75	.60	.55
_ 33	1.00	.85	.75
	1.25	1.10	1.00
• • • • • • • • • • • • • • • • • • • •	1.50	1.35	1.25
8 to 10 ft	2.00	1.65	1.50
opulus nanum. Dwarf Cranberry	Bush.	2'	
8 to 10 in	1.25	1.00	.90
opulus sterile. Common Snowball.	10'		
2 to 3 ft	.65	.55	.50
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.25	
opulus xanthocarpum.			
Yellowfruit Cranberrybu	oh 1	o'	
2 to 3 ft		2.00	
3 to 4 ft		_	
4 to 5 ft	3.50		
4 10 5 11	3.30	3.00	

Trib	1-4 Each	5-24 Each	25 & up Each
Viburnum			
ovatifolium. Eggleaf Viburnum.	10'		
3 to 4 ft	1.50		
prunifolium. Blackhaw Viburnum.	15 <b>'</b>		
3 to 4 ft	1.50	1.35	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2,50
8 to 10 ft	5.00	4.50	4.00
pubescens. Downy Viburum. 6'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.10	1.00
5 to 6 ft	1.50	1.25	
p. canbyi. Canby Downy Viburnus	$n. 10^{\circ}$	,	
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
rhytidophyllum. Leatherleaf Vibur	rnum.	8 <b>'</b>	
2 to 3 ftB&B	5.00		
3 to 4 ftB&B	6.00		
4 to 5 ftB&B	7.50		
5 to 6 ftB&B	10.00		
rufidulum. Rusty Blackhaw Vibur	num.	<i>15</i> ′	
3 to 4 ft	1.50	1.35	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.00	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
sargenti. Sargent Cranberrybush.	10'		
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.50	1.25	
6 to 8 ft	1.75	1.50	
sieboldi. Siebold Viburnum. 10'			
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.10	1.00
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	2.50	1.75	1.50
8 to 10 ft	3.50	3.00	2.50

Viburnum	1-4 Each	5-24 Each	25 & up Each
setigerum Tea Viburnum. 12'	Lucii	Eden	Eden
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
tomentosum. Doublefile Viburnum.	8'		
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.10	1.00
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	2.00	1.75	1.50
t. sterile. (plicatum). Japanese Sno	wball	. 8'	
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.75	
trilobum. (americanum). American (	Cranb	errybu	sh. 12'
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
trilobum compactum. 6'			
18 to 24 in	2.00	1.50	
2 to 3 ft	2.50	2.00	
veitchi. Veitch Viburnum. 6'			
3 to 4 ft	1.50		
4 to 5 ft	1.75		
5 to 6 ft	2.00		
wrighti. Wright Viburnum. 8'			
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.25	1.75	
5 to 6 ft	2.50	2.00	
Vinca minor. (see Herbaceous Material	l).		
Vitex agnuscastus. Lilac Chastetree.	4'		
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
a. alba. White Chastetree. 4'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	
a. latifolia. (macrophylla).			
Hardy Lilac Chastetree.	4'		
2 to 3 ft	.75	.60	1
3 to 4 ft	1.00	.75	

	1-4 Each	5-24 Each	25 & up Each
Vitex			
negundo. Negundo Chastetree. 4'			
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
negundo incisa. Cutleaf Chaste-tr	ee. 4	<i>'</i>	
3 to 4 ft	1.00		
Vitis aestivalis. Summer Grape. 40'			
2 year	.55	.45	.40
3 year	.65	.55	.50
amurensis. Amur Grape. 40'			
3 year	.75	.60	
coignetiae. Gloryvine. 40'			
3 year	1.00	.85	.75
4 year	1.25	1.00	
labrusca. Fox Grape. 40'			
2 year	.55	.45	.40
3 year	.65	.55	.50
riparia. Riverbank Grape. 40'			
2 year	.60	.50	
3 year	.75	.60	
rotundifolia. Muscadine Grape. 40	) <b>'</b>		
3 year	.75	.60	.50
4 year	.85	.70	.60
vulpina. Frost Grape. 40'			
2 year	.55	.45	.40
3 year	.65	.55	.50
4 year	.75	.65	.60
Weigela floribunda. Crimson Weigela.	10'		
	.65	.55	
3 to 4 ft	.80	.70	
florida. (rosea). Oldfashioned Weig		8'	
	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
hortensis rubra. 10'	4		
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25

	1-4 Each	5-24 Each	25 & up Each
Weigela	Edeli	Lacri	Eden
japonica. Japanese Weigela. 8'			
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.00
5 to 6 ft	1.25	1.10	
rosea. (see florida).			
wagneri Abel Carriere.			
Abel Carriere Wagner W	eiaela	. 10'	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25		1.00
w. Candida. Snow Weigela. 8'			
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.00	
w. Desboisi. Desbois Weigela. 8'	1100		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
w. Eva Rathke. Eva Rathke Weig		5'	.10
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
			.13
w. Groenewegeni. Groenewegeni W			
3 to 4 ft	.75	.60	.55
	1.00	.85	.75
5 to 6 ft		1.10	1.00
w. Gustav Mallot. Gustav Mallot	•		4.5
2 to 3 ft		.50	.45
	.75		.55
4 to 5 ft		.85	.75
5 to 6 ft		1.10	1.00
w. nana variegata. Dwarf Variege		Veigela	. 5'
	.75	.60	.55
3 to 4 ft	1.00	.85	.75
w. sieboldi argenteomarginata.			
Siebold Silveredge Weige	la. 8	,	
3 to 4 ft	.85	.75	
4 to 5 ft	1.00	.85	
w. Styriaca. 8'			
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	

	1-4 Each	5-24 Each	25 & up Each
Weigela			
w. vanhouttei. Vanhoutte Weigela.	8'		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
Wisteria floribunda hybrids.			
2 year	3.50		
<b>Kyushaku</b> — lavender			
<b>Murasaki Noda</b> — purple			
Naga Noda — lavender			
Penn Valley — deep pur	ple		•
<b>Rosea</b> — pink			
Royal Purple — purple			
Rubra — red			
floribunda macrobotrys (multijuga	a).		
Longcluster Japanese Wi	staria.	30'	
2 year	1.00	.75	.65
3 year	1.25	1.00	.85
4 year	1.50	1.25	1.00
frutescens. American Wistaria. 3	0'		
2 year	.75	.60	.50
macrostachya. Kentucky Wistaria.	25'		
2 year	.75	.60	.50
3 year	1.00	.75	.60
sinensis. Chinese Wistaria. 40'			
2 year	1.00	85	75
3 year			
3 year grafted flower-	1.20	1110	1,00
ing plants	3.00	2.50	
Standards. 4 ft. stem,		_, _	
30 in. headB&B	10.00		
sinensis alba. White Chinese Wist	a mi a	10'	
2 year		•	.75
3 year			
4 year			
3 year grafted flower-	1110	1.00	
ing plants	3.00	2.50	
Standards. 4 ft. stem,	0.00	2.00	
30 in, headB&B	12.50		
UU 111, 11000011111111111111111111111111			

	1-4 Each	5-24 Each	25 & up Each
Zanthorhiza simplicissima. Yellowroot.	. 3'		
12 to 15 in, clumps	.75	.65	.60
15 to 18 in. clumps	1.00	.85	.75
18 to 24 in. clumps	1.25	1.10	1.00
Zanthoxylum americanum. Prickly Ass	h. 15'	,	
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.00	1.50	1.25
schinifolium. Peppertree Prickly	4sh.	<i>12</i> ′	
3 to 4 ft	2.00		
simulans. Flatspine Prickly Ash.	25'		
3 to 4 ft	2.00		
Zelkova serrata Japanese Zelkova. 50	0 <b>'</b>		
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.00	

## HERBACEOUS AND ALPINE MATERIAL

All kinds marked with an asterisk (\*) are adapted for the rock garden.

We are prepared to deliver from pots such kinds as are difficult to transplant or whose dormant period in the spring is brief. An extra charge of three cents per plant will be made for those so grown.

*Acaena buchanani. Bluish gray, Aug., 1"\$	.25	\$ .20
*sanguisorbae. Bright green foliage, 2"	.25	.20
*Achillea ageratifolia aizoon. White, May,		
June, 8"	.25	.20
clavennae. White, July, 1'	.25	.20
filipendulina. Yellow, June, July, 3'	.25	.18
*millefolium Cerise Queen. Rose, July 2'	.25	.18
*nana. White, June, July, 6"	.25	.20
*nitida. White, June, July, 1'	.25	.20
*ptarmica The Pearl. White, July, 2'	.25	.18
*ptarmica Boule de Neige. White, June,		
July, 2'	.25	.18
*ptarmica Perry White. June, July, 2'	.25	.18
*tomentosa. Yellow, June, 1'	.25	.20
Aconitum autumnale. Blue, July, August, 4'	.35	.30
fischeri. Blue, September, 3'	.30	.25
fischeri wilsoni. Violet blue, Sept., 5'	.40	.35
napellus. Light blue, July, Aug., 4'	.30	.25
napellus Spark's. Violet blue, July,	.00	.20
Aug., 5'	.30	.25
*Actinea herbacea. Yellow, May, 6"	.30	
*Actaea alba. White, May, June, 3-4	.25	.18
rubra. Red, May, June, 3-4'	.25	.18
		•=-
Adenophora chinensis. Blue, fall, 3'	.25	
potanini. Light blue, July, Aug., 3'	.25	
*Adiantum pedatum. Maiden Hair Fern	.25	.18
Adonis amurensis. Yellow, March, 18"	.75	
*Aegopodium podograria variegatum. Variegated foliage, 1'	.25	.18

	5-24 each	25 up each
*Aethionema cordifolium. Rosy lilac, June, 6"	.30	.25
grandiflorum. Pink, June, 12"	.30	.25
*kotschyi. Rose, July, 4"	.30	.25
*persicum. Pink, June, July, 9"	.30	.25
*pulchellum. Pink, June, 8"	.30	.25
*schistosum. Rose, June, 4"	.30	.25
*Ajuga brockbanki. Purple, June, 6"	.25	.20
*genevensis. Bright blue, May, 6"	.25	.20
*genevensis rosea. Pink, May, 6"	.25	.20
*reptans. Blue, May, 6"	.25	.18
*reptans alba. White, May, 6"	.25	
*Allium carinatum. Rose, June, July, 2'	.25	.20
*karataviense. White, June, July, 8"	.25	.20
*narcissiflorum. Rose, June, July, 1'	.25	.20
*pulchellum. Violet, June, July, 9" schoenoprasum. Rose purple June,	.25	.20
July, 2'	.25	.20
stellatum. Rose, June, July, 18"	.25	.20
*thibetica. Lilac mauve, June, July, 8"	.25	.20
Althea rosea. Hollyhock		
*Double. Separate colors, July, Aug., 5'	.25	.18
*Double. Chaters' strain, separate colors	.25	.18
Fringed Allegheny. July, Aug., 5'	.25	.18
Single. Mixed colors, July, Aug., 5'	.25	.18
Single. Separate colors, July, Aug., 5'	.25	.18
*Alyssum argenteum. Yellow, July, Aug., 6"	.25	.20
*creticum. Yellow, June, July, 1'	.25	.20
*montanum. Yellow, June, July, 8"	.30	.25
*rostratum. Yellow, June, July, 12"	.25	.20
*saxatile compactum. Yellow, May, 1'	.25	.18
*saxatile sulphureum. Yellow, May, 1'	.30	.25
*serpyllifolium. Yellow, June, July, 4"	.25	*
*spinosum. Pink and white, June, 3"	.30	.25
*Amsonia tabernaemontana. Blue, May,	0.5	90
June, 3'	.25	.20
Anchusa barrelieri. Blue, May, 2'	.25	
*capensis. Blue, summer, 18"	.25	.20
italica Dropmorei. Blue, June, 4-5'	.25	.18
*myosotidiflora. Bright blue, May, 1'	.30	.25
,		

*Androsace lanuginosa. Rose, June, 8"	5-24 each .40	25 up each
Anemone hupehensis. Mauve, Aug., Sept., 1'	.30	.25
*japonica alba. White, fall, 3'	.30	.25
*japonica Alice. Rose pink, fall, 3'	.30	.25
japonica Louise Uhink. White, fall, 3'	.30	
japonica Marie Manchard. White, fall, 3'	.30	
japonica Prince Heinrich. Deep pink,		
fall, 3'	.30	.25
japonica Queen Charlotte. Rose, fall, 3'	.30	.25
japonica Richard Ahrends. Shell pink,		
fall, 2'	.30	.25
japonica rubra. Red, fall, 2'	.30	.25
japonica September Charm. Silvery		
pink, fall, 2'	.30	
japonica September Sprite. Pink, fall, 2'	.30	.25
*japonica Whirlwind. Pure white, fall, 3'	.30	.25
*pennsylvanica. White, July, 18"	.25	
*pulsatilla. Blue, April, 15"	.30	.25
*pulsatilla alba. White, April, 1'	.30	.25
*pulsatilla rubra. Dark red, April, 12"	.30	.25
*sylvestris. White, May, June, 1'	.30	.25
*Antennaria dioica. White, May, 6"	.25	.20
*Anthemis cinerea. White, Aug. 1'	.25	.20
*montana. White, July, 10"	.25	.20
Moonlight. Pale yellow, summer, 2'	.30	.25
nobilis. White, summer, 1'	.25	.18
tinctoria. Yellow, July, Aug., 3,	.25	.18
tinctoria E. C. Buxton. White, yellow		
eye, July, Aug., 3'	.25	.18
tinctoria kelwayi. Yellow, July, Aug., 3'	.25	.18
tinctoria kelwayi. White, July, 3'	.25	.20
Anthericum liliago. White, May, June, 3'	.40	
Anthyllis vulneriaria dilleni. Red, summer, 1'	.30	
*Aquilegia alpina. Blue, May, June, 1'	.25	.20
*coerulea. Blue, May, June, 1½'		.20
coerulea hybrida. Various, June, 2'	.25	.18
*canadensis. Scarlet, May, June, 2'	.25	.20
*chrysantha. Yellow, June, July, 3'	.25	.20

	5-24 each	25 up each
Aquilegia	cacii	Cusii
chrysantha alba. White, June, July, 3'	.25	.20
Crimson Star. Crimson, May, June, 2'	.30	.25
*flabellata nana-alba. White, June, 10"	.25	.20
**hybrida. Mrs. Scott Elliott. Various,		
June, 2'	.25	.20
longissima. Yellow, June, 2'	.40	.35
*pyrenaica. Deep blue, June, July, 1'	.30	.25
rosea. Long spurred pink, June, 2'	.30	.25
*siberica fl. pl. Blue and white, June, 18"	.25	.20
*skinneri. Red and yellow, May, 2	.25	.20
*vulgaris. Purple, May, June, 2'	.25	.18
vulgaris nivea. White, May, 2'	.25	.20
*Arabis albida. White, May, 6"	.25	.20
*alpina. White, April, May, 6"	.25	.18
*alpina fl. pl. Dbl. White, April, May, 6"	.30	.25
*alpina Rosabella. Pink, April, May, 6"	.35	
*alpina rosea. Pink, April, May, 6"	.30	.25
*aubretioides. Pink, May, 8"	.30	.25
*cockilis. White, April, May, 6"	.25	.20
*holboelli. Lilac. May, 8"	.25	.20
*muralis. Rose, May, 10"	.25	.20
*procurrens. White, May, 1'	.25	.20
*Arenaria balearica. White, July, Aug., 3"	.25	.20
*grandiflora. White, May, 4"	.25	.20
*montana. White, June, 4"	.25	.20
*verna. White, June, July, 3"	.25	.20
Arisaema triphyllum. Purple, May, 1'	.25	.18
*Armeria alpina. Pink, summer, 6"	.25	
*Bee's Ruby. Red, summer, 10"	.30	
*caespitosa. Pale pink, May, 2"	.30	.25
*cephalotes rubra. Deep pink, May, June,	•••	
6"	.25	.20
*laucheana. Crimson, May, June, 8"	.25	.18
*maritima. Pink, May, June, 6"	.25	.18
*maritima alba. White, May, June, 6"	.25	
*robusta. Crimson, May, June, 10"	.25	
Batamasia absinthium Warmanad 4	25	.20
Artemesia absinthium. Wormwood, 4'		.20 25

Artemesia	5-24 each	25 up each
	00	0.5
frigida. Silver foliage. 18"	.30	.25
lactiflora. White, Aug., 4'	.25	.20
pontica. Gray foliage. 12" purshiana. Gray foliage, 3'	.25	.18
Silver King. White foliage. 3'	.25	.18
stelleriana. White, summer, 2'	.25	.18
	.25	.18
*Arundo-donax. Giant Reed, 12'	.40	.35
*Asarum canadense. Chocolate, May, 6"	.25	.18
Asclepias incarnata. Red, Aug., 4'	.25	.18
tuberosa. Orange, July, Aug., 2'	.25	.18
*Asperula cynanchica. Pink, summer, 10"	.25	
hexaphylla. White, June, 1'	.25	.20
*hirta. Pink, July, Aug., 6"	.25	.20
*longifolia. White, summer, 8"	.25	
*odorata. White, May, 8"	.25	.20
*scutellaria. White, June, July, 6"	.25	
Asphodeline lutea. Yellow, July, 3'	.25	.20
*Asplenium felix faemina. Lady Fern	.25	.18
*Aster alpinus. Blue, June, July, 8"	.25	18
*alpinus albus. White, June, July, 8"	.25	.20
*alpinus Goliath. Bluish purple, May,		
June, 8"	.30	
*alpinus ruber. Rosy purple, July, 8"	.25	
amellus Mrs. R. Wood. Rose, July, 18"	.30	
Abendrothe. Rose pink, Oct., 3'	.25	20
Acme. Light lavender, Oct., 5'	.25	.20
Adorable. Pink, fall, 3'	.40	
Ballard's Crimson. Fall, 3'	.25	.20
Beechwood Challenger. Crimson, fall,		
18"	.30	.25
Blue Gem. Blue, Sept, 3'	.25	.20
Blue Gown. Blue, fall, 4'	.30	.25
Blue Lagoon. Blue, fall, 4'	.40	.35
Climax. Blue, Sept., Oct., 3'	.25	.18
dracunculoides. Light blue, July, 2'	.30	.25
frikarti Wonder of Staefa. Lavender, fall, 2'	45	40
Iaii, 2	.45	.40

% -1	5-24 each	25 up each
Aster Harrington's Pink. Fall, 3'	.30	.25
laevis. Lavender, Sept., 4'	.25	.18
Mauve Cushion. Mauve, Oct., 12"	.25	.18
Mauve Queen. Mauve, Sept. 3'	.25	.18
Mrs. Raynor. Crimson, Sept., 3'	.25	.18
Mt. Everest. White, fall, 3'	.30	.25
novae-angliae. Purple, Sept., Oct., 4'	.25	.18
novae-angliae roseus. Rose, Sept., 4'	.25	.20
Palmyra. Pink, fall, 3'	35	.30
Queen Mary. Blue, Sept., 3'	.25	.20
Red Cloud. Deep pink, fall, 3'	.35	.30
Red Rover. Red, fall, 3'	.30	.50
Robt. Parker. Lavender, Sept., Oct., 5'	.25	.18
Royal Blue. Blue, fall, 4'	.30	,10
Skylands Queen. Light blue, fall, 3'	.25	
Sunset. Pink, Sept. 3'	.30	.25
tartaricus. Purple, Oct. and Nov., 6'	.25	.18
Violetta. Violet, Sept., 3'	.45	.10
		.25
White Climan White fall 4'	.30	
White Climax. White, fall, 4'	.25	.18
dwarf varieties.		
Countess of Dudley. Clear pink,	.25	.20
Sept., 9"	.40	.20
Lady Henry Maddocks. Pink, Sept.,	.25	.20
1'		
Lavenda. Lavender blue, Sept., 6"		.25
Marjorie. Rose pink, Sept., 1'		.20
Nancy. Flesh pink, Sept., 1'		.20 .20
Niobe. White, Sept., 6"	.25	.20
	.25	
- / - /		.20
Victor. Lavender blue, Sept., 8"	.25	.20
Astilbe arendsi Ceres. Rosy lilac, July, 2'	.45	.40
arendsi Gladstone. White, July, 18"	.45	
arendsi Granat. Crimson, June, 2'	.45	
arendsi Grandis rosea magnifica. Pink,		
July, 4'	.45	
arendsi Juno. Purplish pink, July, 3'	.45	.40
arendsi Kreimhilde. Rose, June, July, 2'	.45	.40
arendsi Marguerite Van Rechteren. Red,		
tinged lilac, Aug., 4'	.45	.40

Astilbe	5-24 each	25 up each
arendsi Moerheimi. White, July, 3'	.45	
arendsi. Philadelphia. Lavender rose,		
July, 2'	.45	
arendsi Rhineland. Crimson, shaded sal-		
mon, June, 2'	.45	.40
_ , , , ,	45	.40
arendsi Salland. Red, July, 5'	.45	.40
biternata. Cream, June, 4'	.45	.40
rosea Queen Alexandra. Deep pink, July, 3'	45	40
rosea Queen of Holland. Rose pink,	.45	.40
July, 3'	.45	.40
rubella Vesta. Lilac rose, July, 3'	.45	.40
Astrantia major. Silvery pink, May, 2'	.25	.18
*Aubrietia deltoidea. Purple, April, May, 4"	.25	.10
*deltoidea bougainvillei. Dark blue,	.40	.20
April, 5"	.30	.25
*deltoidea eyrei. Rosy lilac, April, 5"	.30	.25
*deltoidea Fire King. Red, May, 4"	.30	,
*deltoidea graeca. Violet, May, 4"	.30	.25
*deltoidea leichtlini. Pink, April, 5"	.30	.25
*deltoidea purpurea. Purple, April, 5"	.30	
*hybrida. Various, April, May, 6"	.25	
Baptisia australis. Indigo, June, 4'	.25	.20
tinctoria. Yellow, June, 3'	.25	.20
Belamcanda chinensis. Orange, summer, 3'	.25	.18
*Bellis perennis alba. White, April, May, 3"	.25	.18
*perennis rosea. Pink, April, May, 3	.25	.18
*rotundifolia caerulescens. Blue, May		
2"	.30	.25
*Bellium bellidioeides. Bluish, summer, 4"	.25	
Bocconia cordata. Creamy white, Aug., 6'	.25	.20
Boltonia asteroides. White, Sept., 5'	.25	.18
latisquama. Lavender, Aug., 5'	.25	.18
latisquama nana. Lavender, Aug., 2'	.30	.25
Boykinia rotundiflolia. White, June, 2'	.25	.20
Buphthalmum speciosum. Yellow, June, 3'	.25	.18
salicifolium. Yellow ,summer, 2'	.25	.20
*Calamintha alpina. Purple, summer, 6"	.25	.20
*Calandrinia umbellata. Crimson, summer, 6"	.30	.25

Calimonia ingias Di 1	5-2 <b>4</b> each	25 up each
Calimeris incisa. Pink, summer, 2'	.25	
*Callirhoe involucrata. Red, all summer, 6"	.25	.18
*Caltha palustris. Yellow, April, May, 12"	.25	.20
Camassia leichtlini. Blue, May, 2'	.25	.20
quamash. Blue, May, 2'	.25	.20
*Campanula alliariaefolia. White, June, July,		
2'	.25	.20
*bononiensis. Blue, June, 2'	.25	.20
*carpatica. Blue, July, August, 9"	.25	.20
*carpatica alba. White, July, Aug., 9"	.25	.20
*collina. Blue, July, Aug., 1'	.25	
*cullinmore. Blue, summer, 9"	.35	.30
*elatinoides. Blue, summer, 6"	.25	
*fenestrellata. Pale blue, summer, 3"	.25	.20
*garganica. Light blue, June, 6"	.30	.25
*garganica hirsuta. Blue, June, 4"	.25	
*glomerata. Purple, June, July, 2'	.25	.18
glomerata acaulis. Purple, June, 6"	.25	.20
glomerata superba. Violet, June, July, 2'	.25	.20
*grosseki. Blue, summer, 2'	.25	.18
*istriaca. Pale blue, June, July, 3"	.25	
*kolenatiana. Blue, July, 9"	,30	.25
lactiflora. Light blue, Aug., 4'	.25	.20
latifolia alba. White, July, 3'	.30	.25
latifolia macrantha. Purplish blue, July,		
3'	.25	.20
medium. Mixed, June, July, 3'	.25	.18
medium. Separate colors, June, July, 3'	.25	.20
medium calycanthema. Mixed, July,3'	.25	.18
medium calycanthema. Separate colors,		
July, 3'	.25	.20
*muralis. Blue-purple, June, 6"	.30	.25
persicifolia. Blue, June, July, 2'	.25	.20
*persicifolia alba. White, June, 2'	.30	.25
persicifolia alba. fl. pl. White, summer,		
2'	.40	
persicifolia dbl. blue. Blue, summer, 2'	.40	
persicifolia Telham Beauty. Blue, sum-		
mer, 2'	.30	.25
*poscharskyana. Blue, summer, 5"	.35	
pyramidalis. Blue, July, 4-5'	.25	.20
pyramidalis alba. White, July, 4-5'	.25	.20
*raddeana. Purple, July, Aug., 1'	.25	
*raineri. Dark blue. July, 6"	.25	.20

Campanula *raineri alba. White, July, 6"	5-24 each . <b>30</b>	25 up each .25
*rhomboidalis. Blue, July, 1'	.25	.20
*riverslea. Dark blue, July, 9"	.25	.20
*riverlea alba. White, July, 9"	.30	.25
*rotundifolia. Blue, June, July, 12"	.25	.18
*sarmatica. Pale blue, summer, 12"	.30	.25
*siberica alba. White, summer, 10"	.25	.20
*turbinata. Blue, June, July, 6"	.25	.20
*turbinata alba. White, June, July, 6"	.25	.20
*trachelium. Blue, July, 2-3'	.25	.18
*Carex morrowi. White-edged foliage, 1'	.40	
Cassia marilandica. Yellow, July, 3-4'	.25	.20
Catananche caerulea. Blue, June, July, 18"	.25	.18
Caulophyllum thalictroides	.25	.18
Centaurea babylonica. Yellow, July, 5'	.25	.18
*dealbata. Red, July, 1½'	.25	18
macrocephala. Yellow, July, 3-4'	.25	.18
*montana. Blue, June, July, $2'$	.25	
ruthenica. Straw color, July, 4'	.25	
Centranthus angustifolius. Rose, summer,		
18"	.25	
ruber, Red, summer, 3'	.25	.18
ruber albus. White, all summer, 3'	.25	.18
Cephalaria alpina. Yellow, July, 5'	.25	.20
tatarica. Cream, summer, 6'	.25	.20
*Cerastium arvense compactum.		
White, July, 8"		
*biebersteini. White, June, 6"	.25	.20
*tomentosum. White, June, 6"	.25	.18
*Ceratostigma plumbaginoides. Blue, fall, 6"	.30	.25
*Chieranthus allioni. Orange, July, 1'	.25	.18
*Golden Bedder. June, 1'	.25	
Chelone glabra. White, rosy tinged, July, 2'	.25	.20
lyoni. Deep rose, August, 2'	.25	.20
Chrysanthemum anemone-flowered	.25	.18
Snow Queen — White.		
*arcticum. White, fall, 2'	.25	.18
*arcticum Astrid. Pink, fall, 18"	.30	.25
balsamita. Yellow, Aug., Sept., 2'	.25	.20
coreanum. Blush, fall, 3'	.25	.20
Cushion varieties. Fall, 1'	.25	.20
(white, yellow, pink, red, bronze)		

Characasth	5-24 each	25 up each
Chrysanthemum		
*erubescens. Pink, Aug., Sept., 18"		4.0
hardy button varieties	.25	.18
Baby Marguerite — pink.		
Bronze Button — bronze.		
Irene — blush white.		
Lillian Doty — pink.		
Mitzi — yellow.		
Mrs. H. Harrison — pink.		
Niza — delicate pink.		
Pygmy Gold — golden yellow.		
September Bronze — bronze.		
September Cloud — white.		
September Gold — gold.		
White Coll white.		
White Gull — white.		
hardy large flowering, double, fall, 4'	.25	.18
Algonquin — yellow.		
Angelo — pink.		
Boston — orange.		
Brune Poitevine — deep velvety reddi	sh br	onze.
Caliph — oxblood red.		
Canariense — yellow.		
Comoleta — yellow.		
Harvest Home — yellow.		
L'Argentuillais — deep chestnut.		
Lavender Lady — clear lavender.		
Mrs. F. H. Bergen — pale pink.		
Marie Antoinette — deep pink.		
Mrs. H. Craig — yellow, overlaid ora	nge c	rim-
son.		
Murillo — pink.		
Oconto — white.		
Ohio Gold — yellow.		
Old Homestead — pink.		
Pacific Supreme — pink.		
R. Marion Hatton — canary yellow.		
Snowclad — white.		
Vesuve — red.		
,	.25	.20
Dazzler. Cardinal red, fall, 2'	.25	.18
Daybreak. Shell pink, fall, 2'	.25	

Chrysanthemum, hardy, large-flowering.	5-24 each	25 up each
Dean Kay. Rose pink, Sept., Oct., 2' Dean Ladd. Reddish bronze, Sept.,	.35	.30
Oct. 2'	.45	
Eden. Bright rose, fall, 2'	.25	.18
Emma Marie. Lemon yellow, fall, 2' Glory of Seven Oaks. Yellow,	.25	.18
Sept., 2'	.25	.20
Jean Cumming. White, fall, 2'	.25	.18
Judith Anderson. Yellow, fall, 18" Mrs. Willis J. Martin. Strawberry,	.25	.20
fall, 2'	.25	.18
Pale Moon. Yellow, fall, 2'	.30	.25
fall, 2'	.25	.20
Tassiva. White, Sept., 18"  Yellow Normandie. Yellow, early	.25	.20
fall, 2'	.25	.18
Yellow Spoon. Yellow, Oct., 18"	25	.20
hardy large flowering. Single, fall, 4'  California — yellow.  Country Girl — lavender.  Excelsior — golden yellow.  Gypsy Girl — crimson, shading chest Lady Smith — bright pink.  Mrs. Calvin Coolidge — cardinal red  Mrs. W. E. Buckingham — salmon p Silver Moon — white.	ink.	.18
Korean hybrids. October 2-2½'  Aphrodite — pale pink.  Apollo — bronze, red and gold.  Ceres — chamois yellow.  Clara Curtis — salmon pink.  Daphne — daphne pink.  Diana — rose pink, blended lilac rolling Summer — double orange.  Kristina — deep rose pink.		10
Mars — amaranth red.  Mercury — bronze red.  Nancy Copeland — spectrum red.  Profusion — rich, coppery old gold.  Saladin — oriental red, shading to c	oral.	1

Chrysanthemum, Korean hybrids.	5-24 each	
Sappho — pure yellow.		
Saturn — orange and bronze.		
Siegfried — rich yellow.		
The Moor — port wine red.		
Viking — burnt orange.		
maximum. White, all summer, 2'	.20	.15
maximum Alaska. White, July, Aug., 2'	.25	.18
maximum Chiffon. Double White, sum-		, -
mer, 18"	.30	
maximum Esther Reed. Double, white,		
summer, 18"	.45	
maximum Giant Single. White, sum-		
mer, 30"	.25	.20
maximum Mrs. C. Lothian Bell. White,		
June, July, 2'	.25	.18
maximum White Swan. Double White,		
summer, 18"	.30	.25
*morifolium. Rose, fall, 18"	.25	.20
Cimicifuga racemosa. White, July, 5'	.25	.18
Clematis davidiana. Blue, Aug., 3'	.35	.30
davidiana hybrida. Light blue, Aug., 18"	.50	.40
integrifolia. Blue, July, 2'	.30	.25
recta. White, July, 3'	.30	.25
recta mandschurica. White, July, 4'	.30	.25
Codonopsis clematidea. White, June, 3'	.30	
*Colchicum autumnale. Rosy lilac, Sept., 1'	.40	
autumnale roseum plenum. Rosy lilac,		
Sept., 1'	.50	
*Convallaria majalis. Clumps, white, May, 6"	.40	.35
Coptis trifolia. White, summer, 6"	.25	.20
Coreopsis auriculata. Orange, summer, 18"	.25	.20
grandiflora. Yellow, summer, 3'	.25	.18
lanceolata. Yellow, summer, 2'	.25	.18
	.25	.18
*verticillata. Yellow, July, Aug., 2'	.25	.18
Coronilla cappadocica. Yellow, June, 6"	.30	.25
*varia. Pink, summer, 18"	.25	.18
Corydalis cheilanthifolia.		
Creamy white, July, 2'	.30	.25
*lutea. Yellow, July, 8"	.30	.25
Cotula squalida. White, summer, 2"	.30	.25
Crucianella stylosa. Crimson pink, July, 8"	.25	

	5-24 each	
Cynanchum acuminatifolium.  White, summer, 18"	.25	.20
Cypripedium acaule. Rose-purple, May	45	
June, 1'	.45	
parviflorum. Yellow, May, June, 1'	.45	
spectabile. Rose, June, 2'	.45	
Delphinium bellodanna.	05	.18
Sky blue, all summer, 4'	.25	.18
bellamosum. Dark blue, all summer, 4'	.25	.20
*chinense. Blue, July, 2'	.25	.20
*chinense album. White, July, 2'	.25 $.25$	.18
elatum. Blue, July, 4'	.25 .25	.20
formosum. Indigo, July, 4'	.20	.20
hybridum Blackmore and Langdon.	.30	.25
Various, July, 4'	.50	.20
hybridum Gold Medal.	.25	.18
Shades of blue, July, 4'	.35	.30
Pacific Hybrids. Various, summer, 4'	.40	.35
Pacific Hybrids. Various, summer, 1999.  Pacific Hybrids. Separate colors, sum-		,,,,
mer, 4'	.50	
Black Knight — dark violet		
Blue Jay — blue		
Cameliard — soft lavender		
Galahad — white		
Guinevere — light pink lavender	r	
King Arthur — royal violet		
Lancelot — soft lavender		
siberica hybrids. Shades of blue, July, 3'	.25	.18
Dennstedtia punctilobula. Hay-scented Fern		.15
Dianthus allwoodi. Pink, July, 1'	.25	.20
*alpinus. Rose, summer, 4"	.25	.20
*arenarius. White, July, 10"	.20	.15
*arvernensis. Pink, June, 4"	.25	
barbatus. (Single Sweet William).		
mixed colors, June, July, 1'	.20	.15
barbatus alba. White, June, July, 1'	.20	.15
barbatus atrococcineus. Crimson, June,		
1'	.20	.15
*barbatus Dwarf Giants. Various, June,		
8"	.25	.18
barbatus fl. pl. (Double Sweet William).		
mixed colors, June, July, 1'	.20	.15

Dianthus	5-24 each	25 up each
barbatus Giant White. June, 1'	.20	.15
barbatus nigricans.		
Dark velvety red, June, 1'	.20	.15
barbatus Pink Beauty. Pink, June, 1'	.20	.15
barbatus Salamoni. Salmon, June, 1'	.20	.15
barbatus Sutton's Scarlet.		
Crimson, June, 1'	.20	.15
*caesius. Rose pink, June, July, 9"	.20	.15
*chinensis heddewigi.		
Mixed, June, July, 8"	.25	.18
*deltoides. Pink, June, 9"	.25	.18
*deltoides albus. White, June, 9"	.25	.18
*deltoides Brilliant. Red, June, 9"	.25	.18
giganteus. Red, July, 2'	.25	.20
*grisebachi. Purple, June, 1'	.25	.20
hardy pinks.		
Single, mixed, all summer, 9"	.25	.18
knappi. Yellow, summer, 1'	.25	.18
*latifolius atrococcineus.		
Crimson, summer, 1'	.25	.18
*plumarius. Mixed, summer, 8"	.20	.15
*plumarius fl. pl. Mixed, summer, 8"	.20	.15
*plumarius semperflorens.		
Pink, June, 9"	.25	.18
*Abbotsford. Crimson, all summer, 9"	.30	
*Beatrix. Salmon pink, June, 18"	.25	
*Bristol Jewel. White&crimson, June 18"	.30	
*Bristol Purity. White, June, 18"	.25	
*Cyclops. Dark rose, June, July, 9"		.20
	.25	
*Furst Bismarck. Rose, summer, 1'	.25	.20
*Gladys Cranfield. Pink, summer, 1'	.25	
*Grenadin. Mixed, summer, 1'	.25	.20
*Grenadin. Red, summer, 1'	.25	.20
*Hardy Harvard. Red, summer, 1'	.35	
*Homer. Rosy red, June, July, 9"	.25	.20
*Her Majesty. Dbl. white, June, July, 9"	.30	.25
*Little Joe. Crimson, summer, 6"	.35	4.0
*Pheasant's Eye. Pink, white eye, June, 1'	.25	.18
*Robert. Pink, summer, 1'	.25	.20
*Rose Cushion. Pink, June, 3"	.25	

	each	each
Dianthus.		
*Silver Mine. White, summer, 1'	.35	
*Souv. de Sales. Dbl. pink, June, 9"	.25	.20
*Uncle Sam. White, red eye, June, 12"	.25	
*White Reserve. White, June, July, 9"	.25	.20
*seguieri. Carmine, summer, 1'	.20	
*speciosa. Pink, July, 10"	.25	
*subacaulis. Purple, June, July, 4"	.30	.25
*Dicentra eximea. Rose, all summer, 1'	.30	.25
spectabilis. Rose, May, June, 2'	.50	.45
Dictamnus albus. White, June, 2'	.30	.25
albus ruber. Red, June, 2'	.30	.25
caucasicus. Red, June, 3'	.30	.25
Digitalis ambigua. Yellow, June, July, 3'	.25	.18
gloxinaeflora. Mixed, June, July, 3'	25	.18
lanata. Creamy yellow, July, 3'	.25	.20
lutea. Yellow, June, July, 18"	.25	20
Lutzii hybrids. Salmon, June, July, 3'	.25	.20
purpurea. Mixed, June, July, 3'	.25	.18
purpurea maculata. Spotted, June, July,		
18"	.25	.18
purpurea monstrosa. Various, June,		
July, 3'	.25	.18
purpurea, rose, June, July, 3'	.25	.18
purpurea, white, June, July, 3'	.25	.18
Shirley Hybrids, Mixed. June, July, 3'	.25	.18
*Dodecatheon meadia. Rose, May, 1'	.25	.20
*latilobum. White, May, June, 1'	.25	.18
Doronicum caucasicum. Yellow, April,		
May, 18"	.30	.25
clusi. Yellow, May, 12"		
plantagineum excelsum. Yellow,		
April, May, 3'	.30	.25
Dorycnium hirsutum. Pink, summer, 2'	.30	.25
*Draba aizoides. Yellow, March, 4"	.30	
*bruniifolia. Orange, April, May, 4"	.35	
*dedeana. White, May, June, 2"	.40	
*fladnizensis. White, April, May, 3"	.30	.25
*hispanica. Yellow, April, 2"	.30	.25
*repens. Yellow, April, 6"	.25	.20
*Dracocephalum botryoides. Rose, July, 6"	.25	.20
*nutans. Blue, Aug., 1'	.25	.20
Ruyschianum japonicum. Blue, sum-	0	0
mer, 2'	.25	,20
IIICI, A	,20	,20

	5-24 each	25 up each
Dryopteris spinulosum. Wood Fern	.25	.18
thelypteris. Shield Fern	.25	.18
Echinacea purpurea. Purple, July, Aug., 3'	.25	.18
Echinops humilis. Blue, July, 2'	.25	.20
ritro. Deep steel blue, July, 3'	.25	.18
sphaerocephalus. Pale blue, July, 5'	.25	.18
*Edraianthus dinaricus. Lilac, July, 3"	.30	
Elymus glaucus. Blue Lime Grass, 3'	.25	.20
*Epigaea repens. Pink, April, May, 4"	.45	
Epilobium angustifolium. Rose, Aug., 4'	.25	.18
*Epimedium niveum, White, May, June, 1'	.30	
macranthum lilacina. Lilac, May,		
June, 1'	.30	.25
sulphureum. Yellow, May, 1'	.30	.25
Eremurus himalaicus. White, June, 6'	1.00	
Erianthus ravennae. Plume Grass, 10'	.30	.25
*Erigeron elatior. Purple, July, 2'	.25	.20
*glabellus. Violet, June, July, 1'	.25	.18
*glabratus roseus. Pink, June, 1'	.25	.20
macranthus. Violet, June, 2'	.25	.20
*speciosus. Rich purple, June, July, 2'	.25	.20
*Erinus alpinus albus. White, May, 4"	.30	.25
*alpinus roseus. Rosy purple, May, 4"	30	.25
*Erodium corsicum. Pink, summer, 2"	.30	
Eryngium alpinum. Blue, July, 2'	.25	.20
amethystinum. Blue, summer, 18"	.25	.20
bourgati. Blue, summer, 18"	.25	
*planum. Blue, July, Aug., 3'	.25	.20
*Erysimum kotchyanum. Orange, May,		
June, 5"	.25	.18
*ochroleucum. Yellow, May, 1'	.25	.20
*pulchellum. Lemon, May, June, 6"	.25	.18
Eulalia gracillima. Japan Rush, 4-6'	.25	.18
japonica variegata. 4-6'	.30	.25
zebrina. Zebra Grass, 4-6'	.30	.25
*Eupatorium ageratoides. White, Aug., 3'	.25	.18
*coelestinum. Blue, Sept., Oct., 18"	.25	.20
purpureum. Purple, Aug., Sept., 5'	.25	.18
Euphorbia corollata. White, July, Aug., 2'	.25	.20
*cyparissias. Yellow, May, 10"	.25	.18
*epithymoides. Yellow, May, June, 1'	.25	
*myrsinites. Yellow, May, June, 6"	.25	.20

	5-24 each	25 up each
Festuca glauca. Fescue Grass, June, 10"	.25	.18
Foeniculum atrosanguineúm. Summer, 6'	.25	.20
*Fragaria indica. White, May, 6"	.25	.18
*Fuchsia magellanica. Red, summer, 3'	.40	
Funkia. (See Hosta).		
*Gaillardia grandiflora. Yellow and Crim-		
son, all summer, 2'	.25	.18
Burgundy. Red, summer, 2'	.30	.25
Goblin. Yellow and red, summer, 1'	.25	.20
Mr. Sherbrook. Yellow, summer, 2'	.30	
*Galax aphylla. White, June, 10"	.30	.25
Galega officinalis. Blue, June, July, 3'	.25	.18
officinalis hartlandi. Bluish white,		
July, 3'	.25	.18
Galium boreale. White, July, 1½'	.25	.20
*purpureum. Dark brown, Aug., 1'	.25	.18
*verum. Yellow, June, July, 6"	.25	20
*Gentiana acaulis. Dark blue, Aug., 4"	.35	.30
andrewsi. Blue, August, 2'	.25	.20
alba. White, Aug., 2'	.25	
*cruciata. Deep blue, June, July, 1'	.30	.25
*freyniana. Blue, Aug., Sept., 6"	.35	
*Purdomi. Blue, July, Aug., 6"	.30	.25
*septemfida. Deep blue, summer, 12"	.30	
*Geranium endressi. Rose, summer, 18"	.35	
*grandiflorum. Lilac, June, July, 15"	.25	
*grevilleanum. Mauve, June, July, 6"	.25	.18
*ibericum. Purple, May, June, 2'	.25	.18
*maculatum. Pink, May, June, 1'	.25	.18
*pratense album. White, July, Aug., 2'	.25	.18
*sanguineum. Red, June, July, 2'	.25	.18
*Geum atrosanguineum. Dark red, sum-	0.5	10
mer, 1½'	.25	.18
Lady Strathedon. Orange, summer, 15"	.30 .25	.25
*montana. Yellow, July, 1'	.30	.25
*Mrs. Bradshaw. Double red, summer, 1' *Orange Queen. Orange, summer, 15"	.25	.20
*sibericum. Scarlet, June, July, 1'	.25	,20
*urbanum. Yellow, July, 15"	.25	.20
*Gillenia trifoliata. White, July, 4'	.25	.18

	5-24 each	25 up each
Globularia cordifolia. Pale blue, June, 4"	.25	.20
*nana. Pale blue, June, 2"	.25	.20
*trichosantha. Blue, May, June, 6"	.25	.20
Gypsophila acutifolia. Pink, July, 2-3'	.25	.18
*cerastoides. White, summer, 4"	.25	.20
paniculata. White, July, Aug., 2-3'	.25	.18
paniculata Bristol Fairy. Double white,	.40	.10
summer, 3'	.45	.40
paniculata fl. pl. Double white, July,	UF,	.10
Aug., 3'	.40	.35
*repens. Bluish white, all summer, 6"	.25	.18
*repens bodgeri. Dbl. white, summer, 2'	.30	.25
*repens rosea. Pink, summer, 6"	.30	.25
Rosy Veil. Pink, summer, 2'	.40	.35
Helenium autumnale. Yellow, Aug., Sept., 5'	.25	.20
autumnale superbum. Yellow, Sept., 5'	.25	.20
bigelovi. Yellow, Sept., 4'/	.25	.20
Chippersfield Orange. Copper and gold,	4 =	
Aug., 4'	.45	0.5
Gartensonne. Yellow, Aug., Sept., 3	.30	.25
hoopesi. Orange, June, July, 3'	.30	.25
*pumilum. Yellow, Aug., 15"	.30	.25
Riverton Beauty. Lemon, Aug., Sept., 5' Riverton Gem. Old Gold, Sept., Oct., 4'	.30	.25
rubrum. Brick red, Sept., 4'	.30	.25 .20
· - ·	.25	
'Helianthemum citrinum. Yellow, summer, 6"	.25	.20
*croceum. Saffron, June, July, 9"	.25	.20
*cupreum. Copper, June, July, 6"	.25	.20
*Fire Ball. Red, July, Aug., 12"		.20
*mutabile. Flesh, May, June, 12"	.25	.20
*perfoliatum roseum. Salmon, sum-	25	.20
mer, 6"	.25	.20
*The Bride. White, June, July, 6"	.25 .25	
		10
Helianthus atrorubens. Yellow, fall, 6'	.25	.18
maximiliana. Yellow, Sept., 6'	.25	.18
Miss Mellish. Yellow, Aug., Sept., 6'	.25	.18
mollis grandiflorus. Yellow, Aug.,	0.5	4.0
Sept., 4'	.25	.18
<u>-</u>	.30	.25
orgyalis. Bright yellow, Sept., 6-8'	.25	.20
, , ,	.25	.18
Wolly Dod. Deep yellow, Sept., 7'	.25	.18

	5-24	25 up
A 0/	each	each
Heliopsis excelsa. Double yellow, Aug., 3'	.25	.20 .25
incomparabilis. Gold, summer, 30" pitcheriana. Orange, July, Aug., 3'	$.30 \\ .25$	.18
*Helleborus niger. White, Feb., Mar., 1'	.75	,10
*Helxine soleiroli. Creeping herb, 1"	.25	.20
Hemerocallis Apricot. Apricot color, June, 2'	.25	.20
aurantiaca. Orange, June, July, 2½'	.25	.18
Dr. Regal. Orange yellow, May, 18"	.30	.25
dumortieri. Orange, June, 2'	.25	.18
flava. Lemon yellow, June, 3'	.25	.18
florham. Golden yellow, June, 3'	.30	.25
fulva. Bronze, Aug., 3'	.25	.18
Gold Dust. Indian yellow, June, 2½'	.25	.18
gracilis. Yellow, June, 2'	.25	.20
Hyperion. Lemon, July, 4'	.65	.20
J. A. Crawford. Apricot yellow, July, 4'	.30	.25
kwanso fl. pl. Reddish orange, June, 2½'	.25	.20
luteola. Orange, June, 2'	.25	.20
May Queen. Orange, May, 4'	.25	.20
middendorffi. Orange, June, 3'	.25	.18
minor. Yellow, June, 2'	.25	.18
Ophir. Orange, July, 3'	.40	.10
Orange Man. Deep orange, June, 2'	.25	.18
	.25	.18
thunbergi. Lemon yellow, June, 2-3'	.25	.18
hybrids. Named varieties, 2-3'	.40	.35
Bay State. Deep yellow, Aug.	.10	.00
Gypsy. Deep orange, July.		
Harvest Moon. Orange, July.  Lemona. Pale lemon yellow, Aug.		
Mrs. W. H. Wyman. Pale lemon, Au	α.	
The Gem. Deep orange, June, July.	<b>5</b> •	
*Hepatica triloba. Light blue, March, April, 4"	.25	.18
*Herniaria glabra. Green, summer, 4"	.25	.10
*Hesperis matronalis. Purple, June, July, 3'	.25	.18
*matronalis alba. White, June, July, 3'	.25	.20
Heuchera americana. Greenish white, 3'	.25	.20
*brizoides. Pink, June, July, 2'	.25	.20
*Fire King. Red, May, June, 15"	.35	.20
*Grenadier. Red, summer, 15"	.35	
*Perry's White. White, summer, 15"		.30
*Pleu de Feu. Red, May, June, 2'	.30	.25
*Red Pimpernell. June, 1'		.40
Red Finipernett. June, 1	.50	

Heuchera	5-24 each	25 up each
*rosamundi. Coral, summer, 18"	.30	.25
*sanguinea. Coral red, June, 1'	.30	.25
*sanguinea hybrids. Various, summer, 18"	.30	.25
*villosa. White, summer, 12"	.25	.20
Hibiscus Mallow Marvels. Mixed, July,		
Aug., 5'	.25	.18
Mallow Marvels. Separate colors,		•
Aug., 5'	.30	.25
Mallow Marvels. Giant Red, Aug., 5'	.30	.25
moscheutos. Rose, June, July, 5'	.25	.18
moscheutos crimson eye. White, red		
eye, Aug., 5'	.25	.18
*Hieracium aurantiacum. Orange, summer, 6"	.25	.18
*alpinum. Yellow, May, June, 9"	.25	.20
Hosta caerulea. Blue, July, 1½'	.25	.20
fortunei. Pale lilac, July, 2'	.25	.18
lancifolia. Blue, July, 2'	.25	.18
sieboldiana. Silvery foliage.	.30	.25
sub-cordata grandiflora. White, Aug.,		
18"	.45	.40
Thos. Hogg. Blue, summer, 18"	.40	
undulata variegata. White foliage, 2'	.25	.18
*Houstonia serpyllifolia. Blue, April, 2"	.30	.25
Hyacinthus candicans. White, Aug., 3'	.25	.20
*Hypericum calycinum. Yellow, July, Aug., 1'	.30	.25
*Coris. Yellow, summer, 4"	.30	.25
*fragile. Yellow, July, Aug., 1'	.30	.25
moserianum. (See Shrubs).		
*polyphyllum. Yellow, summer, 8"	.25	.20
*repens. Yellow, July, 4"	.30	.25
*rhodopaeum. Yellow, July, 4"	.25	.20
*Hyssopus officinalis. Purple, Aug., 18"	.25	.18
*Iberis gibraltarica. Delicate lilac, May, 1½'	.25	
*jordani. Rose, May, June, 6"	.30	.25
*sempervirens. White, May, June, 8"	.25	.20
*sempervirens Climax. White, May, 6"	.30	.25
*sempervirens Little Cushion. White,		
May, June, $4''$	.40	.35
*sempervirens Little Gem. White,		
April, 6"		.25
*sempervirens Snowflake. White, May, 9"	.30	.25
*tenoreana. Purplish white, June, 6"	.30	.25

,	5-24 each	25 up each
*Incarvillea delavayi. Rosy purple, June,		•
July, 2'	.30	
*Inula ensifolia. Yellow, July, Aug., 8"	.25	.20
royleana. Yellow, July, Aug., 18"	.25	
*Iris cristata. Light blue, May, June, 6"	.30	.25
dichotoma. Purple, Aug., 1'	.25	
*ensata. Lilac, June, 10"	.30	.25
*ensata alba. White, June, 10"	.30	
"flavissima. Yellow, May, 6"	.30	.25
fall blooming. Spring and fall, 1½-2'	.30	.25
Autumn King — Blue-purple		
Autumn Queen — snow white		
Jean Siret — yellow		
Lt. Chavagnac — violet		
Olive White — cream		
<b>Ultra</b> — ultramarine-blue		
germanica. May, June, 1½-2'		•
Afterglow. Soft lavender shading		
yellow	.20	.15
Ambassadeur. Bronze, purple ma-		
roon falls	.20	.15
Anjelus. Pink, shaded lavender	.40	
Aphrodite. Lilac pink	.20	.15
Archiveque. Purple	.20	
Asia. Smoky blue	.20	.15
Ballerine. Violet with deeper falls	.20	.15
Blue Peter. Dark blue purple	.30	
Blue Triumph. Pale blue	.40	
Bruno. Bronze, red purple falls	.20	.15
Cecil Minturn. Pink	.20	.15
Chasseur. Yellow, red veining	.25	.18
Cinnebar. Violet, maroon falls	.25	.18
Cluny. Lilac blue	,20	.15
Coppersmith. Coppery red	.20	.15
Crystal Beauty. Tall white	.30	
Depute Nomblot. Coppery red,		
flushed bronze	.25	
Dorothea. Pearl gray	.20	.15
Dream. Light pink	.20	
Fairy. White, bordered blue	.20	.15
Florentina. Pale blue	.20	.15
Florentina alba. White	.20	.15
Germaine Perthius. Violet purple	.25	.18
Gold Imperial. Golden yellow		.15

Iris germanica.	5-24 each	25 up each
Golden Majesty. Golden yellow	.60	
Golden Treasure. Cream	.60	
Indian Chief. Velvety red	.30	
Kochi. Rich deep claret purple	.20	.15
Labor. Electric blue	.25	
<b>Leonidas.</b> Lavender, mauve falls.	.25	.18
Lent A. Williamson. Violet, rich		
purple falls with yellow beard	.20	.15
<b>Lord of June.</b> Lavender blue, violet		
falls	.20	.15
Lucrezia Bori. Soft yellow	.60	
Mad. Henri Cayeau. Dark purple.	.20	.15
Magnifica. Violet and reddish violet		
Mary Barnet. Lavender blue	.20	.15
Mary Geddes. Pink, overlaid		
Pomeranian red	.40	
Midnight. Dark blue	.20	.15
Mme. Chobaut. Buff and wine,		
dotted	.25	
Moonlight. Silvery white	.20	.15
Monsignor. Violet purple, crimson		
falls	.20	.15
Mt. Royal. Pansy purple	.20	
Nuee d'Orage. Slate gray with		
bronze and purple falls	.20	.15
Opera. Violet red, purple falls	.25	.20
Pallida Dalmatica. Lavender	.25	.20
Pallida speciosa. Light blue	.20	.15
Pink Opal. Pink lilac	.50	
Pluie d'Or. Yellow	.30	
Pocahontas. White, edged blue		.18
Prairie Gold. Yellow	.20	.15
Prospero. Lavender and purple	.20	.15
Queen Caterina. Lavender violet,		
orange beard	.20	.15
Rhea. Violet	.20	.15
Rhein Nixe. White, violet falls	.20	.15
Robt. W. Wallace. Violet purple	.20	.15
Shekinah. Pale yellow, shading to		
buff	.25	.20
Snowking. Large white	.40	
Snow White. White.	.20	

*Tain manusaning	5-24 each	
*Iris germanica		
Souv. de Mad. Gaudichau. Deep		
velvety purple	.20	.15
<b>Taj Mahal.</b> White	.20	.15
Tamerlan. Light blue, darker falls	.20	.15
True Delight. Pure pink	.25	
Victorine. White, mottled blue		.15
Wedgewood. Blue		.15
<ul> <li>intermedia hybrids. May, 18"</li> <li>Gerda. Creamy yellow, darker falls.</li> <li>Halfdan. Creamy white.</li> <li>Ingeborg. Ivory white.</li> <li>Helge. Light citron.</li> <li>Walhalla. Light blue, purple falls.</li> </ul>	.25	.18
kaempferi. Japanese Iris. July, 2-3' Awaji. Large white overlaid lavend Bandai-San. White standards and dered lavender. Blue Bird. Single dark blue. Eumee. Double lavender blue. Fascination. Double mauve pink, veir Florence. Amaranth purple. Fukushima. Reddish purple, veined v. Gold Bound. White, yellow shadings. Iso-no-namie. Double soft blue. Kagaribi. Double pink lavender. Kumonoobi. Clear purple, white halo Mahogany. Double rich dark red. Oyodo. Double wine red.	er bl falls, ned w	ue. bor-
Patrocle. Single reddish violet.		
Purple Emperor. Large deep violet p	_	
Purple & Gold. Violet purple, golden	throa	at.
Pyramid. Double violet purple, veine	d whi	ite.
Seacrest. Foam white.		
Tacoma Beauty. Pure white.		
Thais. Rich royal purple, velvety she	en	
<b>Uchiu.</b> Crimson purple, white veins.	J.1.	
Warei-hotei. Lavender blue, light bl	ne ha	olo
·		
prismatica. Violet, May, June, 2'		.18
pseudacorus. Yellow, June, 3'	.25	.18

Iris	5-24 each	25 up each
*pumila alba. Dwarf, white, April, 9"	.25	.20
*pumila atroviolacea. Wine, April, 6"	.25	.20
*pumila Bride. White, April, 6"	.25	.20
pumila Cyanea. Crimson purple, April		
6"	.25	.20
*pumila Curiosa. Yellow, April, May, 9"	.30	.25
*pumila Fairy. Pale blue, April, 6"	.30	.25
*pumila lutea. Pale yellow, April, 6"	.25	.18
*pumila Midget. Purplish red, April, 6"	.25	
*pumila Schneecuppe. White, April, 6"	.25	.18
*pumila Sambo. Violet, April 9"	.25	.18
siberica. Purplish blue, June, 3'	.25	.18
sibirica alba. White, June, 3'	.25	.18
sibirica Emperor. Clear blue, May, 2'	.25	.20
sibirica Snow Queen. White, May, 2'	.25	.20
spuria Dorothy Foster. Violet standards		
lighter falls, June, 2'	.50	.40
*Stewart. Dwarf, yellow, April, 9"	.25	.20
*tectorum. Blue, June, 1'	.30	.25
*tectorum alba. White, June, 10"	.35	
*verna. Blue, May, June, 6"	.25	.20
versicolor, Blue, June, 2'	.25	.20
Isatis tinctoria. Yellow, May, June, 6'	.25	.18
*Jasione humilis. Blue, July, Aug., 6"	.25	.20
*perennis. Blue, June, July, 6"	.25	.20
*Jeffersonia diphylla. White, May, 8"	.30	.25
*Kniphofia pfitzeri. Coral, Aug., Sept., 4'	.30	.25
*Lactuca perennis. Blue, June, 15"	.25	.20
*Lamium maculatum. Purple red, summer, 8"	.50	
*maculatum album. White, summer, 8"	.50	
Lathyrus latifolius. Pink to Red, July, 6'	.25	.18
*Lavandula officinalis. (Sweet Lavender).		
July, 2'	.25	.18
officinalis alba. White, July, 2'	.25	.20
*nana. Lavender, Aug., 9"	.25	.20
*Leontopodium alpinum. Yellow, summer, 5"	.30	.25
Liatris pycnostachya. Purple, Aug., Sept., 4'	.25	.18
spicata. Purple, Aug., 3'	.25	.18
Ligularia clivorum. Yellow, Aug., Sept., 3'	.25	.18
Lilium batemanniae. Salmon red, July, 3'	.45	
canadense. Yellow to red, June, July, 3'	.25	.20
candidum. White, June, 3'	.60	.50
carolinianum. Orange, July, Aug., 3'	.50	
elegans. Orange, July, 1'	1.00	

Lilium	5-24 each	25 up each
concolor. Scarlet, July, 1'	.50	
hansoni. Orange, June, July, 4'	1.00	
henryi. Yellow, July, 2'	.75	
pardalinum. Scarlet and yellow, 2'	.35	.30
phillippinense formosanum. White,		
June, July, 2'	.50	
philadelphicum. Orange red, June, July		
3'	.45	.40
regale. White, July, 4'	.35	.30
speciosum album. White, Aug., 2'	1.00	.00
speciosum rubrum. Pink carmine,	-100	
Aug. 2'	.90	.85
superbum. Orange, July, Aug., 5'	.30	.25
*tenuifolium. Scarlet, June, 18"	.40	.35
testaceum. Apricot, June, July, 5'	2.50	.00
tigrinum. Orange, spotted, Aug., 4'	.40	
tigrinum fl. pl. Orange, spotted, Aug. 4'	.40	
umbellatum. Scarlet red, July, 2'	.45	.40
willmottiae. Orange, July, 4'	1.00	.40
	1.00	
*Limonium auriculaefolium. Blue, June,		
July, 6"	.25	.18
eximium. Lilac rose, Aug., 2'	.25	.18
*gmelini. Purplish blue, Aug., 18"	.25	.18
*latifolium. Blue, July, Aug., 2'	.25	.18
*Linaria aequitriloba. Pale mauve, June, 1"	.25	.20
*alpina. Blue, summer, 6"	.25	.18
*alpina rosea. Rose, summer, 6"	.25	
*cymbalaria. Lavender, summer, 4"	.25	.18
*origanifolia. Purple, June, 10"	.35	
*purpurea. Purple, summer, 3'	.25	.20
*Linum austriacum. Blue, summer, 3'	.25	.20
*alpinum. Blue, June, 10"	.25	.20
*flavum. Yellow, June, July, 1'	.25	.18
*narbonnense. Blue, June, July, 2'	.30	.25
*perenne. Blue, June, July, 1½'	.25	.18
*Lithospermum purpureo-caeruleum. Blue		
May, 10"	.60	
Lobelia cardinalis. Scarlet, Aug., Sept., 3'	.25	.18
siphilitica. Blue, Sept., 3'	.20	,10

	5-24 each	25 up each
Lupinus polyphyllus. Blue, June, July, 3'	.25	.20
polyphyllus albus. White, June, July, 3'	.25	.20
polyphyllus roseus. Pink, June, July, 3' Russell hybrids. Various, June July, 3'	.25 .30	.20
_	.25	.18
*Lychnis alpina. Rose color, June, 1'	.25	.18
arkwrighti. Scarlet, summer, 15"	.25	.18
chalcedonica. Scarlet, July, 3'	.25	.18
coronaria alba. White, July, 2'	.25	.18
flos jovis. Pink, June, 18"	.25	.18
*haageana. Scarlet, June, July, 1'	.25	.18
*viscaria splendens fl. pl. Red, June, 1'	.25	.18
Lysimachia clethroides. White, July, Aug., 3'	.25	.20
*nummularia. Yellow, June, July, 6"	.25	.18
*nummularia aurea. Yellow leaves, 3"	.25	•
punctata. Yellow, June, 3'	.25	.20
vulgaris. Yellow, July, Aug., 3'	.25	.20
Lythrum alatum. Magenta, July, Aug., 3'	.25	.18
salicaria roseum. Rose, July, 4	.25	.20
superbum The Beacon. Rose, July, 3'	.30	.25
virgatum. Deep rose, July, Aug., 1½'	.25	.18
-	.25	.18
Malva alcea. Rosy purple, July, Aug., 3'	.25	.18
moschata. Rose, July, Aug., 2'	.25	.18
moschata alba. White, July, Aug., 2'	.30	*10
Marrubium vulgare. White, summer, 3'	.25	.18
Matricaria Golden Ball. Yellow, summer, 1'	.25	.18
*parthenoides. White, May, 1'		.10
Silver Ball. Dbl. white, summer, 1'	.25	.20
*Mazus reptans. Lilac, April, 4"		
Melissa officinalis. White, Aug., 2"	.25	.18
Welling amsarus.		
crispa. Curly mint. 12"	.25	
piperita. Peppermint. Purple, 2'	.25	.18
*requieni. Mauve, July, Aug., 2"	.25	.20
rotundifolia. Apple mint. 30"	.25	
*Mertensia virginica. Purplish blue, March,		
	.20	.15
*Micromeria rupestris. White, fall, 10"	.25	.20
Mimulus luteus. Yellow, summer, 1'	.25	.20
Mitchella repens. White shaded pink, Man	.30	.25

Monarda didyma. Red, July, Aug., 3'  didyma alba. White, summer, 3'  didyma Cambridge. Scarlet, July, Aug., 3'	5-24 each .25 .25	25 up each .18 .20
3'	.25	.20
didyma Sunset. Mahogany. July, Aug., 3'	.30 $.25$	.25
didyma splendens. Scarlet, July, Aug., 3'	.25	.20
didyma violacea. Voilet, July, Aug., 3'	.25	.18
fistulosa. Lilac, July, 3'	.25	.18
Mulgedium Bourgaei. Lilac, summer, 5'	.25	.20
*Myosotis alpestris. Blue, April, May, 8"	.25	.18
*alpestris alba. White, May, June, 8"	.25	.18
*alpestris pink. May, June, 8"	.25	.18
*palustris. Blue, all summer, 6"	.25	.18
*palustris Pink Beauty. All summer, 6"	.25	.20
*Nepeta hederacea. Blue, May, 2"	.25	.18
macrantha. Lavender, summer, 2'	.25	.18
*mussini. Blue, June, July, 1'	.25	.18
nuda. Violet, Aug., 3'	.25	.20
*Six Hills Giant. Blue, summer, 1'	.30	.25
*Souv. de Andre Chaudron. Blue, sum-		
mer, 1'	.25	.20
*Nierembergia rivularis. Creamy white, sum-		
mer, 4"	.30	.25
Oenothera fraseri. Yellow, summer, 1'	.25	.18
fruiticosa major. Yellow, summer, 2'	.25	.18
fruiticosa youngi. Lemon, June, July, 2'	.25	.20
lamarckiana. Yellow, July, Aug., 4'	.25	.18
missouriensis. Yellow, July, Aug., 6"		.25
rosea. Rose, summer, 15"		.25
speciosa. White, July, Aug., 1½	.25	.18
Onoclea sensibilis. Sensitive Fern		.20
struthiopteris. Ostrich Fern	.25	.20
Onopordon bracteatum. Pink, July, 5'	.25	.20
Opuntia fragilis. Yellow, June, 4"	.30	.25
*humifusa. Yellow, June, 10"	.30	.25
megacantha. Yellow, June, 3'	.30	.25
Origanum vulgare. Pink, summer, 2'	.30	
*Orobus vernus. Rose purple, May, 1'	.35	

	5-24 each	25 up each
Osmunda cinnamonea. Cinnamon Fern	.25	.20
regalis. Royal Fern	.25	.20
Pachysandra terminalis. White, May, 3"		
2 year from pots	.20	.15
Paeonia officinalis rosea. Rose pink	.60	.50
officinalis rubra. Red	.60	.50
sinensis. Strong plants, 3-5 eyes.		
Albert Crousse. Salmon pink	.60	
August Dessert. Velvety rose	1.00	
Beauty of France. Pale rose	.60	.50
Claire Dubois. Satiny pink	.65	
Dr. Vandertak. Crimson	.65	
Duc de Wellington. White	.60	.55
Duchess de Nemours. Creamy white	.60	.55
Edulis. Deep rose	.50	.45
Felix Crousse. Brilliant red	.80	.75
Festiva maxima. Finest early white	.80	.75
Karl Rosenfield. Early red		
Lady Alexandra Duff. Pale Pink		
Longfellow. Red		
1	.75	
Marie Lemoine. Creamy white	.75	.60
Marquise of Lansdowne. Large, pink	.75	
Mons. Martin Cahuzac. Dark pur-	4.05	
ple garnet	1.25	
Mons. Jules Elie. Pink with dark-	0.5	<b>7</b> 5
er guard petals		.75
Mrs. Van Leeuwen. Light crimson		4 =
Roem von Boskoop. Deep rose	.50	.45
Solange. White petals, golden	1.00	
brown center		
Souv. de Louis Bigot. Bengal rose.		
Therese. Violet rose	1.50	
Triumph de Paris. Light pink, yel-	.50	.45
low center	.50	.45
Walter Faxon. Pure pink		.10
Wm. Mesman. White		.50
single Japanese. Named varieties		.00
Alba Grandiflora. White	2.00	
Cleopatra. Red		
Eva. Bright lilac-crimson.		
Jacqueline. Pure white.		

	5-24 each	
Paeonia single Japanese	cucii	cacii
L'Etincelante. Bright light red.		•
Mikado. Dark red.		
Oitmatsu. Light pink changing to w		
Shi-pen-kue. Nearest to blue in People		
suffruticosa. Tree Peony. (See Page 91	)	
*Papaver alpinum. Various, summer, 6"		.20
*nudicaule. All colors, summer, 8"		.18
*orientale bracteatum. Red, June, 2'		.20
oriental. Orange scarlet, June, 2'	.25	.18
Beauty of Livermore. Crimson,		
June, 3'	.35	
Fairy. Pale pink, June, 2'	.35	.30
Giant Mulberry. Mulberry, June, 2'	.60	.50
Helen Elizabeth. Pink, June, 2'	.60	.50
Indian Chief. Mahogany, June, 2'	.60	.50
Lulu A. Neeley. Ox-blood red,		
June, 3'	.40	
May Sadler. Salmon, June, 2'	.40	
Mrs. Perry. Salmon pink, June, 3'	.40	.35
Olympia. Scarlet, June, 3'	.35	.30
Perry's White. White, June, 3'	.35	
Wurtembergia. Rose-red, June, 2'	.40	.35
pilosum. Brick red, June, 3'	.30	.25
Pardanthus. (See Belamcanda).		
*Paronychia serpyllifolia. White, July, 2"		.20
*Pennisetum japonicum. Fountain Grass		25
*Pentstemon alpinus. Bluish purple, June, 1'	.25	.20
*arizonicus. Purple, June, July, 8"	.25	.20
barbatus. Scarlet, July, 3'	.25	.18
barbatus coccineus. Scarlet, July, Aug., 4'		.20
barbatus Pink Beauty. Pink, summer, 2'	.30	.25
digitalis. White, Aug., 3'	.30	.25
Garnet. Red, summer, 18"	.30	.25
	.25	
	.35	
	.25	.20
	.25	.18
	.25	.20
	.30	.25
Phalaris arundinacea variegata Ribbon Grass	.25	.18

	E 04	25
	5-24 each	25 up each
Phlox amoena. Pink, May, 4":	.25	.18
*divaricata. Lavender, May, June, 1'	.25	.20
*divaricata laphami. Violet, June, 1'	.30	.25
glaberrima. Pink, June, 18"	.25	.20
maculata. Purplish red, May, June, 4'	.25	.18
*ovata. Red, May, June, 1'	.25	
paniculata. 2-3'		
Africa. Carmine, red eye	.25	.18
Antonin Mercie. Lilac, white center	.25	.20
America. Rose pink	.25	.20
B. Compte. Rich French purple	.25	.20
Baron von Dedem. Salmon red	.25	.20
Border Queen. Dwarf pink	.25	
Capt. Koehl. Blood red	.30	
Caroline Vandenburg. Lavender blue	.30	
Champs Elysees. Rich purple		
crimson	.25	.18
Colonial. Light blue	.25	.20
Commander. Crimson	.25	.20
Count Zeppelin. White, red eye	.30	
Daily Sketch. Salmon pink, car-		
mine eye	.30	.25
Enchantress. Salmon pink, dark eye	.25	.20
Elizabeth Campbell. Salmon pink.	.25	.20
Ethel Pritchard. Mauve	.25	.20
Evelyn. Salmon rose	.25	.20
Feuerbrand. Orange scarlet	.25	.20
Fiancee. White	.25	.20
George Stipp. Salmon, lighter eye	.30	.25
Gustave Lind. Deep salmon	.30	
Johnson's Favorite. Salmon rose	.25	.20
Jules Sandeau. Large pink	.30	.25
Karl Foerster. Orange scarlet	.30	
Lavender Beauty. Lavender	.25	.20
Louis Abbema. Dwarf white	.25	.20
Leo Shlageter. Bright scarlet	.30	.25
Lilian. Fine light pink	.30	
Mad. Paul Dutrie. Soft pink	.30	.25
Maid Marian. Soft lavender	.30	.25
Mary Louise. Pure waxy white	.30	.25
Mia Ruys. White		
Mrs. Jenkins. Pure white	.25	.18
Mrs Milly van Hoboken, Soft pink	.25	.20

Phlox paniculata	5-24 each	25 up each
Mrs. W. Van Bueningen. Salmon red	.30	.25
Miss Lingard. White	.30	.25
Miss Verboom. Rose	.35	
Morgenrood. Bright rose, deeper eye	.30	.25
P. D. Williams. Apple blossom pink	.25	
Peachblossom. Shell pink	.25	.18
Rheinlander. Salmon pink, claret		
eye	.25	.18
Rokoko. Soft pink	.25	.20
R. P. Struthers. Carmine, claret eye	.25	.18
Salmon Glow. Salmon pink	.30	
Special French. Soft pink	.25	.18
Splendour. Pink	.30	.25
Thor. Deep salmon pink	.25	.20
Von Hockberg. Velvety red	.30	.25
Widar. Light reddish violet, white	.00	0
eye	.25	.20
*pilosa. Lavender, May, 1'	.25	.20
*reptans. Lilac, May, 6-12"	.25	.18
*stellaria. Creeping, May, 4"	.25	.18
*subulata alba. White, April, May, 4"	.25	.18
*subulata atropurpurea. Purple, Apr., 4"	.25	.20
*subulata Blue Hills. Light blue, April, 4"	.30	
*subulata Camla. Pink, May, 4"	.50	
*subulata Dixie Brilliant. Red, May 4"	.30	.25
*subulata Fairy. Blue, purple eye, April	.00	.20
4"	.25	.18
*subulata G. F. Wilson. Lilac, May, 6"	.25	.18
*subulata lilacina. Light blue, April	.20	•10
May, 4"	25	.18
*subulata Little Dot. Lilac, April, 4"	25	.18
*subulata nelsoni. White, May, 4"	25	.18
*subulata Perfection. Rose, pink eye,		.10
April, 4"	25	.18
*subulata rosea. Pink, May, 4"	.25	.18
*subulata The Bride. White, pink eye,	.20	.10
May, 5"	25	.18
*subulata Vivid. Pink, red eye, April, 4"	.25	.20
		.20
Phygelius capensis. Red, Aug., Sept., 3'	.25	
Physalis francheti. Red pods, Oct., 2'	.25	.20
Physostegia virginiana. Rose, Aug., 3'	.25	.18
virginiana alba. White, Aug., 3'	.25	.18
virginiana Vivid. Deep pink, Aug., 2'	.30	

*Phyteuma orbiculare. Purple, June, July, 2'	5-24 each .30	25 up each .25
*scheuchzeri. Violet, June, 1'	.25	.20
Platycoden grandiflorum. Blue, summer, 2'	.25	.18
grandiflorum album. White, summer, 2'	.25	.18
*mariesi. Deep blue, summer, 1'	.30	.25
*mariesi album. White, summer, 1'	.30	.25
*Plumbago larpentae. (See Ceratostigma).		
Podophyllum peltatum. White, May, June, 1'	.25	.18
*Polemonium caeruleum. Deep blue, June		
July, 1½'	.25	.18
*caeruleum album. White, June, July,		
1½	.25	
*confertum. Blue, June, July, 18"	.25	.20
*reptans. Blue, May, June, 6"	.25	.20
richardsoni. Sky blue, May, June, 6"	.25	.20
*Polygonum compactum. White, Aug., Sept.,		
1½′	.25	.20
cuspidatum. White, Aug., Sept., 5'	.25	.20
oxyphyllum. Creamy white, Sept., 3'	.30	.25
reynoutria. Pink, Sept., 1'	.50	
spaethi. Pink, Sept., 6'	.50	
Polystichum acrostichoides. Christmas Fern	.25	.18
*Potentilla atrosanguinea. Red, summer, 18"	.25	.20
*argentea. Yellow, summer, 18"	.25	.20
*crinita. Yellow, summer, 1'	.25	.20
*nepalensis. Showy red, May, June, 2'	.25	.18
*nepalensis Miss Willmott. Salmon pink,	0.0	
summer, 12"	.30	.25
*pyrenaica. Yellow, summer, 18"	.25	.18
*tridentata. White, summer, 1'		.20
*Primula acaulis. Yellow, May, 9"		.25
*auricula alpina. Various, May, 6"	.30	.25
*beesiana. Purple, May, 18"	.35	.30
*bulleyana. Apricot, June, 18"	.35	.30
*bulleyana hybrids. Various, May, 18" *cashmiriana. Light lilac, May, 8"	.35	.30
*cortusoides. Deep rose, June, 10"	.35	.30
*denticulata. Purple, yellow eye, May, 6"	.35	.30
*denticulata alba. White, May, 6"	.35 $.40$	.30 .35
*elatior. Yellow, May, 8"	.35	,55
*elatior atrocoerulea. Dark blue, May, 8"	.45	
florindae. Yellow, May, 4'	.40	.35
and the state of t		.00

	5-24 each	each
*Primula		
*japonica atrosanguinea. Red, May,	.35	.30
June, 1'	.35	.30
*japonica pink. May, June, 1'	.40	.35
*moerheim hybrids. Various, May, 12"	.30	.25
*polyanthus. White, or yellow, May, 10"	.35	.30
*saxatilis. Rose, May, 10"	.30	.25
*veris. Yellow, April, May, 9"	.30	,25
*veris Giant Munstead. Various, May, 1' *veris Gold Laced. Various, May, 9"	.35	,30
*veris lilacina fl. pl. Lilac, May, 4"	.50	,00
*Pulmonaria angustifolia. Blue, April, May,8"	.25	.20
*Prunella grandiflora. Violet, summer, 8"	.25	.20
*incisa rubra. Red, summer, 6"	.25	.20
*webbiana. Purple, summer, 6"	.25	.20
Pyrethrum James Kelway. Sgl. red, June, 1'	.20	
Princess Margaret. Crested pink,		
June, 1'	.25	
Rose Glory. Dbl. rose, June, 1'	.25	
roseum. Various, May, June, 1'	.25	.18
roseum double. Various, May, June, 2'	.35	
roseum Rosy Morn. Pink, June, 2'	.30	.25
roseum single scarlet. Summer, 1'	.35	
uliginosum. White, Sept., 5'	.25	.18
Ranunculus acris fl. pl. Yellow, June, 3'	.25	.20
*repens. Yellow, June, 4"	.25	.18
repens fl. pl. Yellow, June, 1'	.25	.18
Rosmarinus officinalis. Light blue, April, 4"	.30	.25
Rudbeckia Autumn Glory. Yellow, Aug.,		
Sept., 6'	.25	.18
hirta. Yellow, Aug., Sept., 3'	.25	.18
laciniata. (Golden Glow). Yellow, Aug.,6'	.25	.18
nitida. Single yellow, Aug., Sept., 6'	.25	.18
Rayon d'Or. Yellow, Aug., 5'	.25	.18
speciosa. Yellow, July, Aug., 2'	.25	.18
subtomentosa. Lemon yellow, Aug.,		1.0
Sept., 4'	.25	.18
*Ruta graveolens. Yellow, summer, 2½'		.18
*Sagina subulata. White, July, Aug., 3"	.25	.20
Salvia argentea. Pinkish white, June, 3'	.25	.18
azurea. Blue, Aug., 4'	.25	.20
azurea grandiflora. Blue, Aug., 4'		.25
farinacea. Blue, July, 2-3'	.25	.18
glutinosa. Yellow, June, July, 3'	.25	.18

Salvia	5-24 each	25 up each
officinalis. Blue, summer, 18"	25	10
pitcheri. (See azurea grandiflora).	.25	.18
pratensis. Deep blue, June, 3'	.25	.20
pratensis alba. White, June, 3'	.30	.20
pratensis rubicunda. Rose, June, July, 3'	.30	
viscosa. Pink, July, 3'	.25	.18
*Sanguinaria canadensis. White, April, 8"	.25	.18
*Santolina chamaecyparissus. Gray foliage, 1'	.25	.20
*Saponaria ocymoides. Pink, summer, 9"	.25	.18
officinalis rosea pl. Pink, summer, 18"	.25	.20
*Saxifraga aizoides. Yellow, Aug., 4"	.25	
*altissima. White, May, June, 2'	.25	
*borisi. Yellow, May, June, 3"	.25	
*caespitosa. Various, June, July, 6"	.25	
*cochlearis. White, May, June, 9"	.25	.20
*cordifolia. Rose pink, May, June, 1'	.30	.25
*cotyledon. White, May, June, 18"	.30	.25
*crassifolia. Rosy pink, April, 1'	.30	.25
*decipiens. White, May, June, 4"	.30	.25
*grisebachi. Purple, May, June, 8"	.40	
*haussmani. Yellow, May, June, 8"	.25	
*lantoscana. White, May, June, 1'	.30	.25
*lingulata rosea. Pink, April, 1'	.30	.25
*lingulata leichtlini. Rose, April, 1'	.30	.25
*longifolia. White, May, June, 2'	.35	.30
*marginata. White, May, June, 3'	.25	
*McNabiana. White, May, June, 12"	.35	.30
*purpurea. Rosy purple, April, 1'	.25	.20
*sarmentosa. White, summer, 2'	.30	.25
Scabiosa caucasica. Lavender, all sum-		
·	.30	
*caucasica alba. White, summer, 1'	.35	
caucasica House's Hybrids. Various,		
summer, 1'	.35	
fischeri. Blue purple, summer, 2'	.25	
japonica. Lavender, Aug., Sept., 18"	.25	.20
*Schivereckia bornmulleri. White, summer, 4"	.30	.25
*Scutellaria alpina. Purple and white, sum-		
mer, 6"	.25	.20
*coelestina. Blue, summer, 1'	.25	.20

*Scutellaria	5-24 each .25	25 up each .20
*orientalis. Yellow, June, July, 8"	.25	
*Sedum acre. Yellow, June, July, 4"		.18
*aizoon. Yellow, July, Aug., 1'	.25	10
*album. White, July, 4"	.25	.18
*altissimum. Yellow, July, Aug., 9"	.25	.20
*anglicum. Pink, July, Aug., 3"	.25	10
*douglasi. Yellow, July, 2"	.25	.18
*ewersi. Pink, Aug., Sept., 6"	.25	.18
*glaucum. Blue foliage, 2"	.25	.18
*kamtschaticum. Yellow, July, 6"	.25	.18
*maximowiczi. Yellow, July, 1'	.25	.18
*maximum. Pink, Sept., Oct., 18"	.25	.18
*middendorffianum. Yellow, June, July,		
4"	.25	.18
*murale. Pink, July, 1'	.25	.18
*obtusatum. Yellow, July, Aug., 3"	.25	.20
*reflexum. Yellow, July, Aug., 8"	.25	.18
*sarmentosum. Yellow, July, 3"	.25	.18
*sexangulare. Yellow, June, July, 6"	.25	.18
*sieboldi. Pink, July, Aug., 1'	.30	.25
*spectabile. Pink, Aug., Sept., 1½'	.25	.20
spectabile Brilliant. Crimson, Sept., 1½'	.25	.20
*spurium album. White, July, Aug., 6"	.25	.18
*spurium splendens. Rosy crimson,		
Aug., 6"	.25	.20
*stoloniferum. Pink, July, Aug., 6"	.25	.18
*stoloniferum coccineum. Crimson,		
Aug., 6"	.25	.18
*ternatum. White, May, June, 4"	.25	.20
*Sempervivum arachnoideum. Red, June, 4"	.25	.20
*arenarium. Yellow, July, 6"	.25	.18
*alberti. White, July, 8"	.25	.20
*atroviolaceum. Reddish purple, 8"	.25	V
*brauni. Bronze, July, 6"	.25	
*doellianum. Red, June, July, 6"	.25	.20
*funcki. Brown, June, July, 6"	.25	.20
*fauconetti. Pink, June, 6"	.25	.20
*fimbriatum. Pink, July, 8"	.25	.20
*glaucum. Pink, July, Aug., 6"	.25	.20
*globiferum. Yellow, June, 12"		
*tectorum violaceum. Violet red, June, 4"	.25 .25	.18
		.18
*Shortia galacifolia. White, June, 8"	.35	.30

	5-24 each	25 up each
Sidalcea Rose Queen. Rose pink, July,	eden	eden
Aug., 4'	.25	.18
*Silene alpestris. White, May, June, 6"	.25	.18
*maritima. White, summer, 1'	.25	.18
*maritima rosea. Pink, summer, 1'	.25	.20
*multicaulis. White, June, July, 1'	.25	.20
orientalis. Pink, July, 2'	.25	.18
*roemeri. White, July, Aug., 1'	.25	
*saxifraga. White, summer, 6"	.25	.20
*schafta. Bright pink, July, 6"	.25	.20
Silphium perfoliatum. Yellow, July, 6'	.25	.20
*Sisyrinchium angustifolium. Blue, June,		
July, 6"	.30	.25
Smilacina racemosa. White, April, 2-3'	.25	.20
Solidago canadensis. Yellow, fall, 4-5'	.25	.18
rigida. Yellow, fall, 3-4'	.25	.18
shorti. Yellow, fall, 4'	.25	.20
Spigelia marilandica. Red, June, July, 2'	.35	
*Spirea aruncus. White, June, July, 3-5'	.25	.20
camtschatica. White, July, 6'	.25	.18
chinensis. Silvery pink, June, July, 2'	.25	.18
eximea. Pink, June, July, 2'	.25	.20
filipendula. Single, White, June, July, 1'	.25	.20
filipendula fl. pl. White, summer, 15"	.30	
lobata. Pink, July, 4'	.25	.20
palmata. Rosy crimson, June, July, 2'	.25	.18
ulmaria fl. pl. White, June, 3-4'	.25	.20
venusta magnifica. Deep pink, July, 3'	.25	.20
Stachys lanata. Purple, June, July, 18"	.25	.18
Statice. (See Limonium).		
*Stellaria holostea. White, May, June, 1½'	.25	.20
Stokesia laevis. Lavender, Aug., Sept., 1'	.25	.18
laevis alba. White, Aug., Sept., 1'	.25	.18
laevis Blue Moon. Blue, Aug., Sept., 1'	.35	.30
Tanacetum vulgare. Yellow, summer, 3'	.25	.18
Teucrium chamaedrys. Rose, Aug., 1'	.30	.25
orientale. Blue, Aug., 10"	.30	.25
Thalictrum adiantifolium. Yellow, June, 4'	.25	.18
aquilegifolium. White, June, 5'	.25	.18
aquilegifolium purpureum. Purple,		
June, 3'	.30	.25
biacalens. Yellow, June, 4'	.25	.20
dipterocarpum. Lilac, Aug., 3'	.30	.25

Thalictrum.  glaucum. Golden-yellow, June, 4'	5-24 each .30	25 up each .25
minus. Greenish yellow, June, July, 2'	.25	.18
Thermopsis caroliniana. Yellow, June, 6'	.30	.25
Thymus odoratissimus. Lilac, summer, 6"	.25	.18
*nitidus. Rose, June, July, 3"	.25	.20
*serpyllum. White, June, 4"	.25	.18
*serpyllum citriodorus. Purple, June,	0.5	90
July, 3-5" Sopplet Tune 4"	.25 .25	.20
*serpyllum coccineus. Scarlet, June, 4" *serpyllum lanuginosus. Rosy purple,	.20	.20
June, July, 5"	.25	.20
*serpyllum roseus. Rose, summer, 8"	.25	.20
vulgaris. Lilac, June, July, 8"	.25	.20
*Tiarella cordifolia. Creamy white, June, 8"	.25	.18
Tradescantia virginiana. Blue, all summer, 2'	.25	.18
James Stratton. Deep blue, summer, 1'	.40	
<b>Purple Dome.</b> Purple, summer, 1'	.40	
<b>Pauline.</b> Cattleya mauve, summer, $1'$	.40	
James C. Weguelin. Blue, summer, 1'	.30	.25
*Trientalis borealis. White, fall, 6"	.25	.20
*Trillium erectum. Purple, May, 1'	.25	.18
*grandiflorum. White, May, 1'	.25	.18
Tritoma. (See Kniphofia).		
Trollius asiaticus. Rich orange, July, Aug.,		
2'	.40	
*europeus. Citron yellow, July, Aug., 1'	.40	
europeus Orange Globe. Orange, sum-	40	
mer, 18"	.40	
*ledebouri. Orange, summer, 18" *ledebouri Golden Queen. Orange, sum-	.40	
mer, 18"	.40	
,		10
*Tunica saxifraga. Light pink, June, July, 6" *saxifraga alba. White, summer, 6"	.25 $.25$	.18
*saxifraga alba fl. pl. Summer, 6"	.30	.25
*saxifraga rosea fl. pl. Pink, summer, 6"	.30	
Valeriana officinalis. Rose, June, July, 5'.	.25	
Verbascum chaixi. White, summer, 3'	.25	.20
*Cotswold Gem. Amber, June, 4'	.30	.25
olympicum. Yellow, July, Aug., 5'	.25	.18
phoeniceum. Various, May, June, 3'	.25	.18
willmottiae. White, summer, 5'		.18

*Verbena canadensis. Purple, Aug., 18"	5-24 each .30	25 up each .25
hastata. Blue, Aug., Sept., 3'	.25	.18
Vernonia noveboracensis. Purple, Aug.,	•	,
Sept., 5'	.25	.20
*Veronica allioni. Violet, June, 2"	.25	.20
*alpestris. Pale blue, June, 18"	.25	.18
amethystina Royal Blue. June, July, 12"	.25	.20
*Blue Spires. Blue, summer, 18"	.30	.25
caucasica. White, July, 6"	.25	.18
*chamaedrys. Blue, May, June, 18"	.25	.18
*elegantissima. Blue, July, Aug., 2'	.25	.18
*erica. Pink, summer, 10"	.25	.18
*filiformis. Blue, May, 2"	.30	.25
*incana. Pale blue, July, Aug., 1½'	.25	.18
*longifolia subsessilis. Blue, Aug., Sept., 2'	.35	.30
*orchidea. Blue, July, 18"	.25	.20
*pectinata rosea. Pink, May, June, 6"	.25	.18
*peduncularis. White, June, 6"	.25	.18
*pulchella. Blue, May, 1'	.25	.18
*repens. Pale blue, May, June, 2"	.25	.20
*rupestris. Blue, June, 6"	.25	.20
*rupestris alba. White, June, 4"	.25	.20
*rupestris nana. Dark blue, June, 2"	.30	.25
*rupestris pink, June, 4"	.30	.25
*saxatilis. Pale blue, July, 6"	.25	.20
*spicata. Blue, July, Aug., 2'	.25	.18
*spicata alba. White, Aug., 18" *spicata nana. Blue, June, 6"	.25	
*spuria. Blue, June, 18"	.25 .25	10
*teucrium prostrata. Blue, June, 1'	.25	.18 .18
*True Blue. June, July, 12"	.25	.10
virginica. Pale blue, Aug., 4'		.20
*Vesicaria utriculata. Yellow, April, May, 8"	.25	.20
Vinca minor. Blue, all summer, 6"	.20	.15
minor alba. White, all summer, 6"	.30	.25
minor Bowles. Blue, summer, 6"	.30	.25
minor rubra plena. Red, all summer, 6"	.40	.30
*Viola alba. White, May, 6"	.25	.18
*bosniaca. Rosy mauve, June, July, 4"	.25	.20
*cornuta Admiration. Purple, all sum-	25	10
mer, 6"	.25 $.25$	.18
*cornuta Apricot, Apricot, summer, 6"		.18
www.waw.aswaswws/ Albitch: Smillici: D	. 6.1 1.7	العنكم

*Viola	5-24 each	25 up each
mer, 6"	.25	
*cornuta atropurpurea type. Purple, 6"	.25	.20
*cornuta Blue Perfection. Blue, all		
summer, 6"	.25	.18
*cornuta Catherine Sharp. Blue, sum-		•
mer, 6"	.40	.35
*cornuta Chantryland. Apricot, sum-		
mer, 6"	.35	
*cornuta florariensis. Pale blue, sum-	.00	
mer, 6"	.25	
cornuta G. Wermig. Violet, all sum-		
mer, 6"	.25	.20
*cornuta White Wermig. White, sum-	•	
mer. 8"	.30	.25
*cornuta Lord Nelson. Blue, summer, 6"	.25	
*cornuta Lutea Splendens. Yellow, all	<b>,</b>	
summer, 6"	.25	.18
*cornuta Mauve Queen. Mauve, all		
summer, 6"	.25	.18
*cornuta Papilio. Violet, all summer, 6"	.25	.18
*cornuta Primrose Dame. Yellow, sum-		
mer, 6"	.25	.20
*cornuta White Perfection. White, all		
summer, 6"	.25	.18
*Double Russian. Blue, June, 4"	.35	.30
*gracilis. Deep violet, summer, 1'	.25	.20
*Jersey Gem. Rich violet, summer, 6"	.30	.25
*odorata. Blue, April, May, 6"	.25	.18
*odorata Gov. Herrick. Blue, May, 6"	.25	.20
*odorata Princess of Wales. Violet, May,		
6"	,25	.20
*odorata Rosina. Pink, May, 4"	.30	.25
*odorata Royal Robe. Violet, summer, 8"	.30	.25
*pedata. Violet, May, June, 6"	.25	.20
*primulifolia. Pale blue, summer, 6"	.30	.25
*Rohrbach's Everblooming. Violet, 4"	.30	.25
*wellsiana. Various, all summer, 6"	.25	.20
*White Jersey Gem. Summer, 6"	.25	
Yucca filamentosa. White, June, July, 7'		
2 year	.25	.20
3 year	.30	.25
*glauca. White, June, July, 3'	.30	.25

# FRUIT GARDEN MATERIAL We are able to supply all the leading varieties

Apples,		5 to 7 ft	1-4 Each 1.50 1.50	5-24 Each 1.35 1.35	25 & up Each
Cherry,	Sour, Sweet,	5 to 7 ft	$2.25 \\ 2.75$	$2.00 \\ 2.50$	
Peaches,		5 to 7 ft	2.00	1.75	
Pears,	•	5 to 6 ft		$\frac{2.00}{2.00}$	
Plums,		5 to 7 ft	2.25	2.00	
Quinces	,	4 to 5 ft	2.50		
Blackbe Currant Goosebe Grapes, Raspber Rhubarl	rries s erries 3 yr. stron	g	.75 .90 .50	.15 .20 .60 .75 .45 .20 .25	.12 .18 .40 .18 .22 .15

# CONIFEROUS EVERGREENS

Abies alba A. alba pyramidalis A. balsamea A. concolor A. c. violocea A. firma A. fraseri A. homolepis A. nordmanniana A. pinsapo A. procera A. veitchi glauca Cedrus deodara C. libani Chamaecyparis lawsoniana C. I. alumi C. I. Triomphe de Boskoop C. nootkatensis C. n. pendula
C. obtusa compacta
C. o. gracilis
C. o. nana
C. pisifera . pisifera C. pisitera
C. p. aurea
C. p. filifera
C. p. filifera aurea
C. p. filifera aurea variegata
C. p. plumosa
C. p. plumosa aurea
C. p. plumosa argentea
C. p. plumosa sulphurea
C. p. sauarrosa Cryptomeria japonica lobbi Juniperus chinensis J. c. albovariegata J. c. columnaris J. c. globosa J. c. mas
J. c. neaboriensis
J. c. oblonga J. c. pfitzeriana J. c. sargenti J. c. smithi J. communis J. c. depressa J. c. depressa aureo-spica J. c. hibernica J. c. suecica J. c. suecica nana J. c. suecica dayi J. conferta J. excelsa J. e. stricta J. horizontalis J. h. alpina J. h. glauca J. h. plumosa japonica j. aurea J. recurva J. rigida J. Sabina J. s. tamariscifolia
J. s. von ehron
J. scopulorum J. sphaerica J. sauamata J. s. meyeri J. virginiana J. v. canaerti J. v. elegantissima

J. v. glauca

J. v. globosa

J. v. keteleeri J. v. kosteri J. v. pendula J. v. plumosa J. v. schotti J. v. tripartita v. venusta Libocedrus decurrens Picea abies P. a. aurea
P. a. clanbrasiliana P. a. maxwelli P. a. parviformis P. a. pendula P. a. pendula P. a. pygmaea P. a. nana P. a. remonti P. bicolor P. engelmanni P. glauca P. g. aurea P. g. conica P. g. densata P. mariana P. m. doumeti P. omorika P. orientalis P. polita P. pungens P. p. glauca P. p. kosteri P. p. moerheimi Pinus banksiana P. cembra P. densiflora P. flexilis P. mugo
P. m. mughus
P. nigra P. parviflora P. peuce P. ponderosa P. resinosa P. strobus P. sylvestris P. thunbergi Pseudotsuga taxifolia Sciadopitys verticillata Taxus baccata T. b. erecta T. b. fastigiata T. b. repandens T. b. washingtoni T. canadensis T. cuspidata T. c. aurescens T. c. nana T. c. nana compacta T. c. capitata T. hunnewelliana Ť. T. media m. andersoni T. m. browni T. m. hatfieldi T. m. hicksi Thuja occidentalis T. o. aurea douglasi T. o. columbia T. o. compacta T. o. cristata T. o. elegantissima T. o. ellwangeriana T. o. ericoides T. o. globosa

# Coniferous Evergreens continued

T. o. hoveyi

T. o. pumila

T. o. pyramidalis T. o. douglasi pyramidalis

T. o. reevesi

T. o. reidi

T. o. riversi T. o. rosenthali T. o. spiralis

T. o. umbraculifera

T. o. vervaeneana

T. o. wareana T. o. woodwardi

T. orientalis

T. o. conspicua
T. o. elegantissima
T. o. nana aurea
T. o. siabaldi

T. o. sieboldi T. plicata

T. standishi

Tsuga canadensis T. caroliniana

T. sieboldi

# **BROAD-LEAVED EVERGREENS**

Arctostaphylos uva-ursi

Azalea obtusa amoena A. o. j. hinodegiri

A. rosmarinifolia A. r. sekidera

Berberis julianae B. sargentiana B. triacanthophora

B. verruculosa

Bruckenthalia spiculifolia Buxus microphylla B. m. koreana

B. sempervirens handsworthi

Calluna vulgaris
C. v. alba
C. v. alporti

C. v. aurea C. v. carnea C. v. compacta

C. v. rubra C. v. searlei

Chamaedaphne calyculata

Daphne cneorum Erica carnea

E. darleyensis E. vagans

Euonymus fortunei

E. f. argenteo-marginatus E. f. carrieri

E. f. colorata E. f. kewensis

E. f. minima
E. f. radicans
E. f. vegetus
E. kiautschovicus

llex cornuta

1. crenata

l. c. bullata l. c. latifolia

I. c. microphylla

I. glabra I. opaca Kalmia latifolia

Leucothoe catesbaei

Lonicera nitida

L. pileata

Mahonia aquifolium

Pachistima canbyi Pieris floribunda

P. japonica

Pyracantha lalandi

P. coccinea P. yunnanensis

Rhododendron carolinianum

R. catawbiense R. maximum

Stranvaesia davidiana

Viburnum rhytidophyllum

# DECIDUOUS SHADE TREES

Acer campestre

A. cappadocicumA. mandshuricum

A. negundo

A. nigrum

A. platonoides

A. p. columnare A. p. schwedleri

A. pseudoplatanus

A. rubrum
A. saccharinum
A. s. pyramidale
A. s. wieri

A. saccharum

Aesculus carnea

A. glabra
A. hippocastanum
A. h. baumanni
A. octandra
A. turbinata

Ailanthus altissima

A. vilmoriniana Alnus cordata

A. glutinosa

A. g. laciniata A. hirsuta

A. incana A. iaponio

japonica Betula maximowicziana

B. lenta

B. lutea

B. nigra B. papyrifera

B. p. cordifolia

B. pendula

B. p. fastigiata B. p. laciniata

B. populifolia

C. caroliniana

Carpinus betulus
C. cordata

japonica

C. japonica C. t**schonoski** 

# **Deciduous Shade Trees Continued**

Carya ovata Catalpa bignonioides nana C. speciosa Cedrela sinensis Celtis occidentalis C. sinensis Cercidiphyllum japonicum C. j. sinense Eucommia ulmoides Fagus grandiflora F. sylvatica F. s. fastigiata
F. s. heterophylla
F. s. pendula F. s. purpurea F. s. riversi Fraxinus americana F. excelsior F. mandshurica F. nigra F. pennsylvanica F. p. lanceolata F. quadrangulata Ginkgo biloba G. b. fastigiata Gleditsia elegantissima G. japonica
G. triacanthos
G. t. inermis Gymnocladus dioica Juglans cineria J. nigra J. sieboldiana Larix decidua L. laricina L. leptolepis Liquidambar formosana L. styraciflua Liriodendron tulipifera L. t. fastigiatum Magnolia acuminata M. denudata M. fraseri M. obovata M. tripetala Morus alba tatarica Ostrya virginica Paulownia tomentosa Phellodendron amurense . lavallei Platanus occidentalis P. orientalis Populus alba P. a. bolleana P. a. nivea P. berolinensis P. candicans P. maximowiczi P. nigra italica P. nigra betulifolia P. simoni P. suaveolens
P. tremuloides
P. trichocarpa Prunus serotina Ptelia trifoliata

Quercus alba

Q. bicolor O. borealis Q. cerris Q. coccinea Q. imbricaria Q. lyrata Q. macrocarpa Q. palustris Q. phellos Q. prinus Q. rubra Q. stellata Q. texana Q. variabilis velutina Robinia pseudoacacia R. p. bessoniana R. p. bessoniana
R. p. decaisneana
Salix alba chermesina
S. a. vitellina
S. a. pendula
S. b. crispa
S. blanda
S. elegantissima
S. fragilis
S. mandshurica
S. niobe S. niobe S. pentandra S. sepulcralis S. sieboldiana S. wentworthi Sassafras albidum Sorbus aria latifolia S. aucuparia
S. a. fastigiata
S. thuringiaca
S. torminalis S. torminalis Taxodium distichum T. cordata T. euchlora T. europea T. henryana T. heterophylla T. oliveri T. platyphyllos T. p. pyramidalis T. tomentosa Ulmus americana U. a. moline U. a. urni U. carpinifolia sarniensis U. hollandica belgica U. h. klemmeri U. h. vegata U. procera U. p. monumentalis U. p. purpurea U. fulva U. glabra U. g. camperdowni U. g. nana U. japonica U. parvifolia U. pumila thomasi Zelkova serrata

## DECIDUOUS SMALL TREES

Acer buergerianum A. ginnala A. glabrum A. griseum A. japonicum aureum A. nikoense A. palmatum A. p. atropurpureum
A. p. filicifolium
A. p. elegans
A. pennsylvanicum A. platanoides globosum A. sieboldianum A. spicatum A. tartaricum Albizzia julibrissin rosea Alnus pendula Aralia spinosa Asimina triloba Broussonetia papyrifera Cercis canadensis C. c. alba . c. alba Cladrastis lutea Cornus florida
C. f. plena
C. f. rubra
C. f. welchi
C. kousa
C. k. chinensis C. mas officinalis Cotinus coggygria Crataegus aprica C. arkansana C. arnoldiana C. coccinioides C. crusgalli C. cuneata C. hupehensis C. intricata
C. lavallei
C. macracantha C. macracantha
C. mollis
C. monogyna
C. m. stricta
C. nitida
C. oxyacantha
C. o. plena
C. o. pauli
C. o. pulicea
C. o. rosea plena
C. peregrina
C. persistens
C. phaenopyrum
C. pinnatifida mo C. pinnatifida major C. pruinosa C. prunifolia C. punctata C. succulenta C. tomentosa C. viridis Diospyros virginiana Franklinia alatamaha Halesia tetraptera H. monticola Idesia polycarpa Kalopanax pictus K. p. maximowiczi Koelreuteria paniculata Laburnum alpinum L. anagyroides

L. watereri Maackia **amurensis**  Magnolia kobus M. salicifolia M. soulangeana M. s. nigra M. s. lennei M. virginiana Malus angustifolia M. arnoldiana M. adstringens M. atrosanguinea M. baccata M. b. mandshurica M. brevipes M. coronaria M. c. Charlotte M. dolga M. Elisa Rathke M. florentina M. floribunda M. fusca M. glaucescens M. halliana M. h. parkmani M. hopa M. hupehensis M. h. rosea Μ. ioensis M. i. plena M. micromalus M. niedzwetzkyana M. Oekonemurat Echtermeyer M. purpurea M. p. aldenhamensis M. p. eleyi M. p. lemoinei M. prunifolia rinki M. robusta M. r. erecta M. r. persicifolia M. sargenti M. scheideckeri M. sieboldi M. spectabilis
M. s. alba plena
M. sublobata
M. toringoides
M. tschonoski M. yunnanensis veitchi M. zumi M. z. calocarpa Morus alba pendula Nyssa aquatica N. svlvatica Oxydendrum arboreum Prunus americana P. a. Newport
P. armeniaca sibirica P. avium plena P. cerasifera pissardi P. cistena P. davidiana P. d. alba P. hortulana P. incisa P. maacki P. moseri fl. pl. P. mume P. mume fl. pl. P. padus P. pennsylvanicum P. persica P. p. albopiena

## **Deciduous Small Trees Continued**

P. p. Clara Meyer P. p. rubroplena P. sargenti P. serrulata

P. s. Amanogawa P. s. Gioiko

P. s. Hata-zakura
P. s. Horaisan
P. s. Hosokawanioi P. s. Higantakura P. s. Hisakura P. s. Jas. H. Veit

Veitch

P. s. Jas. n. ven P. s. Jonioi P. s. Kuramayami P. s. Kwanson P. s. lannesiana P. s. Miyako P. s. Shirofugen P. s. Shogetsu P. s. sirotae P. s. sirotae P. s. Sumizome

P. sieboldi syn. Naden

P. spinosa P. subhirtella

P. s. ascendens P. s. autumnalis

P. s. pendula

P. virginiana

P. yedoensis P. y. taizanfukun Pterostyrax corymbosa

Pyrus calleryana P. betulaefolia P. salicifolia P. serrulata

Rhus chinensis

Robinia fertillis R. globosa R. hispida R. holdti R. Margaretta

Salix amygdaloides

S. caprea S. matsudana

S. m. tortuosa

S. regalis Sophora japonica Sorbus americana

S. commixta S. spuria

Styrax japonica S. obassia

Syringa amurensis japonica

S. pekinensis

## **DECIDUOUS SHRUBS**

Abelia chinensis A. grandiflora

 A. schumanni Acanthopanax sieboldianus

Aesculus parviflora Alnus rugosa A. viridis

Amelanchier alnifolia

A. asiatica A. canadensis A. laevis

A. grandiflora rubescens

A. oblongifolia A. ovalis A. sanguinea

A. stolonifera Amorpha brachycarpa

A. canescens A. fruticosa Aronia arbutifolia A. melanocarpa A. m. elata A. prunifolia

Artemisia abrotanum Azalea calendulacea

A. canescens A. kaempferi A. lutea A. mollis A. nudiflora A. viscosa

A. yedoensis A. y. poukhanensis Baccharis halimifolia Berberis koreana

B. circumserrata

B. thunbergi
B. t. atropurpurea
B. t. minor
B. t. pluriflora
B. t. erecta

Berchemia racemosa Bischoffia javanica Buddleia Charming

B. alternifolia

B. davidi B. d. superba

B. d. veitchiana B. farquhari B. lle de France

B. intermedia B. lindleyana

B. paniculata

Callicarpa americana

C. dichotoma C. giraldiana

C. japonica Calycanthus floridus C. occidentalis Caragana arborescens

C. a. lorbergi C. boisi

C. frutex C. sophoraefolia Caryopteris incana Ceanothus americanus Cephalanthus occidentalis

Cercis chinensis

Cercis chinensis
Chaenomeles japonica
C. j. alpina
C. lagenaria
C. l. cathayensis
C. l. Columbia
C. l. Falconet Charlet
C. l. kermesina semiplena
C. l. pygmaea
C. l. rosea grandiflora
C. l. rosea plena
C. l. rubra
C. l. semperflorens
C. l. umbilicata

C. I. umbilicata
C. I. Vermilion
Chionanthus virginicus
Clerodendron trichotomum
Clethra alnifolia

C. a. paniculata C. barbinervis

D. ningpoense

Colutea arborescens C. cilicica C. media Comptonia asplenifolia Cornus alba C. a. elegantissima
C. a. sibirica
C. a. spaethi C. alternifolia
C. amomum
C. baileyi C. paucinervis
C. pubescens
C. racemosa
C. rugosa
C. sanguinea
C. s. viridissima
C. stolonifera
C. s. flaviramea Corylus americana C. avellana
C. a. atropurpurea
C. heterophylla setchuenensis
C. rostrata Cotoneaster acutifolia C. a. villosula
C. adpressa
C. ambigua
C. apiculata
C. dammeri
C. dielsiana
C. divaricata
C. foveolata C. diesidad
C. divaricata
C. foveolata
C. francheti
C. himalaicus
C. horizontalis
C. h. perpusilla
C. h. wilsoni
C. hupehensis
C. integerrima
C. lucida
C. melanocarpa
C. microphylla
C. moupinensis
C. multiflora
C. nitens
C. obscura
C. racemiflora soongarica
C. rosea
C. simonsi
C. tenuipes C. tenuipes C. zabeli C. Zaben Cytisus nigricans C. scoparius C. s. andreanus C. supinus supinus Daphne mezereum D. m. alba Deutzia gracilis D. lemoinei
D. l. compacta
D. myriantha Boule Rose

D. parviflora D. rosea D. rosea companulata D. r. carminea
D. r. venusta
D. scabra D. s. Pride of Rochester
D. s. rosea plena
D. s. watereri
D. s. wellsi D. schneideriana laxiflora D. vilmorinae Diervilla sessilifolia D. Ionicera Dirca palustris Eleagnus angustifolia E. commutata E. multiflora E. umbellata E. u. parvifolia Elsholtzia stauntoni Enkianthus campanulatus Euonymus alatus E. a. compacta E. americanus E. atropurpureus E. bungeanus E. europaeus E. e. fructu-coccineus E. latifolius E. maacki E. nanus E. obovatus E. oxyphyllus E. yedoensis Evodia danieli E. hupehensis Exochorda racemosa E. g. wilsoni Fontanesia fortunei Forsythia europea F. intermedia F. i. primulina F. i. spectabilis F. ovata F. suspensa F. s. atrocaulis F. s. fortunei F. s. sieboldi viridissima Fothergilla gardeni Gaylussacia baccata Genista juncea G. pilosa G. sagittalis G. tinctoria Hamamelis japonica H. j. rubra H. mollis H. vernalis H. v. tomentella virginiana Helwingia japonica

Hibiscus syriacus H. variegatus H. v. meehani Hippophae rhamnoides Hovenia dulcis Hydrangea arborescens H. a. grandiflora H. cineria sterilis H. o. Otaksa H. a. Thos. Hogg H. paniculata H. p. grandiflora H. p. praecox H. quercifolia H. radiata Hypericum arnoldiana H. bucklei H. densiflorum H. frondosum H. kalmianum H. lobocarpum H. moserianum H. patulum H. p. henryi H. prolificum Ilex geniculata 1. laevigata I. montana serrata syn. sieboldi
 verticillata I. v. chrysocarpa Indigofera amblyantha I. kirilowi I. potanini Itea virginica Jasminum nudiflorum J. stephanense Kerria japonica K. j. pleniflora Kolkwitzia amabilis Lagerstroemia indica rubra Lespedeza bicolor L. thunbergi L. japonica Ligustrum acuminatum L. a. macrocarpum L. amurense L. ibolium L. obtusifolium L. o. nanum L. o. regelianum L. ovalifolium L. o. variegatum L. vulgare L. v. foliosum L. v. leucocarpum v. nanum Lindera benzoin Lonicera bella albida L. bella atrorosea L. billardi L. chrysantha L. conjugialis L. dioica L. fragrantissima L. gracilipes L. orientalis longifolia L. kohneana L. korolkowi floribunda

L. ledebouri L. maacki L. m. podocarpa L. morrowi L. muendeniensis L. quinquelocularis L. ruprechtiana L. saccata L. spinosa alberti L. standishi L. syringantha L. s. wolfi L. tatarica L. t. alba L. t. lutea L. t. rosea L. t. sibirica L. t. virginalis L. xylosteum Lycium chinense L. halimifolium Lyonia ligustrina L. mariana Magnolia sieboldi M. stellata M. s. rosea Myrica pennsylvanica M. cerifera M. gale Nandina domestica Neillia longeracemosa N. sinensis Nemopanthus mucronata Neviusia alabamensis Paeonia suffruticosa Perowskia atriplicifolia Philadelphus coronarius P. c. aureus P. c. multiflorus plenus P. c. nanus P. cymosus Banniere P. c. Norma
P. c. Voie Lactee
P. falconeri P. gordonianus P. grandiflorus inconus P. incanus
P. inodorus
P. lemoinei Avalanche
P. l. erectus
P. l. Dame Blanche
P. l. Pyramidale
P. lewisi
P. maadalenae P. magdalenae P. nepalensis P. nivalis P. polyanthus Favorite P. p. Gerbe de Neige
P. p. Pavillon Blanc
P. purpureo mac. Ophelia
P. p. Sybille P. sericanthus
P. splendens
P. virginalis Albatre P. virginalis Albuti P. v. Argentine P. v. Boquet Blanc P. v. Glacier P. v. Virginal P. zeyheri

Photinia villosa P. v. laevis Physocarpus intermedius P. i. parvifolius P. monogynus P. opulifolius P. o. luteus P. o. nanus Potentilla fruticosa Prinsepia sinensis Prunus besseyi P. dunbari P. glandulosa
P. g. albiplena
P. g. sinensis
P. japonica
P. garitima P. maritima P. pumila P. tenella P. tomentosa P. triloba P. t. plena P. v. demissa Rhamnus caroliniana R. cathartica R. dahurica R. frangula R. f. asplenifolia R. koraiensis R. purshiana R. spathulaefolia R. utilis R. wilsoni Rhodotypos scandens Rhus aromatica R. capallina R. glabra R. trilobata R. typhina R. t. laciniata Ribes alpinum R. aureum
R. fasciculatum
R. gordonianum
R. sanguineum Robinia Ellioti R. kelsevi R. viscosa Rosa acicularis R. blanda R. carolina R. canina R. coriifolia froebeli R. davurica R. ecae R. eglanteria P. e. hybrids R. foetida R. f. persiana

R. fujisanensis R. helenae R. hugonis R. humilis R. laevigata R. marreti R. maximowicziana jacki R. moyesi R. multiflora R. m. cathayensis R. nitida

R. palustris R. pendulina

R. rouletti R. rubrifolia R. rugosa R. r. alba R. r. hybrids R. r. repens R. sericea R. setigera R. spinosissima altaica R. s. hispida R. s. hybrids R. virginiana R. watsoniana R. wichuraiana R. w. hybrids
R. hybrid perpetuals
R. hybrid tea
R. climbing
R. climbing R. polyantha hybrids R. woodsi R. xanthina allard R. x. spontanea Rubus deliciosus R. nemorosus R. odoratus R. phoenicolasius Salix discolor S. doniana S. elaeagnos S. irrorata S. jessoensis S. lucida S. mutabilis S. myricoides rigida S. nigricans cotinifolia S. patula S. purpurea nana S. purpurea S. purpurea gracilis Sambucus canadensis S. c. acutiloba Š. nigra S. n. aurea S. n. albo-variegata S. pubens S. p. xanthocarpa S. racemosus Shepherdia argentea S. canadensis Smilax rotundifolia Sorbaria aitchisoni S. arborea glabrata S. tomentosa S. sorbifolia Spirea arguta

S. billiardī S. bumalda S. b. Anthony Waterer S. b. walluffi S. cantoniensis S. c. lanceata S. chamaedryfolia ulmifolia S. douglasi S. froebeli S. japonica S. japonica fortunei

S. i. ovalifolia S. i. ruberrima S. latifolia S. margaritae

S. nipponica rotundifolia

S. prunifolia S. pubescens S. salicifolia S. superba S. syringiflora S. thunbergi S. tomentosa S. trichocarpa S. van houttei S. veitchi S. wilsoni Staphylea bumalda S. colchica S. pinnata S. trifolia Stephanandra incisa Stewartia ovata S. o. grandiflora S. serrata Symphoricarpos chenaulti S. albus S. mollis S. occidentalis S. o. heyeri S. orbiculatus Symplocos paniculata Syringa amurensis japonica S. chinensis S. c. alba S. c. metensis S. c. saugeana S. emodi S. henryi eximea S. h. lutece S. josikea S. microphylla S. oblata S. o. dilatata S. o. giraldi S. persica S. p. alba S. villosa S. vulgaris

Vaccinium corymbosum Viburnum acerifolium V. bitchuiense V. betulifolium V. burejaeticum V. burkwoodi V. carlesi V. cassinoides V. dentatum
V. dilatatum
V. d. xanthocarpum V. fragrans V. hupehen hupehense lantana V. I. rugos V. lentago rugosum V. molle V. nudum V. opulus V. o. nanum V. o. sterile V. o. xanthocarpum V. ovatifolium V. prunifolium V. pubescens V. pubescens
V. p. canbyi
V. rufidulum
V. sargenti
V. sieboldi
V. setigerum
V. tomentosum V. t. sterile V. trilobum V. veitchi V. wrighti Vitex agnus castus V. a. c. alba V. a. c. latifolia negundo incisa Weigela floribunda W. florida
W. f. nana variegata
W. hortensis rubra W. japonica W. w. Abel Carriere W. w. candida
W. w. desboisi
W. w. Eva Rathke
W. w. Groenewegeni
W. w. Gustav Mallot
W. w. sieboldi argenteomarginata W. w. styriaca

# VINES

W.

Actinidia arguta Akebia trifoliata A. quinata Ampelopsis acontifolia A. brevipedunculata A. b. elegans

S. vulgaris alba

Tamarix africana

S. v. hybrids S. yunnanensis

Ulex europeus

T. gallica T. g. indica T. juniperina T. odessana T. pentandra T. tetandra

> A. b. maximowiczi Aristolochia durior A. tomentosa Campsis grandiflora C. radicans C. r. Mme. Galen

w. vanhauttei

Zanthorhiza simplicissima Zanthoxylum americanum

## Vines Continued

C. r. speciosa Celastrus orbiculatus

C. scandens Clematis apiifolia

Clematis apiifolia
C. chrysocoma sericea
C. crispa
C. fargesi
C. hybrids
C. ligusticifolia
C. montana rubens
C. m. undulata
C. m. wilsoni
C. paniculata
C. serratifolia
C. tangutica
C. texensis syn. coccinea
C. viorna
C. virginiana
C. vitalba
C. viticella
Decumaria barbara

Decumaria barbara

Hedera helix

H. h. Albany H. h. baltica

H. h. conglomerata
H. h. Emerald Gem
H. h. gracilis
H. h. Hahns
H. h. lobata

Hydrangea petiolaris Lonicera alseusmoides

L. browni plantierensis L. caprifolium

L. fuchsoides L. heckrotti L. henryi

L. hirsuta

L. japonica L. j. chinensis L. j. halleana L. j. aurea reticulata L. periclymenum belgica L. prolifera syn. sullavanti

L. sempervirens L. tellmanniana

L. thibetica Parthenocissus henryana

P. quinquefolia
P. q. engelmanni
P. q. saintpauli
P. tricuspidata lowi
P. t. veitchi Perpiloca graeca Polygonum auberti Pueraria thunbergiana

Schizophragma hydrangoides Solanum dulcamara

Tripterygium regeli

Vinca minor V. m. alba V. m. rubra plena Vitis aestivalis V. amurensis
V. coignetae
V. labrusca
V. rotundifolia
V. vulpina
Wistaria frutescens

W. floribunda macrobotrys
W. macrostachya
W. sinensis
W. s. alba

#### LARGE SPECIMEN MATERIAL

We have a large collection of specially grown, heavy specimen plants in a wide range of sizes. Prices will be quoted on application. We are prepared to deliver B&B on platforms where necessary.

## PLANTS FOR SPECIAL PURPOSES

In the following pages we undertake to suggest plants for special purposes which often present a problem to the landscape architect in making up a planting list.

## WOODY PLANTS FOR AUGUST AND SEPTEMBER FLOWERING

Baccharis halimifolia Buddleia in variety Campsis grandiflora Clematis paniculata Elscholtzia stauntoni Hamamelis virginiana Hibiscus syriacus in variety

Hydrangea in variety Hypericum in variety Lonicera heckrotti Spirea tomentosa Tamarix pentandra Vitex agnus castus Vitex agnus castus latifolia

# Woody Plants with Fruits Attractive to Birds

Varieties marked with an asterisk furnish either fruit or seeds as food for birds in winter.

Aronia arbutifolia Aronia prunifolia \*Betula papyrifera \*Betula populifolia \*Betula lenta \*Betula lutea
Cornus in variety
\*Crataegus in variety
Euonymus in variety \*Hypericum prolificum \*Juniperus virginiana
\*Juniperus communis
\*Ligustrum in variety

Lonicera in variety Morus alba \*Myrica pennsylvanica Nyssa sylvatica

Lindera benzoin

Parthenocissus quinquefolia P. tricuspidata veitchi

\*Pinus in variety Photinia villosa Prunus besseyi Prunus padus

Prunus pennsylvanicum Prunus serotina

\*Rhamnus in variety \*Rhus capallina

\*Rhus glabra \*Rhus typhina Ribes in variety

Sambucus in variety \*Symphoricarpus in variety Vaccinium corymbosum Viburnum in variety Vitis in variety

\*Weigela hybrida in variety

# Low Woody Plants for Rock Gardens

Chamaecyparis obtusa compacta Chamaecyparis obtusa nana Cotoneaster adpressa Cotoneaster horizontalis Cotoneaster horizontalis perpusilla Cotoneaster rotundifolia Daphne cneorum Daphne mezereum Euonymus fortunei minimus

Hypericum henryi Jasminum nudiflorum
Juniperus horizontalis
Juniperus horizontalis glauca
Juniperus suecica nana
Juniperus sabina tamariscifolia Lonicera spinosa alberti Lonicera syringantha Lonicera thibetica

# Woody Plants Enduring Shade

For Dry Soil

Ailanthus altissima Celastrus scandens Gleditsia triacanthos Hamamelis virginiana Ligustrum amurense Ligustrum obtusifolium

Ligustrum vulgare Rhus aromatica Ribes alpinum Rubus adoratus Symphoricarpus orbiculatus Vinca minor

#### For Moist Soil

The above plants will do well in moist soil and may be considered with the following plants:

Acer pennsylvanicum Acer spicatum Alnus alutinosa Alnus incana Cornus florida Euonymus fortunei in variety Fagus grandiflora Hedera helix Kalmia latifolia

Amelanchier in variety Lindera benzoin Carpinus in variety Cercis canadensis Ostrya virginica Pachysandra terminalis Rhododendron in variety Tsuga canadensis Viburnum acerifolium Zanthorhiza simplicissima

# Woody Plants for Bank Planting

Those kinds marked with an asterisk are excellent binders for a steep bank.

Ailanthus altissima Celastrus scandens Cornus alba Cornus amomum Cornus stolonifera Euonymus fortunei \*Lonicera halleana \*Lonicera japonica Lonicera tatarica

Physocarpus opulifolius

\*Rhus typhina Robina pseudacacia \*Rosa setigera \*Rcsa wichuraiana \*Rubus odoratus Salix caprea Salix discolor Salix elaeagnos

\*Symphoricarpus orbiculatus Vinca minor Vitis vulpina

## Plants for the Herb Garden

Achillea millefolium
Allium schoenoprasum
Anthemis nobilis
Artemisia abrotanum
Artemisia dracunculus
Artemisia pontica
Artemisia stelleriana
Asarum canadense
Asperula odorata
Calamintha alpina
Cedronella cana
Chrysanthemum balsamita
Foeniculum atrosanguineum
Hyssopus officinalis
Lavandula officinalis
Marrubium vulgare

Melissa officinalis
Mentha piperita
Mentha requieni
Monardi didyma
Monardi fistulosa
Nepeta hederacea
Origanum vulgare
Rosmarinus officinalis
Ruta graveolens
Salvia officinalis
Santolina chamaecyparissus
Tanecetum vulgare
Thymus serpyllum
Thymus serpyllum
Thymus vulgaris
Valeriana officinalis

# SCHEDULE OF B & B CHARGES

Schedule of charges for balling and burlapping deciduous trees and shrubs of various sizes, including those marked by an (\*) asterisk. Where items are listed "B&B" this charge is included in the printed price.

•	1.10 1.50 1.90 2.25
3-4'	1.50 1.90
A = /	
• • • • • • • • • • • • • • • • • • • •	
C	iameter of Ball
6-8' Shrubs \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	16"
8-10' Shrubs 4.25	18"
11/4" Trees	. •
$1\frac{1}{2}$ " Trees 5.50	20"
13/4" " 7.50	22"
$13\overline{4}''$ " 7.50 2" 9.00	24"
21/2" " 13.50	30"
2/12 // 22.50	36"
31/4" " 32.50	42"
45.00	48"
41/2" " 65.00	54"
5"2 " 90.00	60"

The depth of the ball will be no less than two thirds of the given diameter. The larger balls may be mounted on platforms. An extra charge will be made for the platforms but this will be cancelled upon their return to us by prepaid freight.

# MEMORANDA

# **MEMORANDA**

# MEMORANDA

